

# Pelco PTZ Protocols

## D Protocol

### Version 5.2.1

8 February 2012

Eric Hamilton



#### Proprietary Notice

The contents of this document are considered to be the property of Pelco. Users of this protocol agree to use the protocol only in the interests of Pelco. Any use of this protocol to Pelco's detriment is prohibited.

Those receiving this protocol cannot redistribute the protocol without the expressed written consent of Pelco.

This document is Copyright© by Pelco: 1996, 1997, 1998, 2003, 2004, 2007, 2008.

---

<sup>1</sup>\$Header: d:/Binder06.Protocols/test/RCS/KProto.tex,v 1.4 2012-02-08 10:37:40-08 Hamilton Exp Hamilton \$

## **Notice of Disclaimer**

Pelco makes no claims, expressed or implied, regarding the usefulness of this protocol, its implementation, or its correctness. Any use of this protocol is the sole responsibility of the agency implementing the protocol. The contents of this document and the function of the protocol are subject to change without notice.

## **Questions**

Questions regarding this protocol, its implementation, use, and distribution should be addressed to:

Pelco	(559) 292-1981 Voice
3500 Pelco Way	(800) 289-9100 Voice
Clovis, California, USA	(559) 292-1018 FAX
93612-5699	<a href="http://www.pelco.com">www.pelco.com</a>

## **Change Log**

This is a total rewrite of the previously available protocol documentation for D protocol. Thus it is a new document.

The base line document for D Protocol was the former "Pelco Engineering 'D' Protocol Manual" TF-0001, Version 4, Revision 1, dated 4/7/2004, many e-mails and code inspection.

This is an abbreviated change log, the full change log is in Appendix G, page 149.

## Contents

<b>1</b>	<b>What this Manual Covers</b>	<b>7</b>
1.1	Protocol overview . . . . .	7
1.2	Pelco's PTZ Master/Slave protocol principle . . . . .	8
1.3	Fine Print Notes . . . . .	9
1.4	Byte Format . . . . .	9
1.5	Various Protocol Baud Rate Dependent Times . . . . .	10
<b>2</b>	<b>General Command Information</b>	<b>11</b>
2.1	General Notes . . . . .	12
<b>3</b>	<b>Command Sets</b>	<b>14</b>
3.1	Standard Commands . . . . .	15
3.2	Extended Commands . . . . .	17
3.3	Creating Labels . . . . .	26
3.4	Example D Protocol Messages . . . . .	28
<b>4</b>	<b>Responses</b>	<b>29</b>
4.1	The Standard Extended Response . . . . .	30
4.2	The General Response . . . . .	30
4.3	The Extended Response . . . . .	31
4.4	The Query Response . . . . .	32
<b>5</b>	<b>Detailed Command Descriptions</b>	<b>36</b>
5.1	Response 0x01 (1), Standard Extended Response . . . . .	36
5.2	Command 0x03 (3), Set Preset . . . . .	37
5.3	Command 0x05 (5), Clear Preset . . . . .	39
5.4	Command 0x07 (7), Call Preset . . . . .	40
5.5	Command 0x09 (9), Set Auxiliary . . . . .	41
5.6	Command 0x0B (11), Clear Auxiliary . . . . .	43
5.7	Command 0x0D (13), Dummy . . . . .	44
5.8	Command 0x0F (15), Remote Reset . . . . .	45
5.9	Command 0x11 (17), Set Zone Start . . . . .	46
5.10	Command 0x13 (19), Set Zone End . . . . .	48
5.11	Command 0x15 (21), Write Character To Screen . . . . .	49
5.12	Command 0x17 (23), Clear Screen . . . . .	50
5.13	Command 0x19 (25), Alarm Acknowledge . . . . .	51

---

<sup>2</sup>tocdepth = 2

5.14 Command 0x1B (27), Zone Scan On . . . . .	52
5.15 Command 0x1D (29), Zone Scan Off . . . . .	55
5.16 Command 0x1F (31), Record Pattern Start . . . . .	55
5.17 Command 0x21 (33), Record Pattern End . . . . .	59
5.18 Command 0x23 (35), Run Pattern . . . . .	59
5.19 Command 0x25 (37), Set Zoom Speed . . . . .	61
5.20 Command 0x27 (39), Set Focus Speed . . . . .	62
5.21 Command 0x29 (41), Reset Camera to Defaults . . . . .	63
5.22 Command 0x2B (43), Auto Focus . . . . .	63
5.23 Command 0x2D (45), Auto Iris . . . . .	64
5.24 Command 0x2F (47), AGC . . . . .	65
5.25 Command 0x31 (49), Backlight Compensation . . . . .	66
5.26 Command 0x33 (51), Auto White Balance . . . . .	67
5.27 Command 0x35 (53), Enable Device Phase Delay Mode . . . . .	68
5.28 Command 0x37 (55), Set Shutter Speed . . . . .	69
5.29 Command 0x39 (57), Adjust Line Lock Phase Delay . . . . .	71
5.30 Command 0x3B (59), Adjust White Balance (R-B) . . . . .	73
5.31 Command 0x3D (61), Adjust White Balance (M-G) . . . . .	74
5.32 Command 0x3F (63), Adjust Gain . . . . .	75
5.33 Command 0x41 (65), Adjust Auto-Iris Level . . . . .	76
5.34 Command 0x43 (67), Adjust Auto-Iris Peak Value . . . . .	77
5.35 Command 0x45 (69), Query . . . . .	78
5.36 Command 0x47 (71), Preset Scan . . . . .	83
5.37 Command 0x49 (73), Set Zero Position . . . . .	84
5.38 Command 0x4B (75), Set Pan Position . . . . .	84
5.39 Command 0x4D (77), Set Tilt Position . . . . .	86
5.40 Command 0x4F (79), Set Zoom Position . . . . .	87
5.41 Command 0x51 (81), Query Pan Position . . . . .	88
5.42 Command 0x53 (83), Query Tilt Position . . . . .	89
5.43 Command 0x55 (85), Query Zoom Position . . . . .	89
5.44 Command 0x57 (87), Prepare For Download . . . . .	90
5.45 Response 0x59 (89), Query Pan Position Response . . . . .	91
5.46 Response 0x5B (91), Query Tilt Position Response . . . . .	92
5.47 Response 0x5D (93), Query Zoom Position Response . . . . .	93
5.48 Command 0x5F (95), Set Magnification . . . . .	94
5.49 Command 0x61 (97), Query Magnification . . . . .	96
5.50 Response 0x63 (99), Query Magnification Response . . . . .	97
5.51 Command 0x65 (101), Activate Echo Mode . . . . .	97

5.52 Command 0x67 (103), Set Remote Baud Rate . . . . .	98
5.53 Command 0x69 (105), Start Download . . . . .	99
5.54 Command 0x6B (107), Query Device Type . . . . .	100
5.55 Response 0x6D (109), Query Device Type Response . . . . .	101
5.56 Command 0x6F (111), Query Diagnostic Information . . . . .	102
5.57 Response 0x71 (113), Query Diagnostic Information Response	103
5.58 Command 0x73 (115), Version Information Macro Opcode . .	106
5.59 Command 0x75 (117), Everest Macro Opcode . . . . .	110
5.60 Command/Responses 0x77 (119), Time Commands . . . . .	122
5.61 Command 0x79 (121), Screen Move . . . . .	127
<b>A Software Revision Reporting</b>	<b>129</b>
A.1 Spectra II . . . . .	129
A.2 Spectra III . . . . .	129
A.3 Spectra MINI . . . . .	129
A.4 Spectra IV . . . . .	130
A.5 Spectra IV TC16 . . . . .	130
A.6 Spectra IV Horizon . . . . .	131
A.7 Esprit . . . . .	131
A.8 Esprit TI . . . . .	133
A.9 ExSite . . . . .	133
A.10 ExSite, fixed mount, PAL . . . . .	134
A.11 ExSite, fixed mount, NTSC . . . . .	134
<b>B Camera Characteristics</b>	<b>135</b>
B.1 Focusing . . . . .	135
B.2 Iris . . . . .	135
B.3 Speed Ramping . . . . .	136
B.4 Zooming . . . . .	136
<b>C Interpreting Pan D Readout Replies</b>	<b>137</b>
<b>D Spectra Download Process Used Via The 422/485 Port</b>	<b>139</b>
D.1 Background . . . . .	139
D.2 Getting the unit into “Ready for download” mode . . . . .	139
D.3 New Opcodes . . . . .	139
D.4 Determining the optimum baud for downloading . . . . .	140

<b>E</b>	<b>Typical Predefined Presets</b>	<b>142</b>
E.1	IR Cut Filter . . . . .	145
<b>F</b>	<b>List of Effective Sections</b>	<b>147</b>
<b>G</b>	<b>Change Log</b>	<b>149</b>

## List of Figures

1	D Protocol Tilt Readout Positions. Values in parentheses are the values displayed on PTZ units. . . . .	104
2	D Protocol Pan Readout Positions . . . . .	137

# 1 What this Manual Covers

This manual describes the minimum requirements for implementing a common Pelco protocol. This protocol is used to communicate between a controlling device (e.g. a matrix switching system or keyboard) and a receiver/driver (e.g. a dome drive). **Pelco's primary protocol for controlling PTZ units is D Protocol.**

Not all devices will be able to accommodate all of the features available in these protocols. These protocols are designed to cover the feature sets of a wide variety of equipment.

D Protocol is a "serial" protocol. This means that it is normally transmitted over a 4 wire, RS-422 circuit. There is nothing that actually requires usage of one or another format, however all Pelco PTZ units receive and transmit with RS-422<sup>4</sup> levels. If another communications media is desired, then it is the user's responsibility to turn the signals at the PTZ unit into RS-422 levels.

## 1.1 Protocol overview

Pelco's PTZ Serial Line protocols are a Master-Slave protocol. These protocols take place at levels 1, 2 and 7 of the OSI model.

A master-slave type system has one node (the master node) that issues explicit commands to one of the "slave" nodes and processes responses. Slave nodes do not transmit data without a request from the master node, and do not communicate with other slaves.

At the physical level, Pelco's PTZ over Serial Line systems may use different physical interfaces (RS422, RS485, RS232). TIA/EIA-422 (RS422) Four-Wire, interface is the most common. As an option, TIA/EIA-485 (RS485) Four-Wire and TIA/EIA-485 (RS485) Two-Wire interface may also be implemented.


The following table gives a general representation of Pelco's PTZ serial communication stack compared to the 7 layers of the OSI model.

---

<sup>3</sup>\$Header: d:/Binder06.Protocols/test/RCS/Intro.inc,v 1.28 2012-02-07 09:40:46-08 Hamilton Exp Hamilton \$

<sup>4</sup>The Spectra IV has introduced RS-485 logic levels.

Layer	ISO/OSI Model	
7	Application	Pelco's PTZ Application Protocols
		D bytes 3 → 6
6	Presentation	Empty
5	Session	Empty
4	Transport	Empty
3	Network	Empty
2	Data Link	Pelco's PTZ Serial Line Protocol
		D Protocol, bytes 1, 2 and 7
1	Physical	EIA/TIA-422 or EIA/TIA-485



\$RCSfile: Intro.inc,v \$

Pelco's PTZ application layer messaging protocol, positioned at level 7 of the OSI model, provides client/server communication between devices connected on buses or networks. On Pelco's PTZ Serial Line the client role is provided by the Master of the serial bus and the Slave nodes act as servers.

## 1.2 Pelco's PTZ Master/Slave protocol principle

Pelco's PTZ Serial Line protocol is a Master-Slave protocol. Only one master is connected to the bus, and one or several (255 maximum number) slave nodes are also connected to the same serial bus. Pelco's PTZ communication is always initiated by the master. The slave nodes will never transmit data without receiving a request from the master node. The slave nodes will never communicate with each other. The master node initiates only one Pelco PTZ transaction at the same time. (I.e. there is no broadcast capability which addresses all units at the same time.)

The master node issues a Pelco PTZ request to the slave nodes in only a unicast mode, where master addresses an individual slave. After receiving and processing the request, the slave returns a message (a 'reply') to the



master. In this mode, a Pelco PTZ transaction consists of 2 messages: a request from the master, and a reply from the slave. Each slave must have a unique address (from 1 to 255) so that it can be addressed independently from other nodes.

Pelco's PTZ Master node has no specific address, only the slave nodes have an address. The slave address must be unique on a Pelco PTZ serial bus.

There is no broadcast mode, where the the master can send a request to all slaves.

### 1.3 Fine Print Notes

In the descriptions of each command there is usually a set of notes that are marked "FPN". These are known as "Fine Print Notes". While these are not part of the protocol they are indented to help with the understanding of the protocol. There is additional information about the protocol in the various appendices.

### 1.4 Byte Format

Transmitters will format a single character and receivers will be able to decipher a single character with: 1 start bit, 8 data bits, 1 stop bit, and no parity.

All units that support D Protocol have an ability to operate at 2400 baud. Other baud rates are supported on a device by device basis. There are Pelco units that operate with baud rates as high as 115,200. 2,400 is the lowest baud rate supported.

- Coding System: 8-bit binary
- Bits per Byte: 1 start bit
- 8 data bits, least significant bit sent first
- 1 stop bit
- No parity

## FPN

## 1.5 Various Protocol Baud Rate Dependent Times

All units that support D Protocol have the ability to operate at 2400 baud. Most units also support 4800 and 9600 baud. Newer equipment supports baud rates of up to 115200 for special purposes (downloading of revised software). 2400 baud is the lowest speed supported by any Pelco PTZ units. Some of the TXBs supported by Pelco products need to work at slower speeds. In the following table the slower known baud rates used by our competitors is included for information.

1. The items in **bold** font are the standard D Protocol baud rates.
2. Some of the items in the table are not usually supported directly by Pelco products. However our competitors do use these baud rates and they are used with TXBs.
3. **Baud:**, the baud rate that this information applies to.
4. **Bit:**, time in seconds to send one bit at this baud.
5. **Byte:**, time in seconds to send one byte of 1 start, 8 data and 1 stop bit. (10 bits total)
6. **General:**, transmission time, in seconds of a general response. This does not include the time that the PTZ takes to generate the reply.
7. **Extended:**, transmission time, in seconds of a command or of an extended response. This does not include the time that the PTZ takes to generate the reply.
8. **Query:**, transmission time, in seconds to receive the query response. This does not include the time that the PTZ takes to generate the reply.

Baud	Bit	Byte	General	Extended	Query
Rate	Duration	10-bits	4-bytes	7-bytes	18-bytes
300	0.003 333	0.033 333	0.133 333	0.233 333	0.600 000
600	0.001 667	0.016 667	0.066 667	0.116 667	0.300 000
1,200	0.000 833	0.008 333	0.033 333	0.058 333	0.150 000
2,400	0.000 417	0.004 167	0.016 667	0.029 167	0.075 000
4,800	0.000 208	0.002 083	0.008 333	0.014 583	0.037 500
9,600	0.000 104	0.001 042	0.004 167	0.007 292	0.018 750
14,400	0.000 069	0.000 694	0.002 778	0.004 861	0.012 500
19,200	0.000 052	0.000 521	0.002 083	0.003 646	0.009 375
28,800	0.000 035	0.000 347	0.001 389	0.002 431	0.006 250
38,400	0.000 026	0.000 260	0.001 042	0.001 823	0.004 688
115,200	0.000 009	0.000 087	0.000 347	0.000 608	0.001 563

## 2 General Command Information

**Command format** All commands are seven (D Protocol) bytes long. Note in the following formats that several bytes have been marked with double vertical lines. These are the portion of the message that comprise ISO level 7 data. The other bytes are ISO level 2 data.

It is convenient to consider the two `CMND` bytes as either two 8-bit unsigned `char` bytes or one 16-bit unsigned `int` when the two `CMND` bytes are concatenated together. The same hold true for the two `DATA` bytes. They may be considered to be two 8-bit unsigned `char` bytes or one 16-bit unsigned `int` value when concatenated together. The `DATA` bytes are always unsigned `char` or unsigned `int` values. Thus when a floating point value is needed the “real” value is multiplied by 10 or 100, depending on the actual command. Likewise since they are unsigned they are never negative. There is a problem in only one place in the protocol where this is a problem and that is in representing tilt readout angles. Pelco uses horizontal as 0° and displays it that way on the PTZ video, however when the camera is pointing down, i.e. below the horizon, the value on the screen is displayed as negative values (–12° is a value pointing down) and the protocol returns a value of 1200<sub>10</sub> (0x04B0), see Section 5.39, page 86 and Section 5.46, page 92 for more details.

<sup>5</sup>\$Header: d:/Binder06.Protocols/test/RCS/Commands.inc,v 1.36 2012-02-08 07:50:14-08 Hamilton Exp Hamilton \$

<sup>6</sup>\$Header: d:/Binder06.Protocols/test/RCS/Dbytes.inc,v 1.8 2012-02-08 07:50:14-08 Hamilton Exp Hamilton \$

D Protocol Command Format/Names							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x00	0x00	0x00	—

## 1. D Protocol:

- 1.1 SYNC: Always 0xFF to indicate the start of a command.
- 1.2 ADDR: Camera address. Range is 1 → 255 (0x01 → 0xFF). 0x01 is for camera #1, etc.
- 1.3 CMND1: Extension of the basic command. The basic command is in the CMND2 position.
- 1.4 CMND2: The basic command. For extended commands, all of these are odd numbers.
- 1.5 DATA1: Usually this is 0x00 or the Pan speed index. However on a command by command basis it may have additional information. The most typical use is to make up a 16-bit value when concatenated with DATA2. For details, see the actual command description in Section 5, page 36.
- 1.6 DATA2: Usually is the argument for “this” command or the Tilt speed index. When a 16-bit value is required, it is the lower half of the value. (See Section 5, page 36)
- 1.7 CKSM: This is the arithmetic sum of all bytes except for the SYNC byte and itself.
- 1.8 All D Protocol commands get replies. These may be General Response (4 bytes long Section 4.2, page 30), Extended Response (7 bytes long Section 4.3, page 31) or Query Response (18 bytes long Section 4.4, page 32)<sup>7</sup>

## 2.1 General Notes

### Note

1. Values in this document prefixed with “0x” are hexadecimal numbers.
2. The symbol “—” is used to indicate variable data and is normally used in the ADDR and CKSM fields only.

<sup>7</sup>There is also a “Super Extended Response” of 11 bytes length which is only used on one Pelco PTZ product. See Section 5.57, page 103 for information about this response.

3. The synchronization byte (`SYNC`) is always `0xFF` in D Protocol.
4. The Address (`ADDR`) is the logical address of the receiver/driver device being controlled. I.e. `0x05` in D Protocol will address camera #5.
5. The Checksum (`CKSM`) is calculated by performing an 8 bit (modulo 256) sum of the payload bytes (bytes 2  $\rightarrow$  6) of the message in D Protocol..

### 3 Command Sets

There are two sets/types of commands:

1. “Motion” commands, i.e. pan, tilt, iris, zoom and focus; are “bit encoded” commands that always have bit 0 in `CMND2` set to 0. Any number of non-exclusive bits may be set in the `CMND1` and `CMND2` bytes for this format of command<sup>8</sup>.

It is not legal to set bits for pan right **and** pan left in the same command, however it is legal to have control of up to five different motions in the same command. For historical reasons these commands are usually called “Standard Commands”. (Section 3.1, page 15)

All Motion commands generate a 4-byte General Response Section 4.2, page 30 if the command is good. A `NAK` reply is never generated.

2. “Non-motion” commands, i.e. call preset, request pan angular position; are “numerically encoded”. These commands always have bit 0 in `CMND2` set to a 1. Thus all of these commands have “odd” numerical values and each command may only do one thing at a time. For historical reasons these commands are usually called “Extended Commands”. (Section 3.2, page 17)

---

<sup>8</sup>With the current camera manufacturer it has been found that setting Tele or Wide and either of Near or Far results in the camera module doing the Tele/Wide action for about  $\frac{1}{4}$  second and then nothing. It is not recommended that combining Tele/Wide with Near/Far be used.

### 3.1 Standard Commands

#### 3.1.1 Command bytes 1 and 2

**cmnd1** and **cmnd2** are represented as follows in D:

D Protocol: Byte 3, CMND1							
Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
Sense	0	0	Auto/- Manual Scan	Camera On/Off	Iris Close	Iris Open	Focus Near

D Protocol: Byte 4, CMND2							
Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
Focus Far	Zoom Wide	Zoom Tele	Down	Up	Left	Right	Always 0

**All devices that support D Protocol, support these bit encoded commands.**

A value of '1' entered in the bit location for the function desired will enable that function. A value of '0' entered in the same bit location will disable or 'stop' the function.

Most Pelco equipment incorporates a "runaway protect" feature on all motion commands. What this means is that all motion causing commands will time out in about 15 seconds. (Some older equipment has a different timeout, but 15 seconds is used in the Spectra and Esprit systems.) To obtain continuous motion, a motion causing command should be sent about every 5 seconds.

The sense bit has meaning in D Protocol only, it (CMND1 bit 7) indicates the meaning of bits 4 and 3. If the sense bit is on (value of '1'), and bits 4 and 3 are on, the command will enable auto-scan and turn the camera on. If the sense bit is off (value of '0'), and bits 4 and 3 are on the command will enable manual scan and turn the camera off. Of course, if either bit 4 or bit 3 are off then no action will be taken for those features.

CMND1 bits 7 → 3 are not used with newer equipment in D Protocol.

---

<sup>9</sup>\$Header: d:/Binder06.Protocols/test/RCS/DBits.inc,v 1.9 2012-02-08 07:50:14-08 Hamilton Exp Hamilton \$

Sense bit	Auto/- Manual Scan	Camera On/Off	Results
Bit 7	Bit 4	Bit 3	
0	0	0	Nothing Happens
0	0	1	Camera Off
0	1	0	Manual Scan On
0	1	1	Manual Scan On, Camera Off
1	0	0	Nothing Happens
1	0	1	Camera On
1	1	0	Auto Scan On
1	1	1	Auto Scan On, Camera On

It should be pointed out that newer Pelco units such as the Spectra and Esprit systems, always have their cameras turned on and that this command does not turn them off.

All reserved bits (6 + 5 or 7 → 4) must be set to 0.

### 3.1.2 Data bytes 1 and 2

**Pan/Data1** Byte 5 (**data1**) contains the pan speed. Pan speed is in the range of '0x00' to '0x3F' (high speed) and '0x40' for "turbo" speed. Turbo speed is the maximum speed the device can obtain and is considered separately because it is not generally a smooth step from high speed to turbo. That is, going from one speed to the next usually looks smooth and will provide for smooth motion with the exception of going into and out of turbo speed. A pan speed value of '0x00' results in very slow motion, not cessation of motion. To stop pan motion both the Left and Right direction bits must be turned off — set to '0' — regardless of the value set in the pan speed byte. This is because a speed of 0x00 is a valid, but slow, speed. Typical pan speeds vary from 0.1°/sec to 80°/sec.

**Tilt/Data 2** Byte 6 (**data2**) contains the tilt speed. Tilt speed is in the range of '0x00' to '0x3F' (maximum speed). Turbo speed is not allowed for the tilt axis. A tilt speed value of '0x00' results in very slow motion, not cessation of motion. To stop tilt motion both the Down and Up direction bits must be turned off — set to '0' — regardless of the value set in the tilt speed byte. This implies that when the Up and Down bits are set to 0, this value must



be ignored by decoding devices. Having Up and Down set at the same time is an error. Typical tilt speeds vary from 0.1°/sec to 40°/sec.

### 3.1.3 Checksum byte

In D Protocol, byte 7 is the checksum (**cksm**). The checksum is the 8 bit (modulo 256) sum of the payload bytes (bytes 2 → 6) in the message.

## 3.2 Extended Commands

In addition to the “PTZ” commands shown in Section 3.1, page 15, there are control commands that allow access to the more advanced features of some equipment. Byte 4 (**CMND2**) can be thought of as the command’s opcode. Byte 3 (**CMND1**) can be thought of as the command’s sub-opcode. Byte 4’s value is given in hexadecimal and decimal formats as in many listings this value is used either way in the `#defines`. See the description of each command type for details.

Command	Byte 3	Byte 4	Byte 5	Byte 6	Response Type
Standard Extended Response Section 5.1, page 36	ACK/- NAK	0x01/1	Future Use	Future Use	Not Applicable This is not a command it is a reply.
Set Preset Section 5.2, page 37	0x00	0x03/3	0x00	PRESET ID	General
Clear Preset Section 5.3, page 39	0x00	0x05/5	0x00	PRESET ID	General
Go To Preset Section 5.4, page 40	0x00	0x07/7	0x00	PRESET ID	General
<i>Continued on the next page.</i>					

Continued from the previous page.					
Command	Byte 3	Byte 4	Byte 5	Byte 6	Response Type
Flip (180° about) Section 5.4, page 40	0x00	0x07/7	0x00	0x21/33	General
Go To Zero Pan Section 5.4, page 40	0x00	0x07/7	0x00	0x22/34	General
Set Auxiliary Section 5.5, page 41	SUB OP- CODE	0x09/9	0x00	AUX ID	General
Clear Auxiliary Section 5.6, page 43	SUB OP- CODE	0x0B/- 11	0x00	AUX ID	General
Dummy Section 5.7, page 44	SUB OP- CODE	0x0D/- 13	0x00	0x00	General
Remote Reset Section 5.8, page 45	0x00	0x0F/- 15	0x00	0x00	General
Set Zone Start Section 5.9, page 46	0x00	0x11/- 17	0x00	ZONE ID	General
Set Zone End Section 5.10, page 48	0x00	0x13/- 19	0x00	ZONE ID	General
Write Character to Screen Section 5.11, page 49	0x00	0x15/- 21	Column 0 → 39 <sub>10</sub>	ASCII Value	General
Continued on the next page.					

Continued from the previous page.					
Command	Byte 3	Byte 4	Byte 5	Byte 6	Response Type
Clear Screen Section 5.12, page 50	0x00	0x17/- 23	0x00	0x00	General
Alarm Acknowledge Section 5.13, page 51	SUB OP- CODE	0x19/- 25	0x00	ALARM ID	General
Zone Scan On Section 5.14, page 52	0x00	0x1B/- 27	0x00	0x00	General
Zone Scan Off Section 5.15, page 55	0x00	0x1D/- 29	0x00	0x00	General
Record Pattern Start Section 5.16, page 55	0x00	0x1F/- 31	0x00	PATTERN ID	General
Record Pattern Stop Section 5.17, page 59	0x00	0x21/- 33	0x00	0x00	General
Run Pattern Section 5.18, page 59	0x00	0x23/- 35	0x00	PATTERN ID	General
Set Zoom Speed Section 5.19, page 61	0x00	0x25/- 37	0x00	ZOOM SPEED	General
Continued on the next page.					

Continued from the previous page.					
Command	Byte 3	Byte 4	Byte 5	Byte 6	Response Type
Set Focus Speed Section 5.20, page 62	0x00	0x27/- 39	0x00	FOCUS SPEED	General
Reset Camera defaults Section 5.21, page 63	0x00	0x29/- 41	0x00	0x00	General
Auto-focus auto/on/off Section 5.22, page 63	0x00	0x2B/- 43	0x00	AUTO FO- CUS CTRL	General
Auto Iris auto/on/off Section 5.23, page 64	0x00	0x2D/- 45	0x00	AUTO IRIS CTRL	General
AGC auto/on/off Section 5.24, page 65	0x00	0x2F/- 47	0x00	AGC CON- TROL	General
Backlight compensation on/off Section 5.25, page 66	0x00	0x31/- 49	0x00	BLC CON- TROL	General
Auto white balance on/off Section 5.26, page 67	0x00	0x33/- 51	0x00	AWB CON- TROL	General
Continued on the next page.					

Continued from the previous page.

Command	Byte 3	Byte 4	Byte 5	Byte 6	Response Type
Enable device phase delay mode Section 5.27, page 68	0x00	0x35/-53	0x00	0x00	General
Set shutter speed Section 5.28, page 69	0x00	0x37/-55	SPEED MSB	SPEED LSB	General
Adjust line lock phase delay Section 5.29, page 71	SUB OP-CODE	0x39/-57	DELAY MSB	DELAY LSB	General
Adjust white balance (R-B) Section 5.30, page 73	SUB OP-CODE	0x3B/-59	WB-RB MSB	WB-RB LSB	General
Adjust white balance (M-G) Section 5.31, page 74	SUB OP-CODE	0x3D/-61	WB-MG MSB	WB-MG LSB	General
Adjust gain Section 5.32, page 75	SUB OP-CODE	0x3F/-63	GAIN MSB	GAIN LSB	General
Adjust auto-iris level Section 5.33, page 76	SUB OP-CODE	0x41/-65	0x00	AIL VALUE	General

Continued on the next page.

Continued from the previous page.					
Command	Byte 3	Byte 4	Byte 5	Byte 6	Response Type
Adjust auto-iris peak value Section 5.34, page 77	SUB OP-CODE	0x43/-67	0x00	AIP VALUE	General
Query Section 5.35, page 78	SUB OP-CODE	0x45/-69	0x00	0x00	Query Section 4.4, page 32.
Preset Scan Section 5.36, page 83	0x00	0x47/-71	0x00	DWELL	General
Set Zero Position Section 5.37, page 84	0x00	0x49/-73	0x00	0x00	General
Set Pan Position Section 5.38, page 84	0x00	0x4B/-75	PAN MSB	PAN LSB	General
Set Tilt Position Section 5.39, page 86	0x00	0x4D/-77	TILT MSB	TILT LSB	General
Set Zoom Position Section 5.40, page 87	0x00	0x4F/-79	ZOOM MSB	ZOOM LSB	General
Query Pan Position Section 5.41, page 88	0x00	0x51/-81	0x00	0x00	Extended Section 5.45, page 91
Continued on the next page.					

Continued from the previous page.					
Command	Byte 3	Byte 4	Byte 5	Byte 6	Response Type
Query Tilt Position Section 5.42, page 89	0x00	0x53/- 83	0x00	0x00	Extended Section 5.46, page 92
Query Zoom Position Section 5.43, page 89	0x00	0x55/- 85	0x00	0x00	Extended Section 5.47, page 93
Download Section 5.44, page 90	0x00	0x57/- 87	0x00	0x00	General
Query Pan Response Section 5.45, page 91	0x00	0x59/- 89	PAN MSB	PAN LSB	Not Applicable This is not a command it is a reply.
Query Tilt Response Section 5.46, page 92	0x00	0x5B/- 91	TILT MSB	TILT LSB	Not Applicable This is not a command it is a reply.
Query Zoom Response Section 5.47, page 93	0x00	0x5D/- 93	ZOOM MSB	ZOOM LSB	Not Applicable This is not a command it is a reply.
Set Magnification Section 5.48, page 94	SUB OP- CODE	0x5F/- 95	MAG MSB	MAG LSB	General
Query Magnification Section 5.49, page 96	0x00	0x61/- 97	0x00	0x00	Extended Section 5.50, page 97
Continued on the next page.					

Continued from the previous page.					
Command	Byte 3	Byte 4	Byte 5	Byte 6	Response Type
Query Magnification Response Section 5.50, page 97	0x00	0x63/-99	MAG MSB	MAG LSB	Not Applicable This is not a command it is a reply.
Activate Echo Mode Section 5.51, page 97	0x00	0x65/-101	0x00	0x00	General
Set Remote Baud Rate Section 5.52, page 98	SUB OP- CODE	0x67/-103	0x00	00-05	General
Start Download Section 5.53, page 99	0x00	0x69/-105	0x00	0x00	General
Query Device Type Section 5.54, page 100	0x00	0x6B/-107	0x00	0x00	Extended Section 5.55, page 101
Query Device Type Response Section 5.55, page 101	0x00	0x6D/-109	SOFT- WARE TYPE	HARD- WARE TYPE	Not Applicable This is not a command it is a reply.
Query Diagnostic Info Section 5.56, page 102	0x00	0x6F/-111	0x00	0x00	Extended Section 5.57, page 103
Continued on the next page.					



Continued from the previous page.					
Command	Byte 3	Byte 4	Byte 5	Byte 6	Response Type
Query Diagnostic Info Response Section 5.57, page 103	0x00	0x71/-113	Device Dependent	Device Dependent	Not Applicable This is not a command it is a reply.
Version Information Macro Opcode Section 5.58, page 106	SUB OP-CODE	0x73/-115	Various	Various	Extended Section 5.58, page 106
Everest Macro Opcode Section 5.59, page 110	SUB OP-CODE	0x75/-117	Various	Various	Extended Section 5.59, page 110
Time Set Op-code Section 5.60, page 122	SUB OP-CODE	0x77/-119	Various	various	Extended Section 5.60, page 122
Screen Move Section 5.61, page 127	SUB OP-CODE	0x79/-121	MAG MSB	MAG LSB	General
Return Status	0x00	0xFD/-253	0x00	0x00	Firmware status
Invalid op code	0x00	0xFF/-255	0x00	0x00	General

### 3.3 Creating Labels

Many devices have an ability to display labels on the video. Labels that identify the preset or zone being scanned are common. There is a special technique to establish a label that is associated with either a preset or a zone. First, send the label to the receiver/driver using the “Write Character to Screen” (Section 5.11, page 49) command. After the label is on the screen, then set the preset or zone (Section 5.9.3, page 47). That will establish the label and associate it with that preset or zone.

## FPN

### 3.3.1 Label Logic in Spectra IV

In response to questions on labels as used in the Spectra IV<sup>11</sup>, This is an informal spec on how they currently work in Spectra IV. There is additional information in Section 5.14, page 52.

#### 1. Azimuth Elevation, Direction, and Zoom Magnification:

##### 1.1 PTZ

- 1.1.1. Labels pop on-screen when there is movement and disappear after movement stops and the display time has expired.

##### 1.2 Patterns

- 1.2.1. While recording, the labels are shown while there is movement just like normal PTZ.
- 1.2.2. While playing, the labels are hidden.

##### 1.3 Presets

- 1.3.1. On a preset GO command, the labels are hidden.

##### 1.4 Scans

- 1.4.1. While scanning, the labels are hidden.

Of course if a label’s display time is set to CONSTANT, it always shows no matter what (except in menus of course).

#### 2. Alarm:

##### 2.1 1 Alarm Active

---

<sup>10</sup>\$Header: d:/Binder06.Protocols/test/RCS/Labels.inc,v 1.9 2012-02-07 09:40:46-08 Hamilton Exp Hamilton \$

<sup>11</sup>This information about labels came from: Jeremy Watson in November 2006.

2.1.1. Alarm label is displayed for display time, then goes off until alarm clears and retriggers.

## 2.2 Greater than 1 Alarm Active

2.2.1. Alarm labels will sequence on-screen (switching every X seconds) to the next active label in the sequence.

2.2.2. If the sequence time is greater than the display time for the alarm labels, the alarm will disappear until the next sequence.

In the case of CONSTANT display time, alarm labels will remain on-screen until that alarm clears or the next alarm in sequence fires.

How are alarm priorities handled when two different levels are active? Do they alternate, or only the higher priority displayed? Only alarms of the highest priority count... If there are 4 alarms present and only 1 is HIGH priority, it falls into the 1 alarm active category.

## 3. Preset, Zone:

3.1 On a preset GO command, the preset label pop on-screen when the preset is reached.

3.1.1. In the case of CONSTANT display time, this label remains as long as the camera sits at the preset.

3.2 When the camera passes through a zone or is sitting on a zone, the zone label is displayed.

3.2.1. In the case of CONSTANT display time, this label remains as long as the camera remains in the zone, otherwise it disappears after the display time has expired.

## 4. Time/Date:

4.1 Time/Date information is either on the screen at all times or not.

### 3.4 Example D Protocol Messages

D Protocol Sample Commands		
Sample #	Message to send	Message
1	Camera 2, Pan Left	0xFF, 0x02, 0x00, 0x04, 0x20, 0x00, 0x26
2	Camera 2, Stop	0xFF, 0x02, 0x00, 0x00, 0x20, 0x00, 0x22
3	Camera 10, Camera on, Focus far, Tilt Down	0xFF, 0x0A, 0x88, 0x90, 0x00, 0x20, 0x42

#### Note

1. In sample message 2, please note that the pan speed field has not been set to 0x00, but rather has a value in it. When the pan bits in CMND2 are both set to '0', the motion value is ignored.
2. The checksum calculation for message #3 goes like this:

0xFF	1111 1111	Sync byte is not used for the checksum
0x0A	0000 1010	
0x88	1000 1000	
Subtotal	1001 0010	0x92
0x90	1001 0000	
Subtotal	0010 0010	0x22 (modulo 256 allows the high bit to roll off)
0x00	0000 0000	
Subtotal	0010 0010	0x22
0x20	0010 0000	
Subtotal	0100 0010	0x42
	0100 0010	0x42 Final checksum value

D Protocol Command Format/Names							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x00	0x00	0x00	—

D Protocol: Byte 3, CMND1							
Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
Sense	0	0	Auto/- Manual Scan	Camera On/Off	Iris Close	Iris Open	Focus Near

D Protocol: Byte 4, CMND2							
Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
Focus Far	Zoom Wide	Zoom Tele	Down	Up	Left	Right	Always 0

## 4 Responses

Devices that receive a “D” protocol command always generate a response<sup>15</sup>. The response formats are described below. There is no “negative acknowledge” response in D protocol. Units that implement D protocol have a receive timer that expects all bytes to be received in less than about 250 milliseconds. If it takes longer than the timeout, then the unit discards the current command and attempts to receive a new command. If a command is “half sent” and then a long delay (over 250 ms.) occurs and then the command finishes up it will be ignored unless a second command is immediately initiated. When this happens, the second command, at some intermediate point, is assumed to be a checksum. If this random byte is an actual checksum, then anomalous behavior will occur.

This is caused by the fact that there is no unique “first byte” in D protocol. The sync byte of 0xFF is also a data byte in many commands. The only way to be sure that a command is accepted in D protocol is to check the response. To ensure that no “confusion” occurs in the Pelco receiving equipment, a delay of at least 300 milliseconds must be inserted between sending commands. Also when a command is sent, do not have long delays in the middle.

<sup>12</sup>\$Header: d:/Binder06.Protocols/test/RCS/Dbytes.inc,v 1.8 2012-02-08 07:50:14-08 Hamilton Exp Hamilton \$

<sup>13</sup>\$Header: d:/Binder06.Protocols/test/RCS/Dbits.inc,v 1.9 2012-02-08 07:50:14-08 Hamilton Exp Hamilton \$

<sup>14</sup>\$Header: d:/Binder06.Protocols/test/RCS/Response.inc,v 1.25 2012-02-08 07:50:16-08 Hamilton Exp Hamilton \$

<sup>15</sup>Samples of command/response pairs are in Appendix A, page 129.

1. **D Protocol:** Most D Protocol commands generate a response. When they generate a response there are three/four different lengths for these responses. The lengths are:
  - 1.1 **0 bytes:** For some commands no response is generated.
  - 1.2 **4 bytes:** This is called the “**General Response**” and almost all commands generate it (Section 4.2, page 30).
  - 1.3 **7 bytes:** This is called the “**Extended Response**” and is normally sent as a response when asking for data. It is also sent when some commands are not understood (Section 4.3, page 31).
  - 1.4 **18 bytes:** This is generated by the “**Query**” command and its variants. It originally was the software part number, then it became the equipment model number. Recently it has also provided the unit’s serial number (Section 4.4, page 32).

#### 4.1 The Standard Extended Response

A seven byte response, see Section 5.1, page 36 for details

#### 4.2 The General Response

The General Response is four bytes in length and has the following format:

General Response Format				
Byte	1	2	3	4
	SYNC	ADDR	ALARMS	CKSM
	0xFF	—	0x00	—

1. **SYNC:** Always 0xFF to indicate the start of a response.
2. **ADDR:** Camera address. Range is 1 → 255 (0x01 → 0xFF). 0x01 is for camera #1, etc.
3. **ALARMS:** This is a bit encoded byte of information. Bit 0 = Alarm 1, etc.
4. **CKSM:** This is the arithmetic sum of the **checksum of the command that caused this reply** and the **ALARMS** field of this reply. (Not exactly what might be expected.)

In the following data capture, several commands with no alarms active are sent: Note the General Responses.

1. A ZOOM IN is sent for camera 1.
2. A MOTION STOP is sent to stop the zooming.
3. A CALL PRESET 1 is sent.

DTE = D Protocol GlassKeyboard  
DCE = Spectra III

```

1,      1: DTE      0.000000  0.000000 ff 01 00 20 00 00 21  Zoom In
2,      1: DCE      0.011001  0.004762 ff 01 00 21          Response
2,      8: DTE      0.219946  0.001041 ff 01 00 00 00 00 01  Motion Stop
3,      5: DCE      0.413586  0.187405 ff 01 00 01          Response
3,     15: DTE      85.024799  0.001041 ff 01 00 07 00 01 09  Call Preset 1
4,      9: DCE      85.035699  0.004666 ff 01 00 09          Response

```

### 4.3 The Extended Response

The Extended Response is seven bytes in length and has the following format:

Extended Response Format							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	RESP1	RESP2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x00	0x00	0x00	—

1. SYNC: Always 0xFF to indicate the start of a reply.
2. ADDR: Camera address. Range is 1 → 255 (0x01 → 0xFF). 0x01 is for camera #1, etc.
3. RESP1: Reply specific data.
4. RESP2: Reply specific data. Usually a secondary op-code.
5. DATA1: Reply specific data.
6. DATA2: Reply specific data.
7. CKSM: This is the arithmetic sum of all bytes except for the SYNC byte and its self.

In the following data capture, several commands are sent: Note the General Responses and Extended Responses.

DCE = D Protocol GlassKeyboard  
DTE = Spectra IV

```

14,     92: DCE      44.237911  1.136292 ff 01 00 07 00 22 2a  Goto Preset 34
14,     87: DTE      44.276490  0.004139 ff 01 00 2a          General Response
15,     99: DCE      49.423430  5.134441 ff 01 00 51 00 00 52  Get Pan Position
15,     91: DTE      49.453440  0.004168 ff 01 00 59 00 00 5a  Pan 0 degrees Extended Response

```

#### 4.4 The Query Response

The Extended Response is eighteen bytes in length and has the following format:

Query Response Format						
Byte	1	2	3	. . . .	17	18
	SYNC	ADDR	DATA1	. . . .	DATA15	CKSM
	0xFF	—	0x00	. . . .	0x00	—

1. **SYNC**: Always 0xFF to indicate the start of a reply.
2. **ADDR**: Camera address. Range is 1 → 255 (0x01 → 0xFF). 0x01 is for camera #1, etc.
3. **DATA1** → **DATA15**: 15 bytes of reply specific data.
4. **CKSM**: This is the arithmetic sum of all bytes **and the checksum of the command that caused this reply** except for the **SYNC** byte and its self. (Again not what might be expected.)
5. See Section 5.35, page 78 and Appendix A, page 129 for more details and samples of operation.

#### FPN

**Typical QUERY command and its response:** This is a data capture from a **QUERY** command and its response. The system was running at 2400 baud and the Spectra III SE was running rev 3.31 software.

#### Table Notes

The table consists of two parts:

- In the first part, the various command/response bytes have been assembled to make the command/response easier to identify.
- In the second part is the semi-raw data returned by the data capture software.

This raw data capture files has been “post-processed” to change the date time stamp so as to have all times be relative to the start of the data capture and to get  $\Delta$  times between bytes and messages.

Column headings are:



**Msg #** This is the message number. Numbers are sequential within each data source. I.e. there is one set of message numbers for each of DCE and DTE sources.

**Byte #** this is the total byte number within each data source.

**DTE/DCE Byte** This is the source identifier for each data source type. The abbreviations are:

- **DCE** = Data Communications Equipment, in this case the Spectra III and
- **DTE** = Data Terminal Equipment, which is a TXB that is under development.

**Total Byte #** This is the total byte number. I.e. it is the total of both DCE and DTE bytes.

**Total Time** This time has been normalized to start at 0.00000.

The data capture software provides a date and time tag for each byte. The post-processing software deletes the date, knows that there 60 seconds in a minute and 60 minutes in an hour and knows how to work with the transition between noon (12:00) and one o'clock (01:00). This has been done to eliminate unexpected time jumps in the time record.

**Δ Time** This is the time between this byte and the previous byte.

**Data** This is the hexadecimal value of the byte recorded.

Msg #	Byte #	DTE/DCE Source	Total Byte #	Total Time	Δ Time	Data
1	1	DTE	1	0.000000	0.000000	ff 01 00 45 00 00 46
2	1	DCE	8	0.029773	0.004778	ff 01 44 44 35 33 43 42 57 00 00 00 00 00 00 00 00 13
Continued on the next page.						

<i>Continued from the previous page.</i>						
Msg #	Byte #	DTE/DCE Source	Total Byte #	Total Time	$\Delta$ Time	Data

Msg #	Byte #	DTE/DCE Source	Total Byte #	Total Time	$\Delta$ Time	Data
1	1	DTE	1	0.000000	0.000000	ff
1	2	DTE	2	0.004162	0.004162	01
1	3	DTE	3	0.008329	0.004167	00
1	4	DTE	4	0.012496	0.004167	45
1	5	DTE	5	0.016661	0.004165	00
1	6	DTE	6	0.020828	0.004167	00
1	7	DTE	7	0.024995	0.004167	46
2	1	DCE	8	0.029773	0.004778	ff
2	2	DCE	9	0.033939	0.004166	01
2	3	DCE	10	0.038107	0.004168	44 "D"
2	4	DCE	11	0.042274	0.004167	44 "D"
2	5	DCE	12	0.046442	0.004168	35 "5"
2	6	DCE	13	0.050608	0.004166	33 "3"
2	7	DCE	14	0.054747	0.004139	43 "C"
2	8	DCE	15	0.058934	0.004187	42 "B"
2	9	DCE	16	0.063081	0.004147	57 "W"
2	10	DCE	17	0.067248	0.004167	00 "null"
2	11	DCE	18	0.071414	0.004166	00 "null"
2	12	DCE	19	0.075613	0.004199	00 "null"
2	13	DCE	20	0.079747	0.004134	00 "null"
2	14	DCE	21	0.083914	0.004167	00 "null"
2	15	DCE	22	0.088086	0.004172	00 "null"
2	16	DCE	23	0.092294	0.004208	00 "null"
2	17	DCE	24	0.096414	0.004120	00 "null"
<i>Continued on the next page.</i>						

Continued from the previous page.						
Msg #	Byte #	DTE/DCE Source	Total Byte #	Total Time	$\Delta$ Time	Data
2	18	DCE	25	0.100581	0.004167	13

Calculations for the checksum for the `QUERY` response goes like this:

1. Add up all bytes in the `QUERY` response, except for the `SYNC` byte. (DCE bytes 2  $\rightarrow$  17 in message 2 above.)
2. Add in the checksum from the **originating** `QUERY` command. (DTE byte 7 in message 1 above.)
3. Use the lower eight bits of the sum as the checksum. (DCE byte 18 in message 2 above.)

$$\begin{aligned}
 &0x01 + 0x44 + 0x44 + 0x35 + 0x33 + 0x43 + \\
 &0x42 + 0x57 + 0x00 + 0x00 + 0x00 + 0x00 + \\
 &0x00 + 0x00 + 0x00 + 0x00 = 0x1CD \\
 &0x1CD + 0x46 = 0x213 \\
 &0x213 \& 0xFF = 0x13
 \end{aligned}$$

## 5 Detailed Command Descriptions

### 5.1 Response 0x01 (1), Standard Extended Response

#### 5.1.1 Response format

Standard Extended Response D_EC_STD_EXT_RESP							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	RESP TYPE	0x01	FUTURE USE	FUTURE USE	—
	0xFF	—	ACK	0x01	0x00	0x00	—
	0xFF	—	NAK	0x01	0x00	0x00	—

#### FPN

1. This response is used by the Endura/Atlas project.
2. This response is generated when a command may not be executed (these commands generate a `NAK`) or when some of the newer commands have been accepted (these may generate a `NAK` or an `ACK`).

In systems prior to Spectra IV, if a command was not understood, a General Response was always sent if the command had a “proper” structure. I.e. a first Sync byte, the correct address, was seven bytes long and had a good checksum. Some of the newer commands in the Spectra IV, do a logical check to see if a command is correct. As of December 2007, the only commands that do this are the commands for setting the time (Section 5.60, page 122).

#### 5.1.2 Description

1. `RESP TYPE`: indicates whether the response is a `NAK` or an `ACK`.
  - `0x00` = `NAK` (`D_ECS_STD_EXT_RESP_NAK`)
  - `0x01` = `ACK` (`D_ECS_STD_EXT_RESP_ACK`)

<sup>16</sup>\$Header: d:/Binder06.Protocols/test/RCS/01.inc,v 1.32 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

The information in the `FUTURE USE` bytes is specific to the command that is being responded to. If the `FUTURE USE` bytes are not used for particular response, the bytes must be set to zero.

## 5.2 Command 0x03 (3), Set Preset

### 5.2.1 Command format

Set Preset D_EC_SET_PRESET							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x03	0x00	PRESET ID	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0003 SET\_PRESET
3. This command is used by the Endura/Atlas projects.
4. This command is used and decoded on the: ERD97P21, Esprit 3012, Intercept and LRD.
5. The defined presets may be determined by using `QUERY DEFINED PRESETS` (Section 5.59.17, page 119) and its reply of `QUERY DEFINED PRESETS RESPONSE` (Section 5.59.18, page 119).
6. A list of typical presets is in Appendix E, page 142.

### 5.2.2 Description

Presets can be moved to, set, or cleared.

When a move to preset command is received, the preset position stored for the preset number specified in the command is checked. If the position is not valid, the command is ignored. Otherwise the unit moves to the preset pan, tilt, zoom, and focus positions. Once the preset has been reached, the preset label is displayed on the second video line or where it has been moved through use of the `SET 95` menu system.

<sup>17</sup>\$Header: d:/Binder06.Protocols/test/RCS/03.inc,v 1.52 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

If any command which causes motion is received during a move to preset, the move will be aborted and the new command will start. These commands are: a motion command, or another move to preset command. Also if the move is not completed within a timeout period, the move is aborted and motion is stopped.

When a `SET PRESET` command is received, the current pan, tilt, focus, and zoom positions are saved for the preset number specified in the command and the label for that preset becomes whatever is currently on the second video line.

Usually this command will cause the camera system to remember where it is currently pointing. Other times it will cause a specific action to occur. The most common of specific action is a menu call command with either `SET PRESET 95` (or `SET PRESET 28` in 32 preset mode).

Pre-assigned presets may not be used for position setting. If an attempt to do so is done, then the command is ignored with a General Reply being returned.

1. `DATA2` This is the preset number. The range of this value is: `0x01` → `0xFF`, `1` → `25510`. Different camera systems have differing number of preset numbers. Preset `0` is invalid. To get a model specific count of the available presets see the unit's manual.

Spectra III and ExSite saves in addition to the pan/tilt/zoom information for a preset through use of the menu system all items in the appropriate "preset camera setting screens". A total of ten (10) presets may have this special capability. With the Spectra IV this capability has been increased to all available presets.

When the unit has a password enabled, this command will cause the unit to display the password request screen and not proceed until a correct password is entered. There is no way to enter a password directly via D Protocol.

### 5.3 Command 0x05 (5), Clear Preset

#### 5.3.1 Command format

Preset Clear D_EC_CLEAR_PRESET							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x05	0x00	PRESET ID	—

#### FPN

1. This command generates a “General Reply”.
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0005 CLEAR\_PRESET
3. This command is used by the Endura/Atlas projects.
4. This command is used and decoded on the: ERD97P21, Esprit 3012, Intercept and LRD.
5. See SET PRESET (Section 5.2, page 37) for more information about this command.
6. The defined presets may be determined by using QUERY DEFINED PRESETS (Section 5.59.17, page 119) and its reply of QUERY DEFINED PRESETS RESPONSE (Section 5.59.18, page 119).
7. A list of typical presets is in Appendix E, page 142.

#### 5.3.2 Description

The CLEAR PRESET command makes the stored preset for the preset number specified in the command invalid so that it can not be moved to.

Clears the requested preset’s information from the camera system. Does not affect any of the preassigned presets.

It is not necessary to clear a preset before setting it.

Pre-assigned presets may not be cleared.

1. DATA2 This is the preset number. The range of this value is: 0x01 → 0xFF, 1 → 255<sub>10</sub>. Different camera systems have differing number of preset numbers. Preset 0 is invalid. To get a model specific count of the available presets see the unit’s manual.

<sup>18</sup>\$Header: d:/Binder06.Protocols/test/RCS/05.inc,v 1.42 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

When the unit has a password enabled, this command will cause the unit to display the password request screen and not proceed until a correct password is entered. There is no way to enter a password via D Protocol.

## 5.4 Command 0x07 (7), Call Preset

### 5.4.1 Command format

Call Preset D_EC_MOVE_PRESET							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x07	0x00	PRESET ID	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0007 GO\_TO\_PRESET
  - 2.2 0x0007 FLIP
  - 2.3 0x0007 GO\_TO\_ZERO\_PAN
3. This command is used by the Endura/Atlas projects.
4. This command is used and decoded on the: ERD97P21, IRD/ERD, Esprit 3012, Intercept and LRD.
5. See SET PRESET (Section 5.2, page 37) for more information about this command.
6. The defined presets may be determined by using QUERY DEFINED PRESETS (Section 5.59.17, page 119) and its reply of QUERY DEFINED PRESETS RESPONSE (Section 5.59.18, page 119).
7. A list of typical presets are in Appendix E, page 142.

### 5.4.2 Description

Causes the camera unit to move, at preset speed, to the requested position.

<sup>19</sup>\$Header: d:/Binder06.Protocols/test/RCS/07.inc,v 1.43 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$



1. DATA2 This is the preset number. The range of this value is: 0x01 → 0xFF, 1 → 255<sub>10</sub>. Different camera systems have differing number of preset numbers. Preset 0 is invalid. To get a model specific count of the available presets see the unit's manual.

## FPN

### 5.4.3 Special Presets

Flip (rotate 180°) D_EC_MOVE_PRESET							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM

Go To Zero Pan ( <i>cal<sub>0</sub></i> ) D_EC_MOVE_PRESET							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x07	0x00	0x22	—

## 5.5 Command 0x09 (9), Set Auxiliary

### 5.5.1 Command format

Set Auxiliary D_EC_SET_AUX							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	SUB- OPCODE	0x09	0x00	AUX ID	—

## FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:

### 2.1 0x0009 SET\_AUXILIARY

<sup>20</sup>\$Header: d:/Binder06.Protocols/test/RCS/09.inc,v 1.40 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

## 2.2 0x0109 SET\_INDICATOR

3. This command is used by the Endura/Atlas projects.
4. This command is used and decoded on the:  
ERD97P21, IRD/ERD, Esprit 3012, Intercept and LRD.
5. This<sup>21</sup> op-code was changed. The changes are available in the Spectra IV only.

### 5.5.2 Description

Causes an auxiliary function in the camera unit to be activated.

There are two sub-opcodes for this command:

1. 0x00 D\_ECS\_SET\_AUX\_RELAY
2. This sub-opcode is used by the Endura/Atlas projects.
  - 2.1 AUX ID This is the auxiliary number. The range of this value for relay control is: 1 → 8.
3. 0x01 D\_ECS\_SET\_AUX\_LED This is allows control of the Spectra IV's single two color LED via D Protocol.
  - 3.1 Timed on and off functions are effectively independent. If an ON command is sent with a time, the LED will immediately display the requested color for the time specified. If no timed OFF command is sent it will not repeat. Sending a timed OFF will work in the same way. Sending a timed OFF with an "illegal" color will allow blinking the LED on and off at whatever rate and ON color is desired. An ON or OFF with zero time will stop any timing function.
  - 3.2 Sending an ON command with a time of 0 will result in having the LED turned on constantly.
  - 3.3 Sending an OFF command with a time of 0 will result in having the LED turned off constantly.
  - 3.4 Any combination of other than on/off times of zero, will result in a blinking LED.
  - 3.5 The colors are 0xFE for green, 0xFD for red and 0xFC for amber. (To get amber, it is necessary to alternate rapidly between red and green but the rate is rather slow and is biased 2:1 for green so it blinks noticeably.) Any other color is treated as off.

---

<sup>21</sup>From an e-mail by Robert Sexton dated: Wednesday, September 26, 2007 4:27 PM with a subject of SP4 LED control.

0xFE	Green	D_ECD_SET_AUX_LED_GREEN
0xFD	Red	D_ECD_SET_AUX_LED_RED
0xFC	Amber	D_ECD_SET_AUX_LED_AMBER

- 3.5.1. DATA1 contains the “rate” of the toggling in 0.1 second increments (0 = permanent, either ON or OFF. An opcode of OFF, with a rate of non-zero means that the LED will go OFF for the specified duration then back ON for the duration that was initially identified in the previous ON value, see the below example.
- 3.5.2. DATA2 contains the affected LED by numeric value. Because LEDs are very much specific to the receiving device, and may vary in number and color, the receiving device identifies which LED or color is LED 1, 2, etc.

## 5.6 Command 0x0B (11), Clear Auxiliary

### 5.6.1 Command format

Clear Auxiliary D_EC_CLEAR_AUX							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	SUB- OPCODE	0x0B	0x00	AUX ID	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x000B CLEAR\_AUXILIARY
  - 2.2 0x010B CLEAR\_INDICATOR
3. This command is used by the Endura/Atlas projects.
4. This command is used and decoded on the: ERD97P21, IRD/ERD, Esprit 3012, Intercept and LRD.
5. See SET AUXILIARY (Section 5.5, page 41) for more information about this command.

<sup>22</sup>\$Header: d:/Binder06.Protocols/test/RCS/0B.inc,v 1.43 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

### 5.6.2 Description

Causes an auxiliary function in the camera unit to be deactivated.

1. **CMND1** There are two sub-opcodes for this command:

1.1 **0x00 D\_ECS\_CLEAR\_AUX\_RELAY** This sub-opcode is used by the Endura/Atlas projects.

1.2 **0x01 D\_ECS\_CLEAR\_AUX\_LED**

2. **DATA2** This is the numerically encoded auxiliary number. The range of this value for relay control is: 1 → 8.

3. **DATA2** This is the numerically encoded auxiliary number. The range of this value for LED control is:

0xFE	Green	D_ECD_CLEAR_AUX_LED_GREEN
0xFD	Red	D_ECD_CLEAR_AUX_LED_RED
0xFC	Amber	D_ECD_CLEAR_AUX_LED_AMBER

## 5.7 Command 0x0D (13), Dummy

### 5.7.1 Command format

Dummy D_EC_DUMMY_1							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	ACTION	0x0D	SUB- DEVICE ID	ON/OFF/TEMP	—

**FPN**

1. This command generates a “General Reply” (Section 4.2, page 30) or nothing. See below.

2. Command Names as used by the Spectra IV software:

2.1 **0x000D DUMMY**

<sup>23</sup>\$Header: d:/Binder06.Protocols/test/RCS/0D.inc, v 1.46 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

### 5.7.2 Description

Originally an unused command. Because of the method used in decoding commands in the domes, all command opcodes must be defined. Thus, even though this value is usually unused, it must be defined and decoded.

When ACTION (byte 3) is set to 0x00 this command is decoded and a general response is sent except for the ExSite that gives no response at all. Other than sending a response nothing else occurs in any Pelco equipment.

## 5.8 Command 0x0F (15), Remote Reset

### 5.8.1 Command format

Remote Reset D_EC_RESET							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x0F	0x00	0x00	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x000F REMOTE\_RESET
3. This command is used and decoded on the: ERD97P21, Esprit 3012, Intercept and LRD.
4. This command resets the system. It will take several seconds before the system is ready to resume normal operation.

### 5.8.2 Description

Causes the dome to be reset. This is the same as turning the dome off and then back on.

<sup>24</sup>\$Header: d:/Binder06.Protocols/test/RCS/0F.inc,v 1.31 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

## 5.9 Command 0x11 (17), Set Zone Start

### 5.9.1 Command format

Set Zone Start D_EC_ZONE_START							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x11	0x00	ZONE ID	—

FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0011 SET\_ZONE\_START
3. This command is used and decoded on the: Esprit 3012 and Intercept.
4. See ZONE SCAN ON (Section 5.14, page 52) for more information about this command.

### 5.9.2 Description

This command is used to define the start point of up to eight zones (ZONE ID). Zones are defined by setting a start point and then moving the dome in a clockwise direction (looking down from above the dome or pan/tilt when it is installed in its normal position) to set an end point. Higher numbered zones override lower numbered zones. Zone numbers are in byte 6 (ZONE ID) and are 1 based, not 0 based. I.e. 0x03 = Zone 3.

When the unit has a password enabled, this command will cause the unit to display the password request screen and not proceed until a correct password is entered. There is no way to directly enter a password via a Protocol.

FPN

<sup>25</sup>\$Header: d:/Binder06.Protocols/test/RCS/11.inc,v 1.39 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

### 5.9.3 Zones

When a `SET ZONE START` command (Section 5.9, page 46) is received, the current pan position is saved as the start position for the zone number specified in the command. If the zone was previously defined the end position is invalidated and the new start position is set. Also whatever is displayed on the Zone label (i.e. columns 0 → 19 of write character to screen command `0x15, 2110` (Section 5.11, page 49) though not displayed directly on some systems) on the logical first video line is saved as the zone label. When a `SET ZONE END` command (Section 5.10, page 48) is received, the monitor is unlocked How was the monitor locked?[-DGS], and the current pan position is saved as the end position for the zone number specified (`ZONE ID`) in the command.

Zones extend from the start point clockwise to the end point. This means that if a zone start point is set, the Spectra is panned slightly clockwise, and the zone end point is set, the zone will be small. But if the Spectra is panned slightly counterclockwise between the start and end points, the zone will be almost all the way around the pan circle.

A zone may not be specified that is 360° in size. Starting with the Spectra III the end and start points of the same zone may not be within 1° of each other. On earlier models the start/end points had to be at least 10° apart.

There are commands to turn `SET ZONE SCAN ON` (Section 5.14, page 52) and `SET ZONE SCAN OFF` (Section 5.15, page 55). If zone scan has been turned on, during normal pan/tilt operation the current pan position is continuously read. If the current position is within a zone, the label for that zone is displayed on the logical first video line. If the current position is not within any zone, the line is cleared. If the current position is within more than one zone, the label for the highest-numbered zone will be displayed.

#### Note

For units previous to Spectra III `SET ZONE SCAN OFF` (Section 5.15, page 55) must be sent off before this command is received or the zone programming will not work correctly.

Spectra III and Spectra IV does not require Zone Scan to be off to operate properly.

## 5.10 Command 0x13 (19), Set Zone End

### 5.10.1 Command format

Set Zone End D_EC_ZONE_END							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x13	0x00	ZONE ID	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:  
2.1 0x0013 SET\_ZONE\_END
3. This command is used and decoded on the: Esprit 3012 and Intercept.
4. See SET\_ZONE\_SCAN\_START (Section 5.9, page 46) and SET\_ZONE\_SCAN\_ON (Section 5.14, page 52) for more information about this command.

### 5.10.2 Description

This is used to define the end point of up to eight zones. Zones are defined by setting a start point and then moving the dome in a clockwise direction (looking down from above the dome or pan/tilt when it is installed in its normal position) to set an end point. Higher numbered zones override lower numbered zones. Zone numbers are in byte 6 and are 1 based, not 0 based. I.e. 0x04 = Zone 4. See the write up in SET\_ZONE\_START (Section 5.9, page 46) for more details on setting zones.

When the unit has a password enabled, this command will cause the unit to display the password request screen and not proceed until a correct password is entered. There is no way to enter a password via a Protocol.

<sup>26</sup>\$Header: d:/Binder06.Protocols/test/RCS/13.inc,v 1.34 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$



## 5.11 Command 0x15 (21), Write Character To Screen

### 5.11.1 Command format

Write Character To Screen D_EC_WRITE_CHAR							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	DATA TYPE	0x15	SCREEN COLUMN	ASCII CHAR	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0015 WRITE\_CHARACTER\_TO\_SCREEN
3. This command is used and decoded on the: Esprit 3012, Intercept and on the Everest/Atlas projects.
4. There is no protocol command to read out this data via a serial link.

### 5.11.2 Description

1. DATA TYPE is used to indicate the use of this byte.
  - 1.1 0x00 (D\_ECS\_WRITE\_CHAR\_LABEL) is used to indicate that the data is to be displayed on the screen in the label buffer.

There are several places/data sub-types for the characters to be displayed:

    - 1.1.1. The parameter in DATA1 (byte 5), SCREEN COLUMN of this command indicates the column to write to. This parameter is interpreted as follows:
      - 1.1.1.1. Columns 0 → 19 are used to receive ZONE LABELS.
      - 1.1.1.2. Columns 20 → 39 are used to receive PRESET LABELS.

Starting with Spectra III (and ExSite):

<sup>27</sup>\$Header: d:/Binder06.Protocols/test/RCS/15.inc,v 1.48 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

- 1.1.1. Characters written to these positions are not written directly to the screen. Once the `SET ZONE START` (opcode `0x11`) command is received, the characters are displayed.
- 1.1.2. If characters are written to these columns and no `SET PRESET` (opcode Section 5.2, page 37) command is received within 250 milliseconds of receipt of the last character, the characters will be displayed on the screen beginning at the first column of the second row of the display.

With the Spectra IV, following the first command on after a power cycle, characters in the Preset label locations are not displayed except when followed by a `SET PRESET` (Section 5.2, page 37) command within 250 milliseconds.

- 1.2 `DATA2`, `ASCII CHAR`, is the character to be displayed. The exact representation on the screen will be controlled by the current font that is selected.

## 5.12 Command `0x17` (23), Clear Screen

### 5.12.1 Command format

Clear Screen D_EC_CLEAR_SCREEN							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	<code>0xFF</code>	—	<code>0x00</code>	<code>0x17</code>	<code>0x00</code>	<code>0x00</code>	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 `0x0017 CLEAR_SCREEN`
3. This command is used by the Endura/Atlas projects.
4. This command is used and decoded on the: Esprit 3012 and Intercept.

<sup>28</sup>\$Header: d:/Binder06.Protocols/test/RCS/17.inc,v 1.31 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

### 5.12.2 Description

Clears all generated characters from the screen.

Does not clear following on-screen data that is displayed with a “CONSTANT” attribute:

1. Active Alarms
2. Azimuth
3. Elevation
4. Direction, Spectra III and following.
5. Zoom Level, Spectra III and following.
6. Date/Time, Spectra IV only.

### 5.13 Command 0x19 (25), Alarm Acknowledge

#### 5.13.1 Command format

Alarm Acknowledge D_EC_ALARM_ACK							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	TYPE	0x19	0x00	0x00	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0019 ALARM\_ACKNOWLEDGE
3. This command, with a TYPE SUB OP-CODE of 0x01, is used by the Endura/Atlas projects.
4. This opcode is used by the ERD97P21.

<sup>29</sup>\$Header: d:/Binder06.Protocols/test/RCS/19.inc,v 1.37 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

### 5.13.2 Description

Usage of the TYPE SUB OPCODE:

1. **0x00**: When an alarm is enabled (through a SET 95 menu action) and it occurs, the dome will perform whatever action it is programmed to do (again through a SET 95 menu action), until the alarm is acknowledged. Alarm numbers are in byte 6 and are 1 based not 0 based. Sending an ALARM ACKNOWLEDGE when no alarm is active is harmless.

The ERD97 has Alarms in the range of 1 to 8. When the alarm number is sent over the communications line the range is 2 to 9. I.e. it is TWO based.

2. **0x01**:<sup>30</sup> The response will be the General Response of 4 bytes which includes the Alarm Status data

### 5.14 Command 0x1B (27), Zone Scan On

#### 5.14.1 Command format

Zone Scan On D_EC_ZONE_ON							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x1B	0x00	0x00	—

FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x001B ZONE\_SCAN\_ON
3. This command is used and decoded on the: Esprit 3012 and Intercept.
4. See SET ZONE START (Section 5.9, page 46) for more information about this command.

<sup>30</sup>This information comes from an e-mail from Alfio Marrone, dated Friday, January 23, 2004 12:54 PM.

<sup>31</sup>\$Header: d:/Binder06.Protocols/test/RCS/1B.inc,v 1.46 2012-02-08 10:37:35-08 Hamilton Exp Hamilton \$

#### 5.14.2 Description

Used to turn the displaying of zone labels on.

If zone scan has been turned on, the current pan position is continuously read. If the current position is within a zone, the label for that zone is displayed on the first video line. If the current position is not within any zone, the line is cleared. If the current position is within more than one zone, the label/blanking for the highest-numbered zone will be displayed. For more information about labels, see Section 3.3.1, page 26.

### FPN

Using<sup>32</sup> the word “Scan” to describe these commands (Section 5.14, page 52 and Section 5.15, page 55) implies saying that the PTZ is expected to scan on its own. These commands simply enable/disable the zone label display. In earlier PTZ’s (pre-Spectra III), these commands would enable/disable zone labels without any extra setup in the menus. Spectra III started this 2-tiered idea of enabling zone labels in the menus before they can be enabled with the zone scan on/off commands. A more sensible naming for these commands would be “Zone Labels On” and “Zone Labels Off”.

This opcode is used by the following Pelco equipment:

Esprit, Spectra, ExSite

#### 5.14.3 Zone Blanking

Zone blanking is used to blank out a defined zone. It is set up in the set 95 menu system and is the only way to blank out an area in the Spectra II and Esprit type systems. It is usable on all of the newer systems by using their set 95 menus.

#### 5.14.4 Creating Zone Labels

Many devices have an ability to display labels on the video. Labels that identify the preset or zone being scanned are common. There is a special technique to establish a label that is associated with either a preset or a zone. First, send the label to the receiver/driver using the “Write Character to Screen” (Section 5.11,

---

<sup>32</sup>From: Hannen, Craig. Tuesday, April 18, 2006 10:11 AM

page 49) command. After the label is on the screen, then set the preset or zone. That will establish the label and associate it with that preset or zone.

- **ZONE SCAN ON** (Section 5.14, page 52): Used to turn the display of zone labels on.
- **ZONE SCAN OFF** (Section 5.15, page 55): Used to turn the display of zone labels off.

For the Spectra III, Spectra III SE and ExSite, characters written to these zone addresses positions are not written directly to the screen. Once the **SET ZONE START** (Section 5.9, page 46) command is received, the characters are displayed.

#### Defining a Zone

1. Send “**SET ZONE SCAN OFF**” (Section 5.15, page 55)
2. Send characters to positions 0 → 19.
3. Send a “**SET ZONE START**” (Section 5.9, page 46)
4. Do any required pan motion. On newer units presets may be called.
5. Send a “**SET ZONE END**” (Section 5.10, page 48)
6. Send a “**SET ZONE SCAN ON**” (Section 5.14, page 52)

Now when the camera is in one of the eight zones, the zone message will appear. The internal logic of the software, copies what is in the zone label buffer into EEPROM when it gets a “**SET ZONE END**” (Section 5.10, page 48) command. With the older units, all units prior to the Spectra III, the zone label was always on the first displayed line. With the Spectra III the zone label can be anywhere on the screen and the logic to move it is internal to the Spectra III software.

## 5.15 Command 0x1D (29), Zone Scan Off

### 5.15.1 Command format

Zone Scan Off D_EC_ZONE_OFF							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x1D	0x00	0x00	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x001D\_ZONE\_SCAN\_OFF
3. See Section 5.14, page 52 for more information about this command.
4. This command is used and decoded on the: Esprit 3012 and Intercept.

### 5.15.2 Description

Used to turn the displaying of zone labels off.

## 5.16 Command 0x1F (31), Record Pattern Start

### 5.16.1 Command format

Set Pattern Start D_EC_START_RECORD							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x1F	0x00	PATTERN ID	—

### FPN

<sup>33</sup>\$Header: d:/Binder06.Protocols/test/RCS/1D.inc,v 1.31 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

<sup>34</sup>\$Header: d:/Binder06.Protocols/test/RCS/1F.inc,v 1.42 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x001F SET\_PATTERN\_START
3. This command is used by the Endura/Atlas projects.
4. This command is used and decoded on the: Esprit 3012 and Intercept.
5. The defined patterns may be determined by using QUERY DEFINED PATTERNS (Section 5.59.19, page 120) and QUERY DEFINED PATTERNS RESPONSE (Section 5.59.20, page 121).
6. A pattern may be deleted by using DELETE PATTERN (Section 5.59.9, page 114).

#### 5.16.2 Description

Recording of a pattern starts when a start pattern record command is received. It ends when either an end pattern record command is received, or 60 seconds has elapsed since the start pattern record command was received. The message “PROGRAMMING PATTERN” is put on the first video line. When recording stops (either by command, timeout or when pattern memory fills up on the newer types of PTZ units<sup>35</sup>), the message is cleared.

#### FPN

Playing of the recorded pattern starts when a start pattern play command is received. When the end of the recorded pattern is reached, playback starts over again at the beginning of the pattern. This continues until any other command is received. If zones have not been enabled, the message “RUNNING PATTERN” is put on the first video line and remains there until playback stops, at which point it is cleared. If zones have been enabled, the “RUNNING PATTERN” message will not be shown. Instead, the zone labels will be shown as the pattern moves through the zones. When playback is stopped, the first video line is cleared.

There are two types of pattern processing: record and playback. Pattern processing occurs once each timer tick (14 times a second<sup>36</sup>). If recording, the current command is stored in the EEP-

<sup>35</sup>The newer unit types are: Spectra III, Mini Spectra, ExSite and Spectra IV.

<sup>36</sup>Or depending on the model it may be each vertical interrupt (60 or 50 times a second depending on whether the video is NTSC or PAL).



ROM/flash. If the current command is not one that can be played back, an illegal command is saved (it will be skipped during playback). If playing back, a command is read out of the EEPROM/flash and decoded. If it is an illegal command, it is skipped.

When the unit has a password enabled, this command will cause the unit to display the password request screen and not proceed until a correct password is entered. There is no way to enter a password via a Protocol.

The parameter in byte 6 of this command indicates the pattern number. Used when starting to record a pattern. Spectra III, ExSite and Spectra IV interpret byte 6 as follows:

PATTERN ID	
Value	Action
0 or 1	Sets/runs pattern 1
2	Sets/runs pattern 2
3	Sets/runs pattern 3
4	Sets/runs pattern 4
5	Sets/runs pattern 5
6	Sets/runs pattern 6
7	Sets/runs pattern 7
8	Sets/runs pattern 8

Spectra I, Spectra II and Esprit interpret byte 6 as follows:

PATTERN ID	
Value	Action
0	Sets/runs the single "long pattern"
1	Sets/runs the first "short pattern"
2	Sets/runs the second "short pattern"

## FPN

### 5.16.3 Pattern numbers

The method of saving a pattern has changed over time. The original method was to save what the unit was doing every vertical

sync time. This resulted in getting 60 (50 with PAL based cameras) records a second. Older units had patterns defined in maximum minutes of run time. With these systems the choice is one one minute pattern (pattern 0) or two one half minute patterns (patterns 1 and 2).

Starting with the Spectra III/ExSite series of units. Saving what the unit was doing each vertical sync time is used, however if the unit is doing the same thing on several vertical sync times in a row, then an eight bit counter is incremented and saved when a change is detected. This Run Length Limited (RLL) technique makes it so that the saved pattern length may be of greater duration. The total duration is now unknown in advance as it depends on the number of **changes** in what the unit is told to do while recording the pattern. (A patent is pending on this method of saving a pattern.)

The numbering and quantity of patterns varies on different units:

1. On many Intercept type units there was one pattern. On other Intercept units, those with out presets, there were no patterns.
2. The Spectra I, Spectra II and Esprit have pattern numbers from 0  $\rightarrow$  2.
3. On the Spectra II Lite the only pattern is numbered 0.
4. On the Spectra III the only pattern is numbered 1.
5. With the Spectra III SE and ExSite patterns are numbered in the range of 1  $\rightarrow$  4.
6. On the Spectra IV SE the patterns are numbered in the range of 1  $\rightarrow$  8.
7. With older low cost Spectra units utilizing the reduced capability types of cameras, there is only one pattern.
8. With low cost Spectra IV units utilizing the reduced capability types of cameras, there are four patterns.

## 5.17 Command 0x21 (33), Record Pattern End

### 5.17.1 Command format

Set Pattern End D_EC_END_RECORD							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x21	0x00	PATTERN ID	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0021 SET\_PATTERN\_STOP
3. This command is used by the Endura/Atlas projects.
4. This command is used and decoded on the: Esprit 3012 and Intercept.
5. See RECORD PATTERN START Section 5.16, page 55 for more information about this command.

### 5.17.2 Description

Stops the current pattern to stop being recorded and have its data written into persistent memory.

## 5.18 Command 0x23 (35), Run Pattern

### 5.18.1 Command format

Run Pattern D_EC_START_PLAY							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x23	0x00	PATTERN ID	—

<sup>37</sup>\$Header: d:/Binder06.Protocols/test/RCS/21.inc,v 1.38 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

<sup>38</sup>\$Header: d:/Binder06.Protocols/test/RCS/23.inc,v 1.39 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

## FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0023 RUN\_PATTERN
3. This command is used by the Endura/Atlas projects.
4. This command is used and decoded on the: Esprit 3012 and Intercept.
5. The defined patternss may be determined by using QUERY DEFINED PATTERNS (Section 5.59.19, page 120) and its response QUERY DEFINED PATTERNS RESPONSE (Section 5.59.20, page 121).
6. See RECORD PATTERN START Section 5.16, page 55 for more information about this command.

### 5.18.2 Description

The parameter in byte 6 of this command indicates the pattern number. Used to get a pattern running. Spectra III, EsSite and Spectra IV interpret byte 6 as follows:

PATTERN ID	
Value	Action
0 or 1	Sets/runs pattern 1
2	Sets/runs pattern 2
3	Sets/runs pattern 3
4	Sets/runs pattern 4
5	Sets/runs pattern 5
6	Sets/runs pattern 6
7	Sets/runs pattern 7
8	Sets/runs pattern 8

Spectra I, Spectra II and Esprit interpret byte 6 as follows:

PATTERN ID	
Value	Action
0	Sets/runs the single “long pattern”
1	Sets/runs the first “short pattern”
2	Sets/runs the second “short pattern”

## 5.19 Command 0x25 (37), Set Zoom Speed

### 5.19.1 Command format

Set Zoom Speed D_EC_ZOOM_SPEED							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x25	0x00	ZOOM SPEED	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0025 SET\_ZOOM\_SPEED
3. This opcode is are used by the: ERD97P21.
4. This command is used and decoded on the: Intercept.
5. The current value of the zoom speed may not be read out.

### 5.19.2 Description

This command accepts values of 0 through 3, in byte 6, to change the speed of the indicated function. Some cameras (such as the X12 camera in the Spectra I) do not support these functions. If the camera does support this function, the command is ignored. 0 is the slowest speed, 3 is the fastest. Because of the vast number of variations in camera capabilities, it is usually best to use the SET 95 menu for this type of control change.

ZOOM SPEED		
Value	Use	
0	Slowest Speed	D_ECD_ZOOM_SPEED_SLOW
1	Low Medium Speed	D_ECD_ZOOM_SPEED_MEDIUM
2	High Medium Speed	D_ECD_ZOOM_SPEED_FAST
3	Highest speed	D_ECD_ZOOM_SPEED_FASTEST

**Note:** In the reduced capability type of Spectra IV units Zoom speed may not be changed.

<sup>39</sup>\$Header: d:/Binder06.Protocols/test/RCS/25.inc,v 1.34 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

## 5.20 Command 0x27 (39), Set Focus Speed

### 5.20.1 Command format

Set Focus Speed D_EC_FOCUS_SPEED							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x27	0x00	FOCUS SPEED	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0027 SET\_FOCUS\_SPEED
3. This opcode is used by the: ERD97P21 and the Intercept.
4. The current value of the focus speed may not be read out.

### 5.20.2 Description

This command accepts values of 0 through 3, in byte 6, to change the speed of the indicated function. Some cameras (such as the X12 camera in the Spectra I) do not support these functions. If the camera does support this function, the command is ignored. 0 is the slowest speed, 3 is the fastest. Because of the vast number of variations in camera capabilities, it is usually best to use the SET 95 menu for this type of control change.

FOCUS SPEED		
Value	Use	
0	Slowest Speed	D_ECD_FOCUS_SPEED_SLOW
1	Low Medium Speed	D_ECD_FOCUS_SPEED_MEDIUM
2	High Medium Speed	D_ECD_FOCUS_SPEED_FAST
3	Highest speed	D_ECD_FOCUS_SPEED_FASTEST

<sup>40</sup>\$Header: d:/Binder06.Protocols/test/RCS/27.inc,v 1.34 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

## 5.21 Command 0x29 (41), Reset Camera to Defaults

### 5.21.1 Command format

Reset camera to defaults D_EC_CAMERA_RESET							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x29	0x00	0x00	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0029 RESET\_CAMERA\_DEFAULTS
3. The Spectra IV does not acknowledge a CAMERA RESET command. It just does the reset.

### 5.21.2 Description

Resets the camera to its default condition, except that the current phase delay is not changed.

## 5.22 Command 0x2B (43), Auto Focus

### 5.22.1 Command format

Auto focus D_EC_AUTO_FOCUS							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x2B	0x00	AUTO FOCUS CTRL	—

### FPN

<sup>41</sup>\$Header: d:/Binder06.Protocols/test/RCS/29.inc,v 1.38 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

<sup>42</sup>\$Header: d:/Binder06.Protocols/test/RCS/2B.inc,v 1.35 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x002B AUTO\_FOCUS\_MODE
3. This command is used by the Endura/Atlas projects.
4. The current value of auto focus may not be read out.

#### 5.22.2 Description

If byte 6 is 0 the device automatically controls whether auto focus is on (default) or off. If byte 6 is 1, auto focus is turned off. Other values are ignored.

AUTO FOCUS CTRL		
Value	Use	
0	Automatic operation (default)	D_ECD_AUTO_FOCUS_AUTO
1	Auto focus is off	D_ECD_AUTO_FOCUS_OFF

#### 5.23 Command 0x2D (45), Auto Iris

##### 5.23.1 Command format

Auto iris D_EC_AUTO_IRIS							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x2D	0x00	AUTO IRIS CTRL	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x002D AUTO\_IRIS\_MODE
3. This command is used by the Endura/Atlas projects.
4. The current value of auto iris may not be read out.

<sup>43</sup>\$Header: d:/Binder06.Protocols/test/RCS/2D.inc,v 1.36 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$



### 5.23.2 Description

If byte 6 is 0 the device automatically controls whether auto iris is on (default) or off. If byte 6 is 1, auto iris is turned off. Other values are ignored.

AUTO IRIS CTRL		
Value	Use	
0	Automatic operation (default)	D_ECD_AUTO_IRIS_AUTO
1	Auto iris is off	D_ECD_AUTO_IRIS_OFF

### 5.24 Command 0x2F (47), AGC

#### Discontinued Command

In July 2004 the use of this command was discontinued as a protocol item. This function is only supported via the menu system.

This command does not apply to the Esprit TI.

#### 5.24.1 Command format

AGC D_EC_AGC							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x2F	0x00	AGC CTRL	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x002F AGC\_MODE
3. The current value of AGC may not be read out.

<sup>44</sup>\$Header: d:/Binder06.Protocols/test/RCS/2F.inc,v 1.38 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

### 5.24.2 Description

If byte 6 is 0 the device automatically controls whether AGC (automatic gain control) is on or off (default), If byte 6 is 1, AGC is turned off (manual gain). Other values are ignored. Sending an `ADJUST GAIN` command (Section 5.32, page 75) turns AGC off.

AGC CTRL		
Value	Use	
0	Automatic operation (default)	D_ECD_AUTO_AGC_AUTO
1	AGC is off	D_ECD_AUTO_AGC_OFF

## 5.25 Command 0x31 (49), Backlight Compensation

### 5.25.1 Command format

Backlight compensation D_EC_BLC							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x31	0x00	BLC CTRL	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0031 BACKLIGHT\_COMPENSATION
3. The current value of BLC may not be read out.

### 5.25.2 Description

If byte 6 is 1, backlight compensation is turned off (default). If byte 6 is 2, backlight compensation is turned on. Other values are ignored.

BLC CTRL		
Value	Use	
1	BLC is off (default)	D_ECD_AUTO_BLC_OFF
2	BLC is on	D_ECD_AUTO_BLC_ON

<sup>45</sup>\$Header: d:/Binder06.Protocols/test/RCS/31.inc,v 1.35 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

**Change for Spectra IV** If byte 6 is 0, backlight compensation is turned off (default). If byte 6 is non-zero, backlight compensation is turned on.

BLC CTRL	
Value	Use
0	BLC is off (default)
1	BLC is on

## 5.26 Command 0x33 (51), Auto White Balance

### 5.26.1 Command format

Auto white balance D_EC_AWB							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x33	0x00	AWB CTRL	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0033 AUTO\_WHITE\_BALANCE
3. The current value of AWB may not be read out.

### 5.26.2 Description

If byte 6 is 1, auto white balance is turned on (default). If byte 6 is 2, auto white balance is turned off. Other values are ignored. Sending an `ADJUST WHITE BALANCE` command turns auto white balance off. (Section 5.30, page 73, Section 5.31, page 74)

AWB CTRL		
Value	Use	
1	AWB is on (default)	D_ECD_AUTO_AWB_ON
2	AWB is off	D_ECD_AUTO_AWB_OFF

<sup>46</sup>\$Header: d:/Binder06.Protocols/test/RCS/33.inc,v 1.37 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

**Change for Spectra IV** If byte 6 is 0, auto white balance is turned on (default). If byte 6 is non-zero, auto white balance is turned off. Sending an `ADJUST WHITE BALANCE` command turns auto white balance off. (Section 5.30, page 73, Section 5.31, page 74)

AWB CTRL	
Value	Use
0	AWB is on (default)
1	AWB is off

## 5.27 Command 0x35 (53), Enable Device Phase Delay Mode

### Discontinued Command

In July 2004 the use of this command was discontinued as a protocol item. This function is only supported via the menu system.

This command does not apply to the Esprit TI.

#### 5.27.1 Command format

Enable device phase delay mode D_EC_DEVICE_PHASE							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x35	0x00	0x00	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).

2. Command Names as used by the Spectra IV software:

2.1 0x0035 ENABLE\_DEVICE\_PHASE\_DELAY\_MODE

#### 5.27.2 Description

When device phase delay is set, the phase delay is set by the device (there may be a manual adjustment). Sending an `ADJUST LINE LOCK` phase delay command will disable device phase delay mode.

See Section 5.29, page 71.

<sup>47</sup>\$Header: d:/Binder06.Protocols/test/RCS/35.inc,v 1.34 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

## 5.28 Command 0x37 (55), Set Shutter Speed

### 5.28.1 Command format

Set shutter speed D_EC_SHUTTER_SPEED							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x37	SHUTTER CTRL 1	SHUTTER CTRL 2	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:

#### 2.1 0x0037 SET\_SHUTTER\_SPEED

### 5.28.2 Older Shutter Speed Codes

**Spectra II and older Shutter Speed Codes** Byte<sup>49</sup> 5 and byte 6 are the high and low bytes respectively of 1 divided by the shutter speed. The shutter speed is limited internally to the range from  $\frac{1}{60}$  second (NTSC) or  $\frac{1}{50}$  second (PAL) to  $\frac{1}{30000}$  second, corresponding to a sent number range from 60 (or 50) to 30000. If the sent number is, 0 the shutter speed is reset to its default value ( $\frac{1}{60}$  or  $\frac{1}{50}$  second). If the sent number is 1, the shutter speed is moved to the next faster speed in the shutter speed table (below). If the sent number is 2, the shutter speed is set to the next slower speed in the table. Because of the vast number of variations in camera capabilities, it is usually best to use the SET 95 menu for this type of control change.

<sup>48</sup>\$Header: d:/Binder06.Protocols/test/RCS/37.inc,v 1.39 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

<sup>49</sup>Up until Spectra II rev 3.21.

SHUTTER CTRL	
Byte 5,6	Speed (seconds)
0	Use default of $\frac{1}{60}$ or $\frac{1}{50}$
1	Increment in table
2	Decrement in table
50	50 (PAL)
60	60 (NTSC)
100	100
120	120
250	250
500	500
1000	1000
2000	2000
4000	4000
10000	10000
30000	30000

### 5.28.3 Newer Shutter Speed Codes

With<sup>50</sup> the Spectra III series of units this has been changed as follows: Byte 6 is the only byte processed. Byte 6 is an index into an array of usable shutter speeds. An index of 0x00 represents auto-shutter, and indexes from 1 → 16 represent the supported shutter speeds. The actual shutter speed values vary depending on the exact make and rev of camera installed. Because of the vast number of variations in camera capabilities, it is usually best to use the SET 95 menu for this type of control change.

**Spectra III, Spectra IV, ExSite and Esprit IOP/IOC Shutter Speed Codes** All times in the below list are the denominator of a fraction with 1 being the numerator. I.e. using an index of 9 generates a shutter speed of  $\frac{1}{250}$  second.

**Spectra MINI Shutter Speed Codes** All times in the below list are the denominator of a fraction with 1 being the numerator. I.e. using an index of 6 generates a shutter speed of  $\frac{1}{500}$  second. The 1/100 shutter speed was added in for the Esprit series starting with rev 3.30.

<sup>50</sup>Starting with Spectra II, rev 3.22, and all Spectras since.

	Spectra III and newer		MINI Spectra	
	SHUTTER CTRL		SHUTTER CTRL	
Index	NTSC	PAL	NTSC	PAL
0	Auto Shutter	Auto Shutter	Auto Shutter	Auto Shutter
1	2	1.5	60	50
2	4	3	100	100
3	8	6	120	100
4	15	12	180	150
5	30	25	250	250
6	60	50	500	500
7	120	100	1000	1000
8	180	150	2000	2000
9	250	250	4000	4000
10	500	500	10000	10000
11	1000	1000	30000	30000
12	2000	2000	—	—
13	4000	4000	—	—
14	10000	10000	—	—
15	30000	30000	—	—
16	100	reserved	—	—

## 5.29 Command 0x39 (57), Adjust Line Lock Phase Delay

### Discontinued Command

In July 2004 the use of this command was discontinued as a protocol item. This function is only supported via the menu system.

This command does not apply to the Esprit TI.

#### 5.29.1 Command format

Adjust line lock phase delay D_EC_ADJUST_PHASE							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	LL CTRL	0x39	LL DE- LAY MSB	LL DE- LAY LSB	—

<sup>51</sup>\$Header: d:/Binder06.Protocols/test/RCS/39.inc,v 1.37 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

## FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0039 ADJUST\_LINE\_LOCK\_PHASE\_DELAY
  - 2.2 0x0139 SET\_LINE\_LOCK\_PHASE\_DELAY

### 5.29.2 Description

If byte 3 is 0, byte 5 and byte 6 are the high and low bytes respectively of an unsigned 16-bit number which is the new phase delay. If byte 3 is 1, byte 5 and byte 6 are the high and low bytes respectively of a signed 16-bit number which is the change to the current phase delay. The phase delay is the delay between the zero crossing of the AC power waveform and the line lock signal sent to the camera. It is in units of 1.085 microseconds. The phase delay is limited internally to the range from 0 to 32767. If an attempt is made to set or change the delay to a value outside this range, the delay will be set to the appropriate end of the range. This command disables device phase delay mode (ENABLE PHASE DELAY MODE Section 5.27, page 68).

LL CTRL/DELAY			
Byte	Bytes	—	
3	5, 6	Use	
0	16-bit un-signed value	New phase delay value	D_ECS_ADJUST_- PHASE_NEW
1	16-bit signed value	Phase delay change	D_ECS_ADJUST_- PHASE_DELTA



### 5.30 Command 0x3B (59), Adjust White Balance (R-B)

#### 5.30.1 Command format

Adjust white balance (R-B) D_EC_ADJUST_RB_WB							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	WB CTRL	0x3B	WB-RB MSB	WB-RB LSB	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x003B ADJUST\_WHITE\_BALANCE\_RB
  - 2.2 0x013B SET\_WHITE\_BALANCE\_RB

#### 5.30.2 Description

If byte 3 is 0, byte 5 and byte 6 are the high and low bytes respectively of an unsigned 16-bit number which is the new red-blue white balance value. If byte 3 is 1, byte 5 and byte 6 are the high and low bytes respectively of a signed 16-bit number which is the change to the current red-blue white balance value. The balance value is limited internally to the range from 192 (0xC0) to 768 (0x300). If an attempt is made to set or change the balance to a value outside this range, the balance will be set to the appropriate end of the range. This command turns off AUTO WHITE BALANCE (Section 5.26, page 67).

CTRL/WB-RB VALUE			
Byte	Bytes	—	
3	5, 6	Use	
0	16-bit unsigned value	New red-blue white balance value	D_ECS_ADJUST_RB_WB_NEW
1	16-bit signed value	Red-blue white balance change	D_ECS_ADJUST_RB_WB_DELTA

<sup>52</sup>\$Header: d:/Binder06.Protocols/test/RCS/3B.inc,v 1.34 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

### 5.31 Command 0x3D (61), Adjust White Balance (M-G)

#### 5.31.1 Command format

Adjust white balance (M-G) D_EC_ADJUST_MG_WB							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	WB CTRL	0x3D	WB-MG MSB	WB-MG LSB	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x003D ADJUST\_WHITE\_BALANCE\_MG
  - 2.2 0x013D SET\_WHITE\_BALANCE\_MG

#### 5.31.2 Description

If byte 3 is 0, byte 5 and byte 6 are the high and low bytes respectively of an unsigned 16-bit number which is the new magenta-green white balance value. If byte 3 is 1, byte 5 and byte 6 are the high and low bytes respectively of a signed 16-bit number which is the change to the current magenta-green white balance value. The balance value is limited internally to the range from 192 (0xC0) to 768 (0x300). If an attempt is made to set or change the balance to a value outside this range, the balance will be set to the appropriate end of the range. This command turns off AUTO WHITE BALANCE (Section 5.26, page 67).

WB CTRL/WB-RB VALUE			
Byte	Bytes	—	
3	5, 6	Use	
0	16-bit unsigned value	New Magenta-green white balance phase delay value	D_ECS_ADJUST_MG_WB_NEW
1	16-bit signed value	Magenta-green white balance change	D_ECS_ADJUST_MG_WB_DELTA

<sup>53</sup>\$Header: d:/Binder06.Protocols/test/RCS/3D.inc,v 1.34 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

## 5.32 Command 0x3F (63), Adjust Gain

### Discontinued Command

In July 2004 the use of this command was discontinued as a protocol item. This function is only supported via the menu system.

This command does not apply to the Esprit TI.

#### 5.32.1 Command format

Adjust gain D_EC_ADJUST_GAIN							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	GAIN CTRL	0x3F	GAIN MSB	GAIN LSB	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x003F ADJUST\_GAIN
  - 2.2 0x013F SET\_GAIN

#### 5.32.2 Description

If byte 3 is 0, byte 5 and byte 6 are the high and low bytes respectively of an unsigned 16-bit number which is the new gain. If byte 3 is 1, byte 5 and byte 6 are the high and low bytes respectively of a signed 16-bit number which is the change to the current gain. The gain is limited internally to the range from 0 to 448 (0x1C0). If an attempt is made to set or change the gain to a value outside this range, the gain will be set to the appropriate end of the range.

<sup>54</sup>\$Header: d:/Binder06.Protocols/test/RCS/3F.inc,v 1.39 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

GAIN CTRL/GAIN VALUE			
Byte	Bytes	—	
3	5, 6	Use	
0	16-bit unsigned value	New gain value	D_ECS_ADJUST_GAIN_NEW
1	16-bit signed value	Gain change	D_ECS_ADJUST_GAIN_DELTA

### 5.33 Command 0x41 (65), Adjust Auto-Iris Level

#### 5.33.1 Command format

Adjust auto-iris level D_EC_ADJUST_AI_LEVEL							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	AI CTRL	0x41	AIL MSB	AIL LSB	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0041 ADJUST\_AUTO\_IRIS\_LEVEL
  - 2.2 0x0141 SET\_AUTO\_IRIS\_LEVEL
3. This command is used by the Endura/Atlas projects.

#### 5.33.2 Description

If byte 3 is 0, byte 5 and byte 6 are the high and low bytes respectively of an unsigned 16-bit number which the new level. If byte 3 is 1, byte 5 and byte 6 are the high and low bytes respectively of a signed 16-bit number which is the change to the current level. The level is limited internally to the range from 0 to 255 (0xFF). If an attempt is made to set or change the level to a value outside this range, the gain will be set to the appropriate end of the range.

<sup>55</sup>\$Header: d:/Binder06.Protocols/test/RCS/41.inc,v 1.36 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

AWB CTRL/AIL VALUE			
Byte	Bytes	—	
3	5, 6	Use	
0	16-bit unsigned value	New auto iris level value. This sub-opcode is used by the Endura/Atlas projects.	D_ECS_ADJUST_AI_LEVEL_NEW
1	16-bit signed value	Auto iris level change	D_ECS_ADJUST_AI_LEVEL_DELTA

### 5.34 Command 0x43 (67), Adjust Auto-Iris Peak Value

#### 5.34.1 Command format

Adjust auto-iris peak value D_EC_ADJUST_AI_PEAK							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	AI CTRL	0x43	AI PEAK MSB	AI PEAK LSB	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0043 ADJUST\_AUTO\_IRIS\_PEAK\_VALUE
  - 2.2 0x0143 SET\_AUTO\_IRIS\_PEAK\_VALUE

#### 5.34.2 Description

If byte 3 is 0, byte 5 and byte 6 are the high and low bytes respectively of an unsigned 16-bit number which the new peak value. If byte 3 is 1, byte 5 and byte 6 are the high and low bytes respectively of a signed 16-bit number which is the change to the current peak. The peak is limited internally to the range from 0 → 255 (0xFF) for older cameras. With the current Hitachi cameras the range is 0 → 127 (0x00 → 0x7F). If an attempt is made to set

<sup>56</sup>\$Header: d:/Binder06.Protocols/test/RCS/43.inc,v 1.35 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

or change the peak to a value outside this range, the peak will be set to the appropriate end of the range.

AI CTRL/PEAK VALUE			
Byte	Bytes	—	
3	5, 6	Use	
0	16-bit unsigned value	New auto iris peak value	D_ECS_ADJUST_AI_-PEAK_NEW
1	16-bit signed value	Auto iris peak change	D_ECS_ADJUST_AI_-PEAK_DELTA

### 5.35 Command 0x45 (69), Query

#### 5.35.1 Command format

Query D_EC_QUERY							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	QUERY TYPE	0x45	0x00	0x00	—

#### FPN

1. This command generates a “Query Reply” (Section 4.4, page 32).
2. Command Names as used by the **Spectra IV** software:
  - 2.1 0x0045 QUERY
3. This command is used by the Endura/Atlas projects.
4. This command is used and decoded on the: **Esprit 3012**.
5. This command is not supported in **ERD**, **IRD** or **LRD** type units.

#### 5.35.2 Description

This command does not utilize the address field. This is so that the address of a unit may be determined programmably.

<sup>57</sup>\$Header: d:/Binder06.Protocols/test/RCS/45.inc,v 1.56 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

The response to the Query command is:

The address field is the address of the device responding to the query. The content of the part number field is dependent on the type and version of the device being programmed, please refer to the table that follows.

The checksum is the 8 bit (modulo 256) sum of the transmitted query command's checksum, the address of the response, and the 15-byte part number.

Phase in of the part number/model number/serial number readouts. Note the change over from program number to model number to additions of the serial number.

1. **Spectra** ASCII text string of the **program** number and version of device. The string was internal to the software and this op-code was unsupported. Thus there was no way to readout the value. E.G. PG53-0001-R206
2. **Spectra II** ASCII text string of the **program** number and version of device. E.G. PG53-0060-R331
3. **Spectra III** prior to version 1.20. ASCII text string of the **program** number and version of device. E.G. PG53-0060-R400
4. **Spectra III** version 1.22 and later. ASCII text string of the device **model** number. E.G. DD53C22-X
5. **Spectra IV** prior to rev 2.000 is identical the **Spectra III** versions 1.22 and later.
6. **Spectra IV** versions following rev 2.000, have a shortened part number of the genera form DD4nn with nn being the maximum optical zoom level.
7. **Esprit** prior to version 3.10. ASCII text string of the **program** number and version of device. E.G. PG53-0097-R306
8. **Esprit** version 3.10 and later. ASCII text string of the device **model** number. E.G. ES31CBW18
9. All units than those above, have the ASCII text string of the device **model** number. E.G. ES31CBW18
10. **Spectra IV** and **Esprit TI** also have the ASCII text string of the device **serial** number available through use of an enhanced SUB OP-CODE of 0x01. E.G. 123456

**Esprit model number generation** The **Esprit** combines the following strings to build up the current model type, all of the resulting model numbers are blank “\_” filled.

“ES30”	For non-wiper models
“ES31”	For wiper models
“P”	For IOC models (IOP models have no special flag)
“C16”	For 16X camera types
“C22”	For 22X camera types
“CBW18”	For 18X CBW camera types
“CBW24”	For 24X CBW camera types
“CBW35”	For 35X CBW camera types
“X”	For PAL models (For NTSC models there is no suffix)

These are some typical values for X18 **Esprit** models:

ES31CBW18_ _ _ _ _	ES31CBW18X_ _ _ _ _
ES31PCBW18_ _ _ _ _	ES31PCBW18X_ _ _ _ _
ES30CBW18_ _ _ _ _	ES30CBW18X_ _ _ _ _
ES30PCBW18_ _ _ _ _	ES30PCBW18X_ _ _ _ _

Sample model number for a X18 **Esprit** with wiper: “ES31PCBW18\_ \_ \_ \_ \_”. In this example the \_ symbol indicates blank (0x20) padding being used.

**Camera modules vs. Esprit model numbers** The **Esprit** software, starting in 2010 with rev 4.00, supports at least 11 different models of Hitachi camera. Support is for both NTSC and PAL versions:

Type	Hitachi camera types
“C16”	VK-S934, VK-934R
“C22”	VK-S274, VK-274R
“CBW18”	VK-S454, VK-454R, VK-454N
“CBW24”	VK-P554
“CBW35”	VK-S654, VK-654R, VK-654N

**Spectra III Part number generation** The **Spectra III** generates a response to a **QUERY** command which is composed of two or three concatenated fields. These fields are selected from the following table (by selecting one entry



from each column) depending on the exact model of **Spectra III**. The resulting string is NULL padded to be 15 bytes long with no trailing delimiter.

DD53	TC16	-X
	C22	
	M22	
	CBW	

Sample model number for a X22 Spectra III SE: “DD53C22\_\_\_\_\_”. In this example the \_ symbol indicates NULL (0x00) padding being used.

#### Spectra IV Part number generation

DD4	TC16	-X	
	C22		
	M22		
	CBW23		
	CBW35		
DD4	23		
	27		
	35		
DD4H	CBW35		Look Up dome

Sample model number for a X35 Spectra IV SE prior to rev 2.000: “DD4CBW35\_\_\_\_\_”. In this example the \_ symbol indicates NULL (0x00) padding being used.

Sample model number for a X35 Spectra IV SE following rev 2.000: “DD435\_\_\_\_\_”. In this example the \_ symbol indicates NULL (0x00) padding being used.

**Camera modules vs. Esprit model numbers** The Spectra IV, starting in 2009, supports 11 different models of Hitachi camera. These are:

Type	Hitachi camera types
“TC16”	Unknown
“C22”	VK-S274, VK-S274R
“M22”	VK-K274, VK-K274R
“CBW23”	VK-S454, VK-S454R, VK-S454N
“CBW35”	VK-S654, VK-S654R
“23”	VK-S454N (Defeatured)
“27”	VK-S654N (Defeatured) , VK-S624
“35”	VK-S654N

#### Esprit TI Model number generation

ES30		TI			Esprit Thermal Imager
	14				14.25mm focal length lens
	35				35mm focal length lens
	50				50mm focal length lens
			X		PAL instead of NTSC video format
				1	Frame rate of 9 Hz instead of 30 Hz (25 Hz for PAL) rate

#### Esprit TI sample part numbers:

1. “ES3035TI\_\_\_\_\_”. A unit with 30 Hz frame rate NTSC video output and a 35mm lens.
2. “ES3035TI1\_\_\_\_\_”. A unit with 9 Hz frame rate NTSC video output and a 35mm lens.
3. “ES3035TIX\_\_\_\_\_”. A unit with 25 Hz frame rate PAL video output and a 35mm lens.
4. “ES3035TIX1\_\_\_\_\_”. A unit with 9 Hz frame rate PAL video output and a 35mm lens.

In these examples the \_ symbol indicates NULL (0x00) padding being used.

**Log File Records**    *When a log file is being returned, it will consist of:*

1. *The file’s record left justified in the reply.*

2. The maximum length of each record is 15 bytes.
3. If the record is less than 15 bytes, the record will be padded with “NULL”s (0x00) to a total of 15 bytes.
4. If the record is exactly 15 bytes in length, then no padding is needed and no end of record byte is to be added.
5. If the record is longer than 15 bytes, the excess must be truncated.

### 5.36 Command 0x47 (71), Preset Scan

#### 5.36.1 Command format

Preset Scan D_EC_PRESET_SCAN							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x47	0x00	DWELL	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0047 PRESET\_SCAN
3. This command is decoded on the: Esprit 3012.

#### 5.36.2 Description

This command tells a PTZ to visit every defined preset for a given number of seconds (the number of seconds are defined in `DWELL`). So this is a method of implementing a preset tour at the PTZ level. **This command is not used as a D command.** It is a 32-bit Coaxitron® only command.

<sup>58</sup>\$Header: d:/Binder06.Protocols/test/RCS/47.inc,v 1.42 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

### 5.37 Command 0x49 (73), Set Zero Position

#### 5.37.1 Command format

Set Zero Position D_EC_SET_ZERO							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x49	0x00	0x00	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x0049 SET\_ZERO\_POSITION
3. This command is used by the Endura/Atlas projects.
4. The angular value of where the displayed “zero point” has been moved to may be read out with the command/response pair of QUERY AZIMUTH ZERO (Section 5.59.2, page 111) and QUERY AZIMUTH ZERO RESPONSE (Section 5.59.3, page 111).

#### 5.37.2 Description

This command is used to set the pan position that the unit uses as a zero reference point for the azimuth on-screen display. The unit’s current pan position when this command is received becomes the zero reference point for on screen Pan display. This command performs the same function as the “SET AZIMUTH ZERO” menu item.

### 5.38 Command 0x4B (75), Set Pan Position

#### 5.38.1 Command format

Set Pan Position D_EC_SET_PAN							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x4B	PAN MSB	PAN LSB	—

<sup>59</sup>\$Header: d:/Binder06.Protocols/test/RCS/49.inc,v 1.34 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

<sup>60</sup>\$Header: d:/Binder06.Protocols/test/RCS/4B.inc,v 1.38 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

## FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x004B SET\_PAN\_POSITION
3. This command is used by the Endura/Atlas projects.
4. This position may be read out using the command/response pair QUERY PAN POSITION (Section 5.41, page 88) and QUERY PAN POSITION RESPONSE (Section 5.45, page 91).

### 5.38.2 Description

This command is used to set the pan position of the device. The position is given in hundredths of a degree and has a range from 0 → 35999 (decimal).

Sub-op codes used in CMND1

1. 0x00 is used for setting the pan position.

Generally these values are interpreted as follows: Zero degrees indicates that the device is pointed horizontally (at the horizon). Ninety degrees indicates that the device is pointed straight down.

## FPN

Example: the value to use to set the pan position to 45 degrees is 4500.

Note that the value used here is always the “absolute” pan position. It does not take into account any adjustment to the screen display that may have been made by using the “SET ZERO POSITION”, opcode (0x49) command or the “SET AZIMUTH ZERO” menu item. See Appendix C, page 137 for more information on pan positioning.

### 5.39 Command 0x4D (77), Set Tilt Position

#### 5.39.1 Command format

Set Tilt Position D_EC_SET_TILT							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x4D	TILT MSB	TILT LSB	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x004D SET\_TILT\_POSITION
3. This command is used by the Endura/Atlas projects.
4. This position may be read out using the command/response pair QUERY TILT POSITON (Section 5.42, page 89) and QUERY TILT POSITON RESPONSE (Section 5.46, page 92).

#### 5.39.2 Description

This command is used to set the tilt position of the device. The position is given in hundredths of a degree and has a range from 0 → 35999 (decimal).

Sub-op codes used in CMND1

1. 0x00 is used for setting the tilt position.

Generally these values are interpreted as follows: Zero degrees indicates that the device is pointed horizontally (at the horizon). Ninety degrees indicates that the device is pointed straight down.

#### FPN

Examples:

1. The value used to set the tilt position to 45 degrees below the horizon is 4500.
2. The value used to set the tilt position to 45 degrees above the horizon, is 31500.

<sup>61</sup>\$Header: d:/Binder06.Protocols/test/RCS/4D.inc,v 1.37 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

Note that different equipment will have different ranges of tilt motion. To determine the abilities of a specific piece of equipment, refer to that device's operation manual.

## 5.40 Command 0x4F (79), Set Zoom Position

### 5.40.1 Command format

Set Zoom Position D_EC_ZOOM							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x4F	ZOOM MSB	ZOOM LSB	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x004F SET\_ZOOM\_POSITION
3. In the Esprit, if Electronic Image Stabilization (EIS) is turned on, this command is ignored with a General Reply being sent back.
4. This position may be read out using the command/response pair QUERY ZOOM POSITION (Section 5.43, page 89) and QUERY ZOOM POSITION RESPONSE (Section 5.46, page 92).

### 5.40.2 Description

This command is used to set the zoom position of the device. The position is given as a ratio based on the device's Zoom Limit setting. The position is calculated as follows:

$$\text{Position} = (\text{desired\_zoom\_position} / \text{zoom\_limit}) * 65535$$

Where desired\_zoom\_position and zoom\_limit are given in units of magnification.

### FPN

<sup>62</sup>\$Header: d:/Binder06.Protocols/test/RCS/4F.inc,v 1.35 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

Example: Given that the zoom limit of the device's camera is X184, calculate the value needed to set the zoom position to X5:

Position = (5 / 184) \* 65535 = approximately 1781

This works out to: decimal 1781 = 0x06F5 with byte 5 = 0x06 and byte 6 = 0xF5.

Commands in D protocol can not send floating point numbers. Since the result of this division is ALWAYS smaller than 1, we multiply it by 64K and round (or truncate) to get an integer. (Here we rounded the result.) To use this method the maximum zoom value must be known. There is no command to ask the Spectra what the maximum zoom value is.

Maximum zoom limit is set in one of the menus that the Spectra supports. The exact value varies depending on the exact type of camera installed.

#### 5.41 Command 0x51 (81), Query Pan Position

##### 5.41.1 Command format

Query Pan Position D_EC_QUERY_PAN							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x51	0x00	0x00	—

**FPN**

1. This command generates an “Extended Reply” (Section 4.3, page 31) of QUERY PAN POSITION RESPONSE (Section 5.45, page 91).
2. This command is used by the Endura/Atlas projects.
3. This command generates a QUERY PAN POSITION RESPONSE (Section 5.45, page 91)

##### 5.41.2 Description

This command is used to query the current pan position of the device. The response to this command uses opcode 0x59. See QUERY PAN POSITION

<sup>63</sup>\$Header: d:/Binder06.Protocols/test/RCS/51.inc,v 1.33 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$



RESPONSE (Section 5.45, page 91) for more information.

## 5.42 Command 0x53 (83), Query Tilt Position

### 5.42.1 Command format

Query Tilt Position D_EC_QUERY_TILT							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x53	0x00	0x00	—

### FPN

1. This command generates an “Extended Reply” (Section 4.3, page 31) of QUERY TILT POSITION RESPONSE (Section 5.46, page 92).
2. This command is used by the Endura/Atlas projects.
3. This command generates a QUERY TILT POSITION RESPONSE

### 5.42.2 Description

This command is used to query the current tilt position of the device. The response to this command uses opcode 0x5B. See QUERY TILT POSITION RESPONSE (Section 5.46, page 92) for more information.

## 5.43 Command 0x55 (85), Query Zoom Position

### 5.43.1 Command format

Query Zoom Position D_EC_QUERY_ZOOM							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x55	0x00	0x00	—

### FPN

<sup>64</sup>\$Header: d:/Binder06.Protocols/test/RCS/53.inc,v 1.34 2012-02-08 10:37:36-08 Hamilton Exp Hamilton \$

<sup>65</sup>\$Header: d:/Binder06.Protocols/test/RCS/55.inc,v 1.33 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

1. This command generates an “Extended Reply” (Section 4.3, page 31) of QUERY ZOOM POSITION RESPONSE (Section 5.47, page 93).
2. This command generates QUERY ZOOM POSITION RESPONSE (Section 5.47, page 93)
3. In Esprit rev 3.71 support was added for the 35X camera. One of the features of the 35X camera is that it has Electronic Image Stabilization (EIS). When EIS is **off**, then the Esprit will generate a QUERY MAGNIFICATION RESPONSE (Section 5.50, page 97) and when EIS is **on** then a “General Reply” (Section 4.2, page 30) will be generated. The Spectra IV always generates a QUERY MAGNIFICATION RESPONSE (Section 5.50, page 97).

#### 5.43.2 Description

This command is used to query the current zoom position of the device. The response to this command uses opcode 0x5D. See QUERY ZOOM POSITION RESPONSE (Section 5.47, page 93) for more information.

### 5.44 Command 0x57 (87), Prepare For Download

#### 5.44.1 Command format

Prepare For Download D_EC_DOWNLOAD							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x57	0x00	0x00	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:

#### 2.1 0x0057 DOWNLOAD

<sup>66</sup>\$Header: d:/Binder06.Protocols/test/RCS/57.inc,v 1.30 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

#### 5.44.2 Description

Places the device into a state where it is prepared to receive a firmware update.

D\_EC\_DOWNLOAD forces a baud rate of 2400 and expects a reply at the original baud rate. I.e. if the Spectra is running at 4800 baud, when it receives an D\_EC\_DOWNLOAD command it will send a response at 4800 baud and then reconfigure to operate at 2400 baud.

Use of this command in a download sequence is outlined in Appendix D, page 139.

#### 5.45 Response 0x59 (89), Query Pan Position Response

##### 5.45.1 Response format

Query Pan Position Response D_EC_PAN_RESP							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x59	PAN MSB	PAN LSB	—

#### FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. This response is the reply to a QUERY PAN POSITION (Section 5.41, page 88)

##### 5.45.2 Description

The position is given in hundredths of a degree and has a range from 0 → 35999 (decimal).

#### FPN

Example: a position value of 4500 indicates 45 degrees.

Note that the value returned is always the “absolute” pan position. It does not take into account any adjustment to the screen display that may have been made by using the “SET ZERO POSITION”, opcode (see Section 5.37, page 84) command or the “SET AZIMUTH ZERO” menu item.

<sup>67</sup>\$Header: d:/Binder06.Protocols/test/RCS/59.inc,v 1.32 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

For more information about how the interactions between how “SET ZERO POSITION” (Section 5.37, page 84) and “QUERY PAN POSITION” (Section 5.41, page 88) opcodes operate see Appendix C, page 137.

#### 5.46 Response 0x5B (91), Query Tilt Position Response

##### 5.46.1 Response format

Query Tilt Position Response D_EC_TILT_RESP							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x5B	TILT MSB	TILT LSB	—

#### FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. This response is the reply to a QUERY TILT POSITION (Section 5.42, page 89)

##### 5.46.2 Description

The position is given in hundredths of a degree and has a range from 0 → 35999 (decimal). Refer to examples listed in description of the “SET TILT POSITION”, opcode Section 5.39, page 86.

Tilt angle values comes in in two bytes as degrees times 100 “hundreds”.

Position	D reads out as	Spectra displays as
90° up	27000	90°
45° up	31500	45°
Horizontal - 1°	35900	1°
Horizontal	000	0°
45° down	4500	-45°
90° down	9000	-90°

**Position** Pointing direction of the enclosure/camera

**D reads out as** D protocol returned value for this angle

**Spectra displays as** What is displayed on the Spectra screen

<sup>68</sup>\$Header: d:/Binder06.Protocols/test/RCS/5B.inc,v 1.29 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

## 5.47 Response 0x5D (93), Query Zoom Position Response

### 5.47.1 Response format

Query Zoom Position Response D_EC_ZOOM_RESP							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x5D	ZOOM MSB	ZOOM LSB	—

### FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. This response is the reply to a QUERY ZOOM POSITION (Section 5.43, page 89) command

### 5.47.2 Description

The position is given as a ratio based on the device’s Zoom Limit setting. This value can be converted into units of magnification by using the following formula:

$$\text{current\_magnification} = (\text{position} / 65535) * \text{zoom\_limit}$$

Where current\_zoom\_position and zoom\_limit are given in units of magnification.

### FPN

Example: Given that the zoom limit of the device’s camera is X184, position value is 1781, calculate the current magnification:

$$\text{Current magnification} = (1781 / 65535) * 184 = \text{approximately X5.}$$

<sup>69</sup>\$Header: d:/Binder06.Protocols/test/RCS/5D.inc,v 1.30 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

## 5.48 Command 0x5F (95), Set Magnification

### 5.48.1 Command format

Set Magnification D_EC_SET_MAG							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	REL/ABS	0x5F	MAG MSB	MAG LSB	—

### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:
  - 2.1 0x005F SET\_MAGNIFICATION
  - 2.2 0x015F SCREEN\_SET\_MAG
3. This command is used by the Endura/Atlas projects.
4. In the Esprit, if Electronic Image Stabilization (EIS) is turned on, this command is ignored with a General Reply being sent back.
5. This position may be read out using the command/response pair in QUERY MAGNIFICATION (Section 5.49, page 96) and QUERY MAGNIFICATION RESPONSE (Section 5.50, page 97).

### 5.48.2 Description

This command is used to set the zoom position of the device.

The position (MAG MSB and MAG LSB) form a signed, 16-bit, 2's complement value expressing the desired setting, or change in setting, in hundredths of units.

Maximum zoom limit is set in one of the menus that the Spectra supports. The exact value varies depending on the exact type of camera installed.

There is no command to ask the Spectra what the maximum zoom value is.

### FPN

<sup>70</sup>\$Header: d:/Binder06.Protocols/test/RCS/5F.inc,v 1.38 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

Example: A value of 500 means X5.

For example if we want a zoom level of X5 then we have to send a value of  $5 * 100 = 500$ . 500 decimal = 0x01F4 or byte 5 = 0x01 and byte 6 = 0xF4. The Spectra will not zoom “past the end” of its range as set by the maximum zoom value.

**Changes:** The relative change in magnification was added in to support the Atlas project and is available on the Spectra IV only.

1. REL/ABS = 0x00 indicates that the value in DATA1 and DATA2 represent an absolute change in magnification value.

That is, a value of 200 indicates a setting of 2X for absolute,

2. REL/ABS = 0x01 indicates that the value in DATA1 and DATA2 represent a relative change in magnification value.

That is, a value of 200 indicates a setting of 2X for a change of setting of 2.00 for relative.

## FPN

If a relative magnification value of 350 is sent when the current setting is 1.5X, the resulting magnification will be  $3.5 \times 1.5$ , or 5.25X. The sign indicates the direction of change for relative values and must always be positive for absolute settings. For relative changes, a negative value indicates that the result should be smaller than the current setting. That is, if the value is -3.5 and the current setting is 12X, the result will be 3.43X. In no case will the result be less than 1.00X.

This is the only 1 of 2 D Protocol commands that has a signed int as DATA1 and DATA2 which are concatenated together.

## 5.49 Command 0x61 (97), Query Magnification

### 5.49.1 Command format

Query Magnification D_EC_QUERY_MAG							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x61	0x00	0x00	—

### FPN

1. This command generates an “Extended Reply” (Section 4.3, page 31) of QUERY MAGNIFICATION RESPONSE (Section 5.50, page 97).
2. This command is used by the Endura/Atlas projects.
3. This opcode was first implemented in Spectra III version 1.14. It is not in version 1.16.
4. In Esprit rev 3.71 support was added for the 35X camera. One of the features of the 35X camera is that it has Electronic Image Stabilization (EIS). When EIS is **off**, then the Esprit will generate a QUERY MAGNIFICATION RESPONSE (Section 5.50, page 97) and when EIS is **on** then a “General Reply” (Section 4.2, page 30) will be generated. The Spectra IV always generates a QUERY MAGNIFICATION RESPONSE (Section 5.50, page 97).
5. This command generates QUERY MAGNIFICATION RESPONSE (Section 5.50, page 97)

### 5.49.2 Description

This command is used to query the current zoom position of the device. The response to this command uses opcode 0x63. See QUERY MAGNIFICATION RESPONSE (Section 5.50, page 97) for more information.

<sup>71</sup>\$Header: d:/Binder06.Protocols/test/RCS/61.inc,v 1.38 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$



## 5.50 Response 0x63 (99), Query Magnification Response

### 5.50.1 Response format

Query Magnification Response D_EC_MAG_RESP							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x63	MAG MSB	MAG LSB	—

### FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. This opcode was first implemented in Spectra III version 1.14. It is not in version 1.16.
3. This response is the reply to a QUERY MAGNIFICATION (Section 5.49, page 96) command
4. The Esprit TI generates a General Response, not an Extended Response, because it does not have a lens capable of “zooming”.

### 5.50.2 Description

The value returned is given in hundredths of units of magnification.  
Example: a value of 500 means X5.

## 5.51 Command 0x65 (101), Activate Echo Mode

### 5.51.1 Command format

Activate Echo Mode D_EC_ECHO_MODE							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x65	0x00	0x00	—

### FPN

<sup>72</sup>\$Header: d:/Binder06.Protocols/test/RCS/63.inc,v 1.29 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

<sup>73</sup>\$Header: d:/Binder06.Protocols/test/RCS/65.inc,v 1.30 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:

#### 2.1 0x0065 ACTIVATE\_ECHO\_MODE

##### 5.51.2 Description

Places the device into a mode in which characters that are received by the unit are immediately retransmitted. The unit exits this mode when one of the following occurs: more than 100 milliseconds pass without receipt of a character or more than 180 characters have been received.

This command is sent at the current D\_EC\_SET\_BAUD rate.

Use of this command in a download sequence is outlined in Appendix D, page 139.

#### 5.52 Command 0x67 (103), Set Remote Baud Rate

##### 5.52.1 Command format

Set Remote Baud Rate D_EC_SET_BAUD							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	MODE	0x67	0x00	BAUD CODE	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. Command Names as used by the Spectra IV software:

#### 2.1 0x0067 SET\_REMOTE\_BAUD\_RATE

#### 2.2 0x0167 SET\_CURRENT\_BAUD\_RATE

3. This command is used by the Endura/Atlas projects.

<sup>74</sup>\$Header: d:/Binder06.Protocols/test/RCS/67.inc,v 1.38 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

### 5.52.2 Description

Sets the unit's baud rate. Valid values for this command are:

Download baud rates		
Value	Baud	
0	2400	D_ECD_SET_BAUD_2400
1	4800	D_ECD_SET_BAUD_4800
2	9600	D_ECD_SET_BAUD_9600
3	19200	D_ECD_SET_BAUD_19200
4	38400	D_ECD_SET_BAUD_38400
5	115200	D_ECD_SET_BAUD_115200

1. During a download sequence D\_EC\_SET\_BAUD is always sent at 2400 baud and its response is always sent at 2400 baud. This works because a delay of at least 100 milliseconds has occurred since the last data byte transferred. Thus the Spectra has returned to the "recovery state" of 2400 baud. This implies that there must be no "gap" longer than 100 ms during a download sequence.
2. The unit sends its response to this command before changing its baud. The baud automatically returns to 2400 after 100 milliseconds of no activity when the MODE is 0x00.
3. The Spectra III always sends a General Response for all baud rate changes (CMND1 = 0x00) at 2400 baud and then changes its baud rate to the selected rate.

Use of this command in a download sequence is outlined in Appendix D, page 139.

### 5.53 Command 0x69 (105), Start Download

#### 5.53.1 Command format

Start Download D_EC_START_DOWNLOAD							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x69	0x00	0x00	—

### FPN

<sup>75</sup>\$Header: d:/Binder06.Protocols/test/RCS/69.inc,v 1.33 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

1. This command generates a “General Reply” (Section 4.2, page 30).

2. Command Names as used by the Spectra IV software:

#### 2.1 0x0069 START\_DOWNLOAD

##### 5.53.2 Description

Places the device into a state where it is expecting download commands and down load data — instead of “D” protocol commands.

Use of this command in a download sequence is outlined in Appendix D, page 139.

**Change with Spectra IV:** This command’s actions have been changed with the Spectra IV. Now when this command is received, the Spectra IV starts sending 0x02s to the head end. Earlier versions did not do this if the entire sequence of command outlined in Appendix D, page 139 had not been previously sent.

(DTE is the GlassKeyboard at 2400 baud, DCE is a Spectra IV running 1.070 software.)

```
160, 1135: DTE 1849 707.100414 0.004167 ff
160, 1136: DTE 1850 707.104551 0.004137 01
160, 1137: DTE 1851 707.108551 0.004000 00
160, 1138: DTE 1852 707.112696 0.004145 69
160, 1139: DTE 1853 707.117035 0.004339 00
160, 1140: DTE 1854 707.121167 0.004132 00
160, 1141: DTE 1855 707.125331 0.004164 6a

161, 715: DCE 1856 707.133968 0.008637 ff
161, 716: DCE 1857 707.138108 0.004140 01
161, 717: DCE 1858 707.142277 0.004169 00
161, 718: DCE 1859 707.146444 0.004167 6a
161, 719: DCE 1860 708.772541 1.626097 02 These are a new action
161, 720: DCE 1861 710.396525 1.623984 02
161, 721: DCE 1862 712.020927 1.624402 02
161, 722: DCE 1863 713.645158 1.624231 02
161, 723: DCE 1864 715.269754 1.624596 02
161, 724: DCE 1865 716.894154 1.624400 02
```

##### 5.54 Command 0x6B (107), Query Device Type

###### 5.54.1 Command format

Query Device Type D_EC_QUERY_DEV_TYPE							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x6B	0x00	0x00	—

<sup>76</sup>\$Header: d:/Binder06.Protocols/test/RCS/6B.inc,v 1.32 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

## FPN

1. This command generates an “Extended Reply” (Section 4.3, page 31) of QUERY DEVICE TYPE RESPONSE (Section 5.55, page 101).

### 5.54.2 Description

This command is used to query the device for information about the hardware platform the device is using and the type of software that is running on the platform. The response to this command uses opcode 0x6D. See QUERY DEVICE TYPE RESPONSE (Section 5.55, page 101) for more information.

## 5.55 Response 0x6D (109), Query Device Type Response

### 5.55.1 Response format

Query Device Type Response D_EC_DEV_TYPE_REP							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x6D	HARD TYPE	SOFT TYPE	—

## FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. This response is the reply to a QUERY MAGNIFICATION (Section 5.49, page 96) command

### 5.55.2 Description

1. The value returned in “byte 5” (HARD TYPE) indicates the software type. Valid values are:
  - 1.1 01 Spectra III Application
  - 1.2 02 Spectra III BIOS
  - 1.3 03 ExSite Application

<sup>77</sup>\$Header: d:/Binder06.Protocols/test/RCS/6D.inc,v 1.31 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

## 1.4 04 ExSite BIOS

2. The value returned in “byte 6” (SOFT TYPE) indicates the hardware type.  
Valid values are:

2.1 0x17 MMC2107 processor.

2.2 0x1E MMC2114 processor

### 5.56 Command 0x6F (111), Query Diagnostic Information

#### 5.56.1 Command format

Query Diagnostic Information D_EC_QUERY_DIAG_INFO							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x6F	0x00	0x00	—

#### FPN

1. This response is an “Extended Reply” (Section 4.3, page 31) of QUERY DIAGNOSTIC INFORMATION RESPONSE (Section 5.57, page 103).
2. This command generates QUERY DIAGNOSTIC INFORMATION RESPONSE (Section 5.57, page 103)

#### 5.56.2 Description

This command is used to query the device for diagnostic information. The response to this command uses opcode 0x71. See QUERY DIAGNOSTIC INFORMATION RESPONSE (Section 5.57, page 103) for more information.

1. **Spectra IV** starting with rev 1.072, has a reply using opcode 0x71 (Section 5.57, page 103) having the unit’s temperature in it.
2. **Esprit** starting with rev 4.06, has a reply (Section 5.57, page 103) with additional internal status information.

<sup>78</sup>\$Header: d:/Binder06.Protocols/test/RCS/6F.inc,v 1.49 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

## 5.57 Response 0x71 (113), Query Diagnostic Information Response

### 5.57.1 Response format

Query Diagnostic Information Response D_EC_QUERY_DIAG_RESP							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x71	TEMP	SENSOR ID	—

### FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. This response is the reply to a QUERY DIAGNOSTIC INFORMATION (Section 5.56, page 102) command.

### 5.57.2 Description

The contents of the message may vary based on the type of device that is being queried. For **Spectra III** the contents of the message are defined as follows:

1. Byte 5, DATA1, of the message is always 0x00 for the ExSite, Esprit, Spectra II, Spectra III.
2. Byte 5, DATA1, has been changed in newer versions of the PTZ units:
  - 2.1 **Spectra IV** starting with rev 1.072. DATA1 is now the internal temperature of the unit in degrees F. The range is 0 → 255.
3. Byte 6, DATA2, of the message is a sensor position indicating bit:
  - 3.1 **SENSOR ID**: Bit 0 of byte 6 is the pan sensor indicator. If the bit is on then the unit is oriented such that the pan sensor is being detected.
  - 3.2 **SENSOR ID**: Bit 1 of byte 6 is the tilt sensor indicator. If the bit is on then the unit is oriented such that the tilt sensor is being detected.

<sup>79</sup>\$Header: d:/Binder06.Protocols/test/RCS/71.inc,v 1.44 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$




Figure 1: D Protocol Tilt Readout Positions. Values in parentheses are the values displayed on PTZ units.



0x71, Query Diagnostic Information Response																																						
CMND1	CMND2	Use																																				
0x01	0x6F	<p>Returns two bytes (or one 16 bit unsigned int) of internal status bits as follows, all bits are or'ed together:</p> <table><tr><td>DATA1:</td><td>Internal Data #1</td></tr><tr><td>0x80:</td><td>Non-English/English Menus 0 = english, 1 = non-english</td></tr><tr><td>0x40:</td><td>IR Level state Dusk, 1 = Dark</td></tr><tr><td>0x20:</td><td>IR Mode state Auto, 1 = off</td></tr><tr><td>0x10:</td><td>TOL type 0 = T1, 1 = T2</td></tr><tr><td>0x08:</td><td>FNR state 0 = off, 1 = on</td></tr><tr><td>0x04:</td><td>Pict Mode 0 = 1, 1 = 2</td></tr><tr><td>0x02:</td><td>Sure Focus state 0 = off, 1 = on</td></tr><tr><td>0x01:</td><td>WDR state 0 = off, 1 = on</td></tr></table> <table><tr><td>DATA2:</td><td>Internal Data #2</td></tr><tr><td>0x80:</td><td>EIS Center Frequency 5hz/10hz</td></tr><tr><td>0x40:</td><td>EIS state 0 = off, 1 = on</td></tr><tr><td>0x20:</td><td>BLC state 0 = off, 1 = on</td></tr><tr><td>0x10:</td><td>WDR state 0 = off, 1 = on</td></tr><tr><td>0x08:</td><td>Auto Iris state 0 = off, 1 = auto</td></tr><tr><td>0x04:</td><td>Auto Sharpness state 0 = off, 1 = on</td></tr><tr><td>0x02:</td><td>Auto Focus state 0 = off, 1 = auto</td></tr><tr><td>0x01:</td><td>AWB state 0 = off, 1 = auto</td></tr></table>	DATA1:	Internal Data #1	0x80:	Non-English/English Menus 0 = english, 1 = non-english	0x40:	IR Level state Dusk, 1 = Dark	0x20:	IR Mode state Auto, 1 = off	0x10:	TOL type 0 = T1, 1 = T2	0x08:	FNR state 0 = off, 1 = on	0x04:	Pict Mode 0 = 1, 1 = 2	0x02:	Sure Focus state 0 = off, 1 = on	0x01:	WDR state 0 = off, 1 = on	DATA2:	Internal Data #2	0x80:	EIS Center Frequency 5hz/10hz	0x40:	EIS state 0 = off, 1 = on	0x20:	BLC state 0 = off, 1 = on	0x10:	WDR state 0 = off, 1 = on	0x08:	Auto Iris state 0 = off, 1 = auto	0x04:	Auto Sharpness state 0 = off, 1 = on	0x02:	Auto Focus state 0 = off, 1 = auto	0x01:	AWB state 0 = off, 1 = auto
DATA1:	Internal Data #1																																					
0x80:	Non-English/English Menus 0 = english, 1 = non-english																																					
0x40:	IR Level state Dusk, 1 = Dark																																					
0x20:	IR Mode state Auto, 1 = off																																					
0x10:	TOL type 0 = T1, 1 = T2																																					
0x08:	FNR state 0 = off, 1 = on																																					
0x04:	Pict Mode 0 = 1, 1 = 2																																					
0x02:	Sure Focus state 0 = off, 1 = on																																					
0x01:	WDR state 0 = off, 1 = on																																					
DATA2:	Internal Data #2																																					
0x80:	EIS Center Frequency 5hz/10hz																																					
0x40:	EIS state 0 = off, 1 = on																																					
0x20:	BLC state 0 = off, 1 = on																																					
0x10:	WDR state 0 = off, 1 = on																																					
0x08:	Auto Iris state 0 = off, 1 = auto																																					
0x04:	Auto Sharpness state 0 = off, 1 = on																																					
0x02:	Auto Focus state 0 = off, 1 = auto																																					
0x01:	AWB state 0 = off, 1 = auto																																					

## 5.58 Command 0x73 (115), Version Information Macro Opcode

### 5.58.1 Command format

Version Information Macro Opcode D_EC_VERSION_INFO							
Byte	1 SYNC	2 ADDR	3 CMND1	4 CMND2	5 DATA1	6 DATA2	7 CKSM
	0xFF	—	SUB OP- CODE	0x73	Various	Various	—
	(Section)	(Page)					
Cmnd	5.58.2	107	0x00	Request software version number			
Resp	5.58.3	107	0x01	Application version number			
Cmnd	5.58.4	108	0x02	Request build number			
Resp	5.58.5	108	0x03	Build number			
Cmnd	5.58.2	107	0x00	VERSION_REQUEST			
Resp	5.58.3	107	0x01	VERSION_RESPONSE			
Cmnd	5.58.4	108	0x02	BUILD_REQUEST			
Resp	5.58.5	108	0x03	BUILD_RESPONSE			

### FPN

1. These commands generate “General Responses” (Section 4.2, page 30) and “Extended Responses” (Section 4.3, page 31) including a “Standard Everest Response” (Section 5.1, page 36).
2. This command is used by the Endura/Atlas projects.
3. Note: ACK and NAK message types are seven bytes in length. For a detailed description of ACK and NAK type replies refer to Section 5.1, page 36.

<sup>80</sup>\$Header: d:/Binder06.Protocols/test/RCS/73.inc,v 1.50 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

### 5.58.2 Command for Request Software Version 0x73 Sub Op-Code 0x00

Version Information Macro Opcode D_EC_VERSION_INFO D_ECS_VERSION_INFO_MAIN_CPU_VERSION_QRY							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x73	0x00	0x00	—

#### FPN

1. This command generates an “Extended Reply” (Section 4.3, page 31).
2. Typical usage of this command, and its reply, is shown in Appendix A, page 129.
3. This sub-opcode is used by the Endura/Atlas projects.
  - 3.1 The version number request was added in for the Esprit starting with rev 3.77.

Request the software version number. It comes in as Section 5.58.3, page 107.

### 5.58.3 Response to Request Software Version 0x73 Sub Op-Code 0x01

Version Information Macro Opcode D_EC_VERSION_INFO D_ECS_VERSION_INFO_MAIN_CPU_VERSION_RSP							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x01	0x73	VERSION MSB	VERSION LSB	—

#### FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. Typical usage of this command, and its reply, is shown in Appendix A, page 129.
3. This response is the reply to a APPLICATION VERSION NUMBER (Section 5.58, page 106 SUB-OPCODE 01) command.

4. This sub-opcode response is used by the Endura/Atlas projects.

The `VERSION` number is returned as a 16 bit integer in bytes 5 and 6 as either the rev number  $\times 100$  or  $\times 1000$  for the Spectra IV.

#### 5.58.4 Command for Request Build Number 0x73 Sub Op-Code 0x02

Version Information Macro Opcode D_EC_VERSION_INFO D_ECS_VERSION_MAIN_CPU_BUILD_QRY							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x02	0x73	0x00	0x00	—

FPN

1. This command generates an “Extended Reply” (Section 4.3, page 31).
2. Typical useage of this command, and its reply, is shown in Appendix A, page 129.

Request the software build number. It comes in as Section 5.58.5, page 108.

#### 5.58.5 Response to Request Build Number 0x73 Sub Op-Code 0x03

Version Information Macro Opcode D_EC_VERSION_INFO D_ECS_VERSION_MAIN_CPU_BUILD_RSP							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x03	0x73	BUILD MSB	BUILD LSB	—

FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. Typical useage of this command, and its reply, is shown in Appendix A, page 129.

3. This response is the reply to a REQUEST BUILD NUMBER (Section 5.58, page 106 SUB-OPCODE 03) command.

The BUILD number is returned as an unsigned 16 bit integer in bytes 5 and 6.

## 5.59 Command 0x75 (117), Everest Macro Opcode

### 5.59.1 Command format

Everest Macro Opcode D_EC_EVEREST							
Byte	1 SYNC	2 ADDR	3 CMND1 SUB OP- CODE	4 CMND2	5 DATA1	6 DATA2	7 CKSM
	0xFF	—	SUB OP- CODE	0x75	Var- ious	Var- ious	—
	(Section)	(Page)					
Cmnd	5.59.2	111	0x00	Query azimuth zero offset command			
Resp	5.59.3	111	0x01	Query azimuth zero offset response			
Cmnd	5.59.4	112	0x02	Set zoom limit command			
Cmnd	5.59.5	112	0x03	Query zoom limit command			
Resp	5.59.6	113	0x04	Query zoom limit response			
Cmnd	5.59.7	113	0x05	Query alarms command			
Resp	5.59.8	114	0x06	Query alarms response			
Cmnd	5.59.9	114	0x07	Delete pattern command			
Cmnd	5.59.10	115	0x08	Set manual left pan limit command			
Cmnd	5.59.11	115	0x09	Set manual right pan limit command			
Cmnd	5.59.12	116	0x0A	Set scan left pan limit command			
Cmnd	5.59.13	116	0x0B	Set scan right pan limit command			
Cmnd	5.59.14	117	0x0C	Query limit command			
Resp	5.59.15	117	0x0D	Query limit response			
Cmnd	5.59.16	118	0x0E	Enable/disable limits command			
Cmnd	5.59.17	119	0x0F	Query defined presets command			
Resp	5.59.18	119	0x10	Query defined presets response			
Cmnd	5.59.19	120	0x11	Query defined patterns command			
Resp	5.59.20	121	0x12	Query defined patterns response			

### FPN

1. These commands are responses are used by the Endura/Atlas projects.
2. ACK and NAK message types are seven bytes in length. For a detailed description of ACK and NAK type replies refer to Section

<sup>81</sup>\$Header: d:/Binder06.Protocols/test/RCS/75.inc,v 1.48 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

5.1, page 36.

For the Spectra III with SUB OP-CODES greater than 0x12 a General Response is always generated.

#### 5.59.2 Command for Query Azimuth Zero 0x75 Sub Op-Code 0x00

Query azimuth zero offset command							
D_EC_EVEREST							
D_ECS_EVEREST_AZIMUTH_ZERO_OFFSET_QRY							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x75	0x00	0x00	—

FPN

1. This command generates an “Extended Reply” (Section 4.3, page 31) of Section 5.59.3, page 111.
2. This sub-opcode is used by the Endura/Atlas projects.

#### 5.59.3 Response to Query Azimuth Zero 0x75 Sub Op-Code 0x01

Query azimuth zero offset response							
D_EC_EVEREST							
D_ECS_EVEREST_AZIMUTH_ZERO_OFFSET_RSP							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x01	0x75	OFFSET MSB	OFFSET LSB	—

FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. This response sub-opcode is used by the Endura/Atlas projects.
3. OFFSET is a 16-bit number in hundredths of degrees.

#### 5.59.4 Command for Set Zoom Limit 0x75 Sub Op-Code 0x02

Set zoom limit command D_EC_EVEREST D_ECS_EVEREST_SET_MAX_MAG							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x02	0x75	LIMIT MSB	LIMIT LSB	—

#### FPN

1. The response to this command is ACK or NAK.
2. LIMIT is in hundredths. EG a value of 18400 means x184. Acceptable values are device specific.

#### 5.59.5 Command for Query Zoom Limit 0x75 Sub Op-Code 0x03

Query zoom limit command D_EC_EVEREST D_ECS_EVEREST_MAX_MAG_QRY							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x03	0x75	0x00	0x00	—

#### FPN

1. This command generates an “Extended Reply” (Section 4.3, page 31) of Section 5.59.6, page 113.
2. This sub-opcode is used by the Endura/Atlas projects.



#### 5.59.6 Response to Query Zoom Limit 0x75 Sub Op-Code 0x04

<b>Query zoom limit response</b> <b>D_EC_EVEREST</b> <b>D_ECS_EVEREST_MAX_MAG_RSP</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x04	0x75	LIMIT MSB	LIMIT LSB	—

#### FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. This response sub-opcode is used by the Endura/Atlas projects.
3. Limit is in hundredths. E.G. a value of 18400 means x184.

#### 5.59.7 Command for Query Alarms 0x75 Sub Op-Code 0x05

<b>Query alarms command</b> <b>D_EC_EVEREST</b> <b>D_ECS_ALARM_QRY</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x05	0x75	0x00	0x00	—

#### FPN

1. This command generates an “Extended Reply” (Section 4.3, page 31) of Section 5.59.8, page 114.

#### 5.59.8 Response to Query Alarms 0x75 Sub Op-Code 0x06

<b>Query zoom limit response</b> <b>D_EC_EVEREST</b> <b>D_ECS_ALARM_RSP</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x06	0x75	0x00	ALARM BIT MASK	—

#### FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. The format of the **ALARM BIT MASK** is the same as the format of the alarms in the General Response.

#### 5.59.9 Command for Delete Pattern 0x75 Sub Op-Code 0x07

<b>Delete pattern command</b> <b>D_EC_EVEREST</b> <b>D_ECS_DELETE_PATTERN</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x07	0x75	0x00	PATTERN NUMBER	—

#### FPN

1. This sub-opcode is used by the Endura/Atlas projects.
2. Pattern numbers start at 1. Valid **PATTERN NUMBERS** for Spectra III are 1 → 4. Valid pattern numbers for Spectra IV are 1 → 8.
3. The response is **ACK** if the pattern was deleted. The response is **NAK** if the pattern was not deleted or the **PATTERN NUMBER** is out of range. The reasons a pattern would not be deleted are if it was not defined or if pattern recording is in progress.

#### 5.59.10 Command for Set Manual Left Pan Limit 0x75 Sub Op-Code 0x08

Set manual left pan limit command D_EC_EVEREST D_ECS_SET_MAN_PAN_LEFT_LIMIT							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x08	0x75	LIMIT MSB	LIMIT LSB	—

#### FPN

1. The response is `ACK` if the `LIMIT` is in range. The response is `NAK` if the `LIMIT` is out of range.
2. Units for `LIMIT` are hundredths of degrees. The range of values is  $0 \rightarrow 35999$ .
3. General note regarding setting limits: Setting a limit does not automatically move the camera so that it is within the limits.
4. See also Section 5.59.16, page 118.

#### 5.59.11 Command for Set Manual Right Pan Limit 0x75 Sub Op-Code 0x09

Set manual right pan limit command D_EC_EVEREST D_ECS_SET_MAN_PAN_RIGHT_LIMIT							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x09	0x75	LIMIT MSB	LIMIT LSB	—

#### FPN

1. The response is `ACK` if the `LIMIT` is in range. The response is `NAK` if the `LIMIT` is out of range.
2. Units for `LIMIT` are hundredths of degrees. The range of values is  $0 \rightarrow 35999$ .
3. See also Section 5.59.16, page 118.

#### 5.59.12 Command for Set Scan Left Pan Limit 0x75 Sub Op-Code 0x0A

Set scan left pan limit command D_EC_EVEREST D_ECS_SET_SCAN_PAN_LEFT_LIMIT							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x0A	0x75	LIMIT MSB	LIMIT LSB	—

#### FPN

1. The response is ACK if the LIMIT is in range. The response is NAK if the LIMIT is out of range.
2. Units for LIMIT are hundredths of degrees. The range of values is 0 → 35999.
3. See also Section 5.59.16, page 118.

#### 5.59.13 Command for Set Scan Right Pan Limit 0x75 Sub Op-Code 0x0B

Set scan right pan limit command D_EC_EVEREST D_ECS_SET_SCAN_PAN_RIGHT_LIMIT							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x0B	0x75	LIMIT MSB	LIMIT LSB	—

#### FPN

1. The response is ACK if the LIMIT is in range. The response is NAK if the LIMIT is out of range.
2. Units for LIMIT are hundredths of degrees. The range of values is 0 → 35999.
3. See also Section 5.59.16, page 118.

#### 5.59.14 Command for Query Limit 0x75 Sub Op-Code 0x0C

<b>Query limit command</b> <b>D_EC_EVEREST</b> <b>D_ECS_EVEREST_LIMIT_QRY</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x0C	0x75	0x00	LIMIT ID	—

#### FPN

1. This command generates an “Extended Reply” (Section 4.3, page 31).
2. This sub-opcode is used by the Endura/Atlas projects.
3. Request a limit. The following IDs are used:
  - 3.1 0x00: D\_ECD\_EVEREST\_MAN\_LEFT\_PAN Manual left pan limit
  - 3.2 0x01: D\_ECD\_EVEREST\_MAN\_RIGHT\_PAN Manual right pan limit
  - 3.3 0x02: D\_ECD\_EVEREST\_SCAN\_LEFT\_PAN Scan left pan limit
  - 3.4 0x03: D\_ECD\_EVEREST\_SCAN\_RIGHT\_PAN Scan right pan limit
4. The response is opcode 0x75, sub opcode 0x0D. (Section 5.59.15, page 117)
5. If the ID is not supported by the device the response is NAK.
6. This command generates an “Extended Reply” (Section 4.3, page 31) of Section 5.59.15, page 117.

#### 5.59.15 Response to Query Limit 0x75 Sub Op-Code 0x0D

<b>Query limit response</b> <b>D_EC_EVEREST</b> <b>D_ECS_EVEREST_LIMIT_RSP</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x0D	0x75	LIMIT MSB	LIMIT LSB	—

#### FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. This response sub-opcode is used by the Endura/Atlas projects.
3. This is the response to opcode 0x75, sub opcode 0x0C.
4. Units for **LIMIT** are hundredths of degrees. The range of values is  $0 \rightarrow 35999$ .
5. The **LIMIT** that is returned depends on the **LIMIT ID** in the command that is being responded to.

#### 5.59.16 Command for Enable/Disable Limits 0x75 Sub Op-Code 0x0E

<b>Enable/Disable limits command</b> <b>D_EC_EVEREST</b> <b>D_ECS_EVEREST_ENABLE_LIMITS</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x0E	0x75	0x00	NEW LIMITS STATE	—

#### FPN

1. These sub-opcodes for commands and responses are used by the Endura/Atlas projects.
2. Enables or disables the manual limits and scan limits. Allowed values for **NEW LIMITS STATE** are:
  - 2.1 0x00: **D\_ECD\_EVEREST\_ENABLE\_LIMITS\_DISABLE** disables the limits.
  - 2.2 0x01: **D\_ECD\_EVEREST\_ENABLE\_LIMITS\_ENABLE** enables the limits.
3. The response to this command is **ACK** if **NEW LIMITS STATE** is a valid value. Otherwise the response is **NAK**.

#### 5.59.17 Command for Query Defined Presets 0x75 Sub Op-Code 0x0F

<b>Query Defined presets command</b> <b>D_EC_EVEREST</b> <b>D_ECS_EVEREST_DEFINED_PRESETS_QRY</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x0F	0x75	0x00	PRESET GROUP	—

#### FPN

1. This command generates an “Extended Reply” (Section 4.3, page 31) of Section 5.59.18, page 119.
2. This sub-opcode is used by the Endura/Atlas projects.
3. This command is used to determine which presets are defined on a device.
4. PRESET GROUP indicates which group of 16 presets are being queried. For Spectra III and Spectra IV preset groups can range from 0 to 15 (0xF). Group 0 covers presets 1 → 16, group 1 covers presets 17 → 32, etc.
5. The response to this command is opcode 0x75, sub opcode 0x10.

#### 5.59.18 Response to Query Defined Presets 0x75 Sub Op-Code 0x10

<b>Query Defined presets response</b> <b>D_EC_EVEREST</b> <b>D_ECS_EVEREST_DEFINED_PRESETS_RSP</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x10	0x75	BITMASK MSB	BITMASK LSB	—

#### FPN

1. This response is an “Extended Reply” (Section 4.3, page 31).

2. This is the response to opcode 0x75, sub opcode 0x0F.
3. The bits in the `BITMASK` indicate which presets are defined on the unit. An on bit indicates the preset is defined. An off bit indicates the preset is not defined. The range of presets represented depends on the preset group parameter of the command that is being responded to. The lowest number preset in the `BITMASK` is calculated as follows:  

$$(\text{preset\_group} \times 16) + 1$$

#### 5.59.19 Command for Query Defined Patterns 0x75 Sub Op-Code 0x11

<b>Query Defined patterns command</b> <b>D_EC_EVEREST</b> <b>D_ECS_EVEREST_DEFINED_PATTERNS_QRY</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x11	0x75	0x00	PATTERN GROUP	—

#### FPN

1. This command generates an “Extended Reply” (Section 4.3, page 31) of Section 5.59.20, page 121.
2. This sub-opcode is used by the Endura/Atlas projects.
3. This command is used to determine which patterns are defined on a device.
4. `PATTERN GROUP` indicates which group of 16 patterns are being queried. For Spectra III the only valid pattern group is 0. Since the maximum number of patterns that Spectra allows is 8, only the 8 least significant bits will ever be set to 1.
5. The response to this command is opcode 0x75, sub opcode 0x12.



5.59.20 Response to Query Defined Patterns 0x75 Sub Op-Code 0x12

<b>Query Defined patterns response</b> <b>D_EC_EVEREST</b> <b>D_ECS_EVEREST_DEFINED_PATTERNS_RSP</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x12	0x75	BITMASK MSB	BITMASK LSB	—

**FPN**

1. This response is an “Extended Reply” (Section 4.3, page 31).
2. The response for unsupported SUB OP CODES is NAK.
3. This response sub-opcode is used by the Endura/Atlas projects.
4. This is the response to opcode 0x75, sub opcode 0x11.
5. The bits in the BITMASK indicate which patterns are defined on the unit. An on bit indicates the pattern is defined. An off bit indicates the pattern is not defined. The range of patterns represented depends on the pattern group parameter of the command that is being responded to. The lowest number pattern in the BITMASK is calculated as follows:  
 $(\text{pattern\_group} \times 16) + 1$

## 5.60 Command/Responses 0x77 (119), Time Commands

### 5.60.1 Command format

Time Commands D_EC_TIMESET_MACRO_OPCODE							
Byte	1 SYNC	2 ADDR	3 CMND1	4 CMND2	5 DATA1	6 DATA2	7 CKSM
	0xFF	—	TIME SUB OPCODE	0x77	0x00	0x00	—
	(Section)	(Page)					
Cmnd	5.60.3	123	0x00	0x77	Set seconds and syn- synchronize time		
					seconds		
Cmnd/- Resp	5.60.4	124	0x01	0x77	Report seconds		
					seconds		
Cmnd	5.60.5	124	0x02	0x77	Set hour and minutes		
					hour	minute	
Cmnd/-	5.60.6	125	0x03	0x77	Report hour and min- utes		
Resp					hour	minute	
Cmnd	5.60.7	125	0x04	0x77	Set month and date		
					month	day	
Cmnd/-	5.60.8	126	0x05	0x77	Report month and date		
Resp					month	day	
Cmnd	5.60.9	126	0x06	0x77	Set year		
					year		
Cmnd/-	5.60.10	127	0x07	0x77	Report year		
Resp					year		

### 5.60.2 Description

The sub-opcodes are assigned such that even values (0x00, 0x02, etc.) are time setting commands, and odd value (0x01, 0x03, etc.) are time reporting sub-opcodes.

<sup>82</sup>\$Header: d:/Binder06.Protocols/test/RCS/77.inc,v 1.43 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

Set commands return an **ACK** if successful, or **NAK** if not. Report commands will return a **NAK** if time is not set. In order to assure a successful time setting operation, time and date should be sent top-down, that is, year, month-date, hour-minute, seconds. Similarly, a time request will only be guaranteed to be correct if no intervening transmissions occur.

### Note

1. These commands/replies are only implemented on the Spectra IV.
2. When **D\_ECS\_SET\_SECONDS** is received, all updated times are copied over into the active time array.
3. If the upper byte of the data field of **SET\_YEAR** is equal to 0 (00), then 2000 is added to the year value.

#### 5.60.3 Command 0x77, Sub Op-Code 0x00, Set seconds and synchronize time

Time Commands, Set seconds and synchronize time D_EC_TIMESET_MACRO_OPCODE D_ECS_SET_SECONDS							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x00	0x77	0x00	NEW SECOND	—

### FPN

1. The response to this command is either an **ACK** or **NAK** (Section 5.1, page 36) depending on the validity of the arguments.

0x00 Set seconds and synchronize time	
byte 5	0x00
byte 6	NEW SECOND to set (0-59)

On receipt of this command, the receiver clock will be set to the time and date previously transmitted. If an unrelated transmission occurs between this command and other time setting commands, no action will be taken. The response to this command is **ACK** if the seconds value is in range and time is set. It is **NAK** if out of range or time is not set.

#### 5.60.4 Command 0x77, Sub Op-Code 0x01, Report seconds

<b>Time Commands, Report seconds</b> <b>D_EC_TIMESET_MACRO_OPCODE</b> <b>D_ECS_GET_SECONDS</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x01	0x77	0x00	CURRENT SECOND	—

#### FPN

1. This command generates an “Extended Response” (Section 4.3, page 31).

When reporting any segment of the clock data, the current time will be read and held in a buffer until an unrelated transmission occurs. Thus no ambiguities or anomalies will be reported if the time requests occur in succession.

#### 5.60.5 Command 0x77, Sub Op-Code 0x02, Set hour and minutes

<b>Time Commands, Set hour and minutes</b> <b>D_EC_TIMESET_MACRO_OPCODE</b> <b>D_ECS_SET_HR_MINS</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x02	0x77	NEW HOUR	NEW MINUTE	—

#### FPN

1. The response to this command is either an ACK or NAK (Section 5.1, page 36) depending on the validity of the arguments.

0x02 Set hour and minutes	
byte 5	NEW HOUR to set (0-23)
byte 6	NEW MINUTE to set (0-59)

Time will always be transmitted in 24-hour format. That is, midnight is 00:00, etc.

**5.60.6 Response 0x77, Sub Op-Code 0x03, Report hour and minutes**

<b>Time Commands, Report hour and minutes</b> <b>D_EC_TIMESET_MACRO_OPCODE</b> <b>D_ECS_GET_HR_MINS</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x03	0x77	CURRENT HOUR	CURRENT MINUTE	—

**FPN**

1. This command generates an “Extended Response” (Section 4.3, page 31).

**5.60.7 Command 0x77, Sub Op-Code 0x04, Set month and date**

<b>Time Commands, Set month and date</b> <b>D_EC_TIMESET_MACRO_OPCODE</b> <b>D_ECS_SET_MON_DATE</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x04	0x77	NEW MONTH	NEW DATE	—

**FPN**

1. The response to this command is either an ACK or NAK (Section 5.1, page 36) depending on the validity of the arguments.

0x04 Set month and date	
byte 5	NEW MONTH (1-12)
byte 6	NEW DATE (1-31)

The date will be out of range if not valid for the month specified. If the month specified is February, the range is limited to 1 — 28 unless the year has been determined to be a leap year, in which case 29 is an acceptable value. If the year has not been set, it is assumed that it is not a leap year.

#### 5.60.8 Response 0x77, Sub Op-Code 0x05, Report month and date

<b>Time Commands, Report month and date</b> <b>D_EC_TIMESET_MACRO_OPCODE</b> <b>D_ECS_GET_MON_DATE</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x05	0x77	CURRENT MONTH	CURRENT DATE	—

#### FPN

1. This command generates an “Extended Response” (Section 4.3, page 31).

Month and date are reported in the same format as the corresponding set command.

#### 5.60.9 Command 0x77, Sub Op-Code 0x06, Set year

<b>Time Commands, Set Year</b> <b>D_EC_TIMESET_MACRO_OPCODE</b> <b>D_ECS_SET_YEAR</b>							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x06	0x77	YEAR MSB	YEAR LSB	—

#### FPN

1. The response to this command is either an ACK or NAK (Section 5.1, page 36) depending on the validity of the arguments.

The year may be sent as a complete value (i.e. 2006) or as the last two digits (i.e. 06.) If only the last two digits are sent, the century value is assumed to be 2000 and is added to the value sent to determine the year.

#### 5.60.10 Response 0x77, Sub Op-Code 0x07, Report year

Time Commands, Report Year D_EC_TIMESET_MACRO_OPCODE D_ECS_GET_YEAR							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	0x07	0x77	YEAR MSB	YEAR LSB	—

#### FPN

1. This command generates an “Extended Response” (Section 4.3, page 31).

The year reported is always the absolute value, that is, 2006 is always sent as 2006, not 06.

#### 5.61 Command 0x79 (121), Screen Move

##### 5.61.1 Command format

Screen Move D_EC_SCREEN_MOVE							
Byte	1	2	3	4	5	6	7
	SYNC	ADDR	CMND1	CMND2	DATA1	DATA2	CKSM
	0xFF	—	ABS	0x79	PAN $\Delta$	TILT $\Delta$	—
	0xFF	—	REL	0x79	PAN $\Delta$	TILT $\Delta$	—

#### FPN

1. This command generates a “General Reply” (Section 4.2, page 30).
2. This command is used by the Endura/Atlas projects.

##### 5.61.2 Description

For screen moves the REL/ABS SUB OPCODE indicates if this is a relative or absolute move.

<sup>83</sup>\$Header: d:/Binder06.Protocols/test/RCS/79.inc,v 1.31 2012-02-08 10:37:37-08 Hamilton Exp Hamilton \$

1. `ABS 0x00` (`D_ECS_SET_ABS_MAG`) for an absolute move
2. `REL 0x01` (`D_ECS_SET_REL_MAG`) for a relative move

The data bytes are `PAN Δ` (byte 5): screen relative pan position, `TILT Δ` (byte 6): screen relative tilt position.

The pan/tilt positions are percentage of distance from center of screen to the corresponding edge expressed as a signed, 8-bit 2's complement value. Positive values are right for pan and up for tilt. The command will return a standard response with `ACK` if values are in range, `NAK` if not.

This command has been added to the D Protocol to support the Atlas project for use with the Spectra IV only.

This is the only 1 of 2 D Protocol commands that has a signed int as `DATA1` and `DATA2` which are concatenated together.



## A Software Revision Reporting

Different versions of the Spectra/Esprit/Exsite series of integrated PTZ units have responded in different ways to query commands for their make, model number and software revision data requests.

### A.1 Spectra II

This is the older format of reply to the query command. In this format the reply consists of the program number which is null padded. It does not give an extended reply to additional software build data.

```
1 $Header: d:/Binder06.Protocols/test/RCS/S2Rev.dat,v 1.2 2010-03-12 12:16:20-08 Hamilton Exp Hamilton $
2 Spectra II, Rev S3.31
3 DCE      34      11.462325 ff 01 00 45 00 00 46 Part number query
4          P G 5 3 - 0 0 6 0 - S 3 3 1
5 DTE      41      11.492682 ff 01 50 47 35 33 2d 30 30 36 30 2d 53 33 33 31 00 50
6 DCE      59      12.590205 ff 01 01 45 00 00 47 Serial number query
7          P G 5 3 - 0 0 6 0 - S 3 3 1
8 DTE      66      12.621544 ff 01 50 47 35 33 2d 30 30 36 30 2d 53 33 33 31 00 51
9 DCE      84      13.718040 ff 01 00 73 00 00 74 Software rev query
10 DTE     91      13.748785 ff 01 00 74
11 DCE     95      14.846040 ff 01 02 73 00 00 76 Build query
12 DTE    102      14.877727 ff 01 00 76
```

### A.2 Spectra III

In this reply to the query command it begins to respond with its marketing model number and repeats its marketing name instead of a serial number both of which are null padded. Additional information is available in the special software rev fields. However the range of the software rev is in the format n.nn. Thus the rev usually fits in one byte of return data.

```
1 $Header: d:/Binder06.Protocols/test/RCS/S3Rev.dat,v 1.2 2010-03-12 12:16:20-08 Hamilton Exp Hamilton $
2 Spectra III, Rev 1.34
3 DCE      34      11.462343 ff 01 00 45 00 00 46 Part number query
4          D D 5 3 C 2 2
5 DTE      41      11.492664 ff 01 44 44 35 33 43 32 32 00 00 00 00 00 00 00 de
6 DCE      59      12.590233 ff 01 01 45 00 00 47 Serial number query
7          D D 5 3 C 2 2
8 DTE      66      12.620557 ff 01 44 44 35 33 43 32 32 00 00 00 00 00 00 00 df
9 DCE      84      13.718149 ff 01 00 73 00 00 74 Software rev query
10 DTE     91      13.747879 ff 01 01 73 00 86 fb 1.34
11 DCE     98      14.846066 ff 01 02 73 00 00 76 Build query
12 DTE    105      14.875918 ff 01 03 73 00 00 77 0
```

### A.3 Spectra MINI

The reply to the query command consists of its marketing name (this one happens to be a PAL type of unit) which is null padded and it does not have

---

<sup>84</sup>\$Header: d:/Binder06.Protocols/test/RCS/Revs.inc,v 1.14 2009-05-01 07:38:53-07 Hamilton Exp Hamilton \$

a serial number to give out. It does not give an extended reply to additional software build data.

```

1 $Header: d:/Binder06.Protocols/test/RCS/MRev.dat,v 1.2 2010-03-12 12:16:19-08 Hamilton Exp Hamilton $
2 Spectra Mini, Rev 1.23
3 DCE      12      1.100139 ff 01 00 45 00 00 46 Part number query
4          M I N I      1 1 4 R - X
5 DTE      19      1.114932 ff 01 4d 49 4e 49 20 31 31 34 52 2d 58 00 00 00 01
6 DCE      37      2.251495 ff 01 01 45 00 00 47 Serial number query
7          M I N I      1 1 4 R - X
8 DTE      44      2.266214 ff 01 4d 49 4e 49 20 31 31 34 52 2d 58 00 00 00 02
9 DCE     185      12.619487 ff 01 00 73 00 00 74 Software rev query
10 DTE     192      12.634248 ff 01 00 74
11 DCE     196      13.770828 ff 01 02 73 00 00 76 Build query
12 DTE     203      13.785538 ff 01 00 76

```

The software rev data is read out using the diagnostic information query (0x6F Section 5.56, page 102) opcode: (This data comes from a different dome than the previous readout.)

```

1 $Header: d:/Binder06.Protocols/test/RCS/MRev71.dat,v 1.2 2010-03-12 12:16:19-08 Hamilton Exp Hamilton $
2 Spectra Mini, Rev 1.23
3 DCE     1875     812.401611 ff 01 00 6f 00 00 70 Diagnostic Information Query
4          1 . 2 3
5 DTE     1882     812.409717 ff 01 00 71 60 01 31 2e 32 33 97

```

#### A.4 Spectra IV

The reply to the query command consists of its marketing name which is null padded and a serial number. In this case the software rev number has been changed to have a format of n.nnn and starts to take up two bytes of data.

```

1 $Header: d:/Binder06.Protocols/test/RCS/S4Rev.dat,v 1.2 2010-03-12 12:16:20-08 Hamilton Exp Hamilton $
2 Spectra IV, Rev 1.050
3 DCE      34      11.470258 ff 01 00 45 00 00 46 Part number query
4          D D 4 C B W 3 5
5 DTE      41      11.500216 ff 01 44 44 34 43 42 57 33 35 00 00 00 00 00 47
6 DCE      59      12.598173 ff 01 01 45 00 00 47 Serial number query
7          5 7 7 9 8 4 2
8 DTE      66      12.628027 ff 01 35 37 37 39 38 34 32 00 00 00 00 00 00 c2
9 DCE      84      13.726064 ff 01 00 73 00 00 74 Software rev query
10 DTE      91      13.756231 ff 01 01 73 04 1a 93 1.050
11 DCE      98      14.854007 ff 01 02 73 00 00 76 Build query
12 DTE     105      14.884018 ff 01 03 73 00 01 78 1

```

#### A.5 Spectra IV TC16

The reply to the query command consists of its marketing name which is null padded and a serial number. In this case the software rev number has been changed to have a format of n.nnn and starts to take up two bytes of data.

```

1 $Header: d:/Binder06.Protocols/test/RCS/s4tc16.dat,v 1.3 2010-03-12 12:16:21-08 Hamilton Exp Hamilton $
2 Spectra IV, TC-16, Rev 1.07
3 DTE      34      10.365612 ff 01 00 45 00 00 46 Part number query

```

```

4          D D 4 T C 1 6
5 DCE      41    10.394552 ff 01 44 44 34 54 43 31 36 00 00 00 00 00 00 00 01
6 DTE      59    11.518137 ff 01 01 45 00 00 47 Serial number query
7          7 4 5 6 7 4 7
8 DCE      66    11.547364 ff 01 37 34 35 36 37 34 37 00 00 00 00 00 00 00 c0
9 DTE      84    12.670377 ff 01 00 73 00 00 74 Software rev query
10 DCE     91    12.699736 ff 01 01 73 04 2e a7 1.070
11 DTE     98    13.822615 ff 01 02 73 00 00 76 Build query
12 DCE    105    13.851712 ff 01 03 73 00 01 78 1

```

## A.6 Spectra IV Horizon

The reply to the query command consists of its marketing name which is null padded and a serial number. In this case the software rev number has been changed to have a format of n.nnn and starts to take up two bytes of data.

```

1 $Header: d:/Binder06.Protocols/test/RCS/s4h.dat,v 1.2 2010-03-12 12:16:21-08 Hamilton Exp Hamilton $
2 Spectra IV Horizon, rev 1.071
3 DTE      34    10.430965 ff 01 00 45 00 00 46 Part number query
4          D D 4 H 3 5
5 DCE      41    10.438667 ff 01 44 44 34 48 33 35 00 00 00 00 00 00 00 b3
6 DTE      59    11.583296 ff 01 01 45 00 00 47 Serial number query
7          8 4 5 4 0 8 0
8 DCE      66    11.591231 ff 01 38 34 35 34 30 38 30 00 00 00 00 00 00 b5
9 DTE      84    12.735633 ff 01 00 73 00 00 74 Software rev query
10 DCE     91    12.743471 ff 01 01 73 04 2f a8 1.071
11 DTE     98    13.886954 ff 01 02 73 00 00 76 Build query
12 DCE    105    13.894669 ff 01 03 73 00 01 78 1

```

## A.7 Esprit

### A.7.1 Esprit CBW24 PAL

In this reply to the query command is the marketing name which is blank padded and repeats its marketing name instead of a serial number. For the software revision commands, it returns with an Endura NAK to indicate that it does not support the command.

```

1 $Header: d:/Binder06.Protocols/test/RCS/EsRev.dat,v 1.2 2010-03-12 12:16:18-08 Hamilton Exp Hamilton $
2 Esprit 24X, Rev 3.36 PAL, With wiper
3 DCE      34    10.558229 ff 01 00 45 00 00 46 Part number query
4          E S 3 1 C B W 2 4 X
5 DTE      41    10.588681 ff 01 45 53 33 31 43 42 57 32 34 58 20 20 20 20 7d
6 DCE      59    11.709581 ff 01 01 45 00 00 47 Serial number query
7          E S 3 1 C B W 2 4 X
8 DTE      66    11.742013 ff 01 45 53 33 31 43 42 57 32 34 58 20 20 20 20 7e
9 DCE      84    12.862889 ff 01 00 73 00 00 74 Software rev query
10 DTE     91    12.892847 ff 01 00 01 00 00 02 Endura Nak
11 DCE     98    14.014217 ff 01 02 73 00 00 76 Build query
12 DTE    105    14.045763 ff 01 00 01 00 00 02 Endura Nak

```

### A.7.2 Esprit CBW NTSC

This is similar to the older Esprit response (Appendix A.7.1, page 131), however it has an additional “a” character to indicate that this 23X camera

is a newer model (type “N”) with more lines of resolution. Also additional information is available starting at rev Esprit 3.86. The additional information is the camera data with DIP switch settings and an SMR number if applicable.

```

1 # Esprit 23X NTSC IOP rev 3.86, SMR 1-11UXTS
2 # $Header: d:/Binder06.Protocols/test/RCS/ES18a.dat,v 1.4 2009-02-09 14:23:24-08 Hamilton Exp Hamilton $
3 DTE 1 0.000000 ff 01 00 00 00 00 01
4 DCE 8 0.033389 ff 01 00 01
5 DTE 12 1.027500 ff 01 00 45 00 00 46 Part number query
6 E S 3 1 C B W 1 8 X
7 DCE 19 1.065135 ff 01 45 53 33 31 43 42 57 31 38 61 20 20 20 20 89
8 DTE 37 2.053855 ff 01 01 45 00 00 47 Serial number query
9 E S 3 1 C B W 1 8 X
10 DCE 44 2.087545 ff 01 45 53 33 31 43 42 57 31 38 61 20 20 20 20 8a
11 DTE 62 3.080182 ff 01 02 45 00 00 48 Camera and DIP switch query
12 E 0 0 5 - 0 1 0 4 0 0 0 1
13 DCE 69 3.116516 ff 01 45 30 30 35 2d 30 31 30 34 20 30 30 20 30 31 16
14 DTE 87 4.106563 ff 01 03 45 00 00 49 SMR, if any, query
15 S M R 1 - 1 1 U X T 5
16 DCE 94 4.143677 ff 01 53 4d 52 20 31 2d 31 31 55 58 54 35 20 20 20 b2
17 DTE 162 7.186588 ff 01 00 73 00 00 74 Software rev query
18 DCE 169 7.220552 ff 01 01 73 01 82 f8 3.86
19 DTE 176 8.215364 ff 01 02 73 00 00 76 Software build query
20 DCE 183 8.271880 ff 01 00 01 00 00 02 Endura NAK reply
21 DTE 190 9.244689 ff 01 00 6f 00 00 70 Mini-Spectra software query
22 DCE 197 9.274875 ff 01 00 70 General response

```

### A.7.3 Esprit CBW PAL

This is similar to the older Esprit response (Appendix A.7.1, page 131), however it has an additional “a” character to indicate that this 23X camera is a newer model (type “N”) with more lines of resolution. Also additional information is available starting at rev Esprit 3.86. The additional information is the camera data with DIP switch settings and an SMR number if applicable.

```

1 # Esprit 23X PAL IOP rev 3.86, SMR 1-11UXTS
2 # $Header: d:/Binder06.Protocols/test/RCS/ES18xa.dat,v 1.4 2009-02-09 11:48:52-08 Hamilton Exp Hamilton $
3 DTE 12 1.027267 ff 01 00 45 00 00 46 Part number query
4 E S 3 1 C B W 1 8 X a
5 DCE 19 1.056938 ff 01 45 53 33 31 43 42 57 31 38 58 61 20 20 20 20 c1
6 DTE 37 2.054585 ff 01 01 45 00 00 47 Serial number query
7 E S 3 1 C B W 1 8 X a
8 DCE 44 2.089324 ff 01 45 53 33 31 43 42 57 31 38 58 61 20 20 20 20 c2
9 DTE 62 3.081902 ff 01 02 45 00 00 48 Camera type and DIP switch query
10 E 0 1 5 - 0 1 0 4 0 0 0 1
11 DCE 69 3.114570 ff 01 45 30 31 35 2d 30 31 30 34 20 30 30 20 30 31 17
12 DTE 87 4.109273 ff 01 03 45 00 00 49 SMR number query, if there
13 S M R 1 - 1 1 U X T 5
14 DCE 94 4.142982 ff 01 53 4d 52 20 31 2d 31 31 55 58 54 35 20 20 20 b2
15 DTE 162 7.190236 ff 01 00 73 00 00 74 Software rev query
16 DCE 169 7.224439 ff 01 01 73 01 82 f8 3.86
17 DTE 176 8.217060 ff 01 02 73 00 00 76 Software build query, no reply
18 DTE 183 9.244398 ff 01 00 6f 00 00 70 Mini-Spectra Software rev query
19 DCE 190 9.277514 ff 01 00 70 General response reply

```

#### A.7.4 Esprit CBW PAL

This is similar to the older Esprit response (Appendix A.7.1, page 131), Additional information is available starting at rev Esprit 3.86. The additional information is the camera data with DIP switch settings and an SMR number if applicable.

```
1 # Esprit 24X PAL IOP rev 3.86, SMR 1-11UXTS
2 # $Header: d:/Binder06.Protocols/test/RCS/Es24x.dat,v 1.2 2010-03-12 12:16:18-08 Hamilton Exp Hamilton $
3 DTE 12 1.007127 ff 01 00 45 00 00 46
4 E S 3 1 C B W 2 4 X
5 DCE 19 1.016280 ff 01 45 53 33 31 43 42 57 32 34 58 20 20 20 20 7d
6 DTE 37 2.013908 ff 01 01 45 00 00 47
7 E S 3 1 C B W 2 4 X
8 DCE 44 2.025306 ff 01 45 53 33 31 43 42 57 32 34 58 20 20 20 20 7e
9 DTE 62 3.021745 ff 01 02 45 00 00 48
10 1 0 1 1 - 0 1 0 5 0 2 0 1
11 DCE 69 3.033189 ff 01 31 30 31 31 2d 30 31 30 35 20 30 32 20 30 31 02
12 DTE 87 4.027591 ff 01 03 45 00 00 49
13 S M R 1 - 1 1 U X T 5
14 DCE 94 4.039407 ff 01 53 4d 52 20 31 2d 31 31 55 58 54 35 20 20 20 b2
15 DTE 162 7.049995 ff 01 00 73 00 00 74
16 DCE 169 7.058781 ff 01 01 73 01 82 f8
17 DTE 176 8.058290 ff 01 02 73 00 00 76
18 DCE 183 8.066562 ff 01 00 01 00 00 02
19 DTE 190 9.067144 ff 01 00 6f 00 00 70
20 DCE 197 9.075385 ff 01 00 70
```

#### A.8 Esprit TI

In this reply to the query command is the marketing name which is null padded and it sends out its serial number. For the software revision commands, it returns with an Endura NAK to indicate that it does not support the command.

```
1 $Header: d:/Binder06.Protocols/test/RCS/TIRev.dat,v 1.3 2010-03-12 12:16:21-08 Hamilton Exp Hamilton $
2 Esprit TI, Rev unknown
3 DCE 34 11.463211 ff 01 00 45 00 00 46 Part number query
4 E S 3 0 1 4 T I
5 DTE 41 11.497948 ff 01 45 53 33 30 31 34 54 49 00 00 00 00 00 00 44
6 DCE 59 12.591196 ff 01 01 45 00 00 47 Serial number query
7 6 7 2 4 3 7 0
8 DTE 66 12.621723 ff 01 36 37 32 34 33 37 30 00 00 00 00 00 00 00 b5
9 DCE 84 13.711300 ff 01 00 73 00 00 74 Software rev query
10 DTE 91 13.745056 ff 01 00 01 00 00 02 Endura Nak
11 DCE 98 14.831403 ff 01 02 73 00 00 76 Build query
12 DTE 105 14.862998 ff 01 00 01 00 00 02 Endura Nak
```

#### A.9 ExSite

The ExSite responds with its marketing model number which is blank padded, and does not have a serial number to respond with. The software revision information is the same as that provided by the Spectra III.

```
1 $Header: d:/Binder06.Protocols/test/RCS/ExRev.dat,v 1.2 2010-03-12 12:16:18-08 Hamilton Exp Hamilton $
2 ExSite, Rev 1.13
3 DCE 34 10.462784 ff 01 00 45 00 00 46 Part number query
4 I P S X M 3 0 C 2 2
5 DTE 41 10.492636 ff 01 49 50 53 58 4d 33 30 43 32 32 20 20 20 20 82
```

```

6 DCE      59    11.582862 ff 01 01 45 00 00 47 Serial number query
7          I P S X M 3 0 C 2 2
8 DTE      66    11.612609 ff 01 49 50 53 58 4d 33 30 43 32 32 20 20 20 20 83
9 DCE      84    12.702991 ff 01 00 73 00 00 74 Software rev query
10 DTE     91    12.733001 ff 01 01 73 00 71 e6 1.13
11 DCE     98    13.823069 ff 01 02 73 00 00 76 Build query
12 DTE    105    13.852974 ff 01 03 73 00 00 77 0

```

#### A.10 ExSite, fixed mount, PAL

The Fixed ExSite responds with a modified version of the marketing model number which is blank padded, but does not have a serial number to respond with. This is for an ExSite Fixed mount with a CBW23, PAL camera installed. The software rev information is the same as that provided by the Spectra III.

```

1 $Header: d:/Binder06.Protocols/test/RCS/FExRevP.dat,v 1.3 2010-03-12 12:16:19-08 Hamilton Exp Hamilton $
2 Fixed ExSite rev 1.13
3 DCE      34    10.463435 ff 01 00 45 00 00 46 Part number query
4          X M 3 1 C B W 2 3 X
5 DTE      41    10.493028 ff 01 58 4d 33 31 43 42 57 32 33 58 20 20 20 20 89
6 DCE      59    11.583435 ff 01 01 45 00 00 47 Serial number query
7          X M 3 1 C B W 2 3 X
8 DTE      66    11.612976 ff 01 58 4d 33 31 43 42 57 32 33 58 20 20 20 20 8a
9 DCE      84    12.703515 ff 01 00 73 00 00 74 Software rev query
10 DTE     91    12.732950 ff 01 01 73 00 71 e6 1.13
11 DCE     98    13.823617 ff 01 02 73 00 00 76 Built query
12 DTE    105    13.853314 ff 01 03 73 00 00 77 0

```

#### A.11 ExSite, fixed mount, NTSC

The Fixed ExSite responds with a modified version of its marketing model number which is blank padded, but does not have a serial number to respond with. This is for an ExSite Fixed mount with a C22, NTSC camera installed. The software rev information is the same as that provided by the Spectra III.

```

1 $Header: d:/Binder06.Protocols/test/RCS/FExRevN.dat,v 1.4 2010-03-12 12:16:19-08 Hamilton Exp Hamilton $
2 Fixed ExSite rev 1.13
3 DTE      34    10.558073 ff 01 00 45 00 00 46 Part number query
4          X M 3 0 C 2 2
5 DCE      41    10.587717 ff 01 58 4d 33 30 43 32 32 20 20 20 20 20 20 20 f6
6 DTE      59    11.710315 ff 01 01 45 00 00 47 Serial number query
7          X M 3 0 C 2 2
8 DCE      66    11.739750 ff 01 58 4d 33 30 43 32 32 20 20 20 20 20 20 20 f7
9 DTE      84    12.860571 ff 01 00 73 00 00 74 Software rev query
10 DCE     91    12.890114 ff 01 01 73 00 71 e6 1.13
11 DTE     98    14.014062 ff 01 02 73 00 00 76 Build query
12 DCE    105    14.043369 ff 01 03 73 00 00 77 0

```

## B Camera Characteristics

Although not a part of the protocol, in many places it is convenient to know how a Pelco PTZ units operates in order to understand these protocols.

### B.1 Focusing

The default focus mode is auto mode (the mode after a dome or camera reset). This means that the device (the dome) controls whether auto-focus is turned on or off. There is also an always off mode. The mode is set/changed by a command (Section 5.22, page 63) or menu option.

When in auto mode, the camera starts out with auto-focus on. If the receiver receives a focus near or far command, auto-focus is turned off. It stays off until a pan or tilt command is received or the dome or camera is reset (Section 5.21, page 63) or the unit has panned at least 15°.

### B.2 Iris

The default iris mode is auto mode (the mode after a dome or camera reset). This means that the device (the dome) controls whether auto-iris is turned on or off. There is also an always off mode. The mode is set/changed by a command (Section 5.23, page 64) or menu option.

When in auto mode, the camera starts out with auto-iris on. If the receiver receives an iris open or close command, auto-iris is turned off. It stays off until the device pans or tilts more than 15° from the position where auto iris was turned off or the dome or camera is reset (Section 5.21, page 63).

If the Spectra is in auto mode for auto iris and also in auto mode for AGC (see below), the following happens. If the iris is all the way open and the Spectra receives an iris stop command and then an iris open command within one second of receiving the stop, then AGC is turned off and the camera gain is slowly increased until an iris stop is received or the upper gain limit (Section 5.34, page 77) is increased.

If the gain has been increased by an auto iris command and a close iris command is received, the gain is slowly decreased until it reaches the value it had when the gain started to increase. Then AGC is turned back on and the iris is closed.

---

<sup>85</sup>\$Header: d:/Binder06.Protocols/test/RCS/CC.inc,v 1.1 2007-10-30 07:09:33-08 Hamilton Exp Hamilton \$

### B.3 Speed Ramping

To avoid abrupt speed changes (which could cause clunking noises or even motor stalling), the speeds (angular velocities in degrees/second) are ramped up or down. A command that causes a speed change (such as a motion command or a move to preset) does not set the speed directly. Instead, it sets a desired speed and direction. The ramping task compares the current speed (degrees/second) and direction to the desired speed and direction and calculates a new current speed and direction. This new speed is calculated to keep the angular acceleration (degrees/second/second) approximately constant.

### B.4 Zooming

When zooming in (tele), the camera first does optical zoom, meaning that the elements of the lens move to do the zooming. After reaching maximum optical zoom (the lower zoom limit), the camera then does electronic zooming. Electronic zooming involves no lens movement, until it reaches a preset limit (the higher zoom limit). If the receiver receives a zoom stop command after reaching the lower zoom limit, and then another zoom in command within one second of receiving the stop, the receiver increases electronically to the higher zoom limit.

When zooming out (wide), the camera zooms out through the electronic zoom range and then the optical zoom range. It does not stop at the lower zoom limit.



## C Interpreting Pan D Readout Replies




Figure 2: D Protocol Pan Readout Positions

In the below example several variables and functions are used:

### 1. Protocol Command Values:

1.1 SDcmd1 and SDcmd2, UNSIGNED CHARS are used to hold commands to the Spectra.

### 2. Calculated Intermediate Values:

2.1 HR\_offset is a SIGNED INT which holds the results of asking the Spectra what the Azimuth offset is.

2.2 HR\_temp is a SIGNED LONG which holds the result of modifying the reported value from the Spectra by the offset.

### 3. Macros/defines used:

3.1 D\_EC\_EXTENDED\_REPLY\_LENGTH is the length of a D Protocol reply that contains Azimuth or Elevation data. It is currently 7 (seven).

3.2 DREPLY\_DATA1 with an index value of 5 and

3.3 DREPLY\_DATA2 which has an index value of 6.

### 4. Arrays used:

4.1 Dreply is a 7 UNSIGNED CHAR to receive the Spectra reply into. The two positions used here are:

4.1.1. DREPLY\_DATA1 with an index value of 5 and

<sup>86</sup>\$Header: d:/Binder06.Protocols/test/RCS/PTdata.inc,v 1.6 2008-08-20 09:06:12-07 Hamilton Exp Hamilton \$

#### 4.1.2. DREPLY\_DATA2 which has an index value of 6.

### 5. Functions called:

#### 5.1 SCheckSumD()

#### 5.2 GetDReply()

### 6. The results are in two UNSIGNED CHARS:

6.1 HpanU this is the upper half of the pan angle when modified by the Set Azimuth Zero value.

6.2 HpanL this is the lower half of the pan angle when modified by the Set Azimuth Zero value.

```
// Get pan angle offset from zero
SDcmd1 = D_ECS_EVEREST_AZIMUTH_ZERO_OFFSET_QRY;
SDcmd2 = D_EC_EVEREST;          // This is an Everest op-code
SCheckSumD(YES_REPLY);
GetDReply(D_EC_EXTENDED_REPLY_LENGTH); // Put it in the reply buffer
HR_offset = ((DReply[DREPLY_DATA1]*256) + DReply[DREPLY_DATA2]);

// Get pan angle SDcmd1, SDdata1 and SData2 don't change anymore
SDcmd1 = 0x00;
SDcmd2 = D_EC_QUERY_PAN;      // What is the current azimuth reading
SCheckSumD(YES_REPLY);
GetDReply(D_EC_EXTENDED_REPLY_LENGTH); // Put it in the reply buffer

// Pan angle comes in in two bytes as degrees times 100 "hungrees"
// Value has to be rounded (i.e. that is why there is a "+ 50" here)
//
// The pan angle reported by an D_EC_QUERY_PAN command is not
// offset by the D_EC_SET_ZERO command. But the on screen display
// is. So here we have to modify the reported output by the
// changed pan offset value.
//
// If D_EC_SET_ZERO has been used to set pan zero to 25 degrees,
// and the on-screen display is now reading 50 degrees in pan,
// then the reply from a D_EC_QUERY_PAN command will be 75 degrees.
// In general we should have the angle reported to the outside
// world match what is seen on the screen. Thus there is logic to
// request the actual offset value and to use that in modifying
// the reported value so that it matches the on-screen value.
//
HR_temp = ((DReply[DREPLY_DATA1]*256) + DReply[DREPLY_DATA2]);

HR_temp -= HR_offset;          // Get difference of real vs display
if (HR_temp < 0)                // Too small
{
    HR_temp += 36000;          // Yep, let it wrap up
}
HR_temp += 50;                  // Round
HR_temp /= 100;                 // Convert from hungrees to decimal
HpanU   = (unsigned char) (HR_temp/256);
HpanL   = HR_temp & 0xFF;
```

## D Spectra Download Process Used Via The 422/485 Port

10/31/2002

Eric Bopp

Original name = "sp3 download.doc"

### D.1 Background

At the start of the process the download app (Windows, Palm or Ipaq). does not know whether the Spectra application is running or if the unit is already at the "Ready for download" prompt. So the first step is to make sure we are at the "Ready for download" prompt. Additionally, our spec says that the user should not be able to set the baud used by the download app. This means that the download app will have to test communications at all possible baud rates. The possible initial baud rates are as follows: if the BIOS is running the baud will be 2400, if the app is running the baud could be 2400, 4800 or 9600 (as set by the DIP switches).

### D.2 Getting the unit into "Ready for download" mode

Send a D Protocol message containing the "download" opcode (0x57 Section 5.44, page 90). Cycle through the possible bauds (2400, 4800, 9600) starting with 2400, until a valid response is received. Once we have acknowledgement that this message has been received by the unit, we can be sure that the unit is at the "Ready for download" prompt and that the baud is 2400.

### D.3 New Opcodes

Three D Protocol opcodes are used for the purpose of determining the optimum baud for the download and for starting the download process. The following is a brief description of each opcode.

1. **Activate Echo Mode** message (opcode 0x65 Section 5.51, page 97). Sending this command puts the 422/485 port into a state where any character that is received is immediately retransmitted. The unit automatically comes out of this state when one of the following happens: more than 100 milliseconds pass without a character being received or more than 180 characters having been received.

---

<sup>87</sup>\$Header: d:/Binder06.Protocols/test/RCS/Sp3Down.inc,v 1.5 2007-12-26 14:37:09-08 Hamilton Exp Hamilton \$

2. **Set Baud** message (opcode 0x67 Section 5.52, page 98). Sending this command changes the baud at which the unit communicates at on the 422/485 port. The unit does not change its baud until after it has sent a response to this message. The unit automatically falls back to 2400 baud if no characters are received for 100 milliseconds. (Note that this fallback condition does not apply once the unit begins the download process).
3. **Start Download** message (opcode 0x69 Section 5.53, page 99). This message starts the download process.

#### D.4 Determining the optimum baud for downloading

The next step is to determine the maximum baud that can be reliably used for the download. Spectra supports 2400, 4800, 9600, 19200, 38400 and 115200 bauds for downloads via the 422/485 port. The following is the step-by-step process for determining the optimum baud for downloading. The term “recovery state” is used in the description below. “Recovery state” is defined as waiting more than 100 milliseconds and resetting your baud to 2400.

1. Start testing the communications link at 2400 baud.
2. Send the **SET BAUD** message to set the baud to rate to be tested. If a valid response is received, the app should change its baud to the rate being tested and go to step 3. If a valid response is not received go to the recovery state, then resend the **SET BAUD** message. Note that retry counts for the purpose of dropping to a lower baud do not need to be implemented for this action because we are always transmitting 2400 baud (the lowest baud).
3. Send the **ACTIVATE ECHO MODE** message (0x65 Section 5.51, page 97). If a valid response is received go to step 4, otherwise increment the retry count, go to the recovery state and do one of the following:
  - 3.1 If the maximum number of retries have occurred then step back to next lower baud and go to step 6.
  - 3.2 Retry by going back to step 2.
4. Send the test packet. Go to step 5.
5. Receive the echoed back message and confirm that there are no errors. Go to the recovery state (this needs to be done regardless of success

or failure). If there are no errors in the echo back data: if you are at the maximum baud then go to step 6 otherwise increment to the next baud and go to step 2. If there are errors in the echo back data or a timeout occurs then increment the retry count and do one of the following:

5.1 If the maximum number of retries have occurred then begin the download at the next lower baud.

5.2 Retry by going back to step 2.

6. Send the `SET BAUD` message to set the units baud to the “current baud” (the highest baud the passed the tests above). Repeat until a valid response is received. Once a valid response is received then go to step 7.
7. Send the `START DOWNLOAD` message. Repeat until a valid response is received. Once a valid response is received then continue the download using the algorithm that is used on the RJ-45 port.

## E Typical Predefined Presets

In the following table, preset numbers in parentheses are the numbers when operating in “32 preset mode”. Presets without parentheses are not available in 32 preset mode. When in 32 preset mode, if limit stops are turned off then presets 23 → 26 may be used as normal presets.

PRESET ID	Name	Set/ Call	Use
0x21/- 33 <sub>10</sub>	PRESET_FLIP	Call	Standard in all units, causes a 180° turn.
0x22/- 34 <sub>10</sub>	PRESET_ZERO	Call	Standard in all units, causes pan to move to calibrate 0 ( <i>cal_0</i> ).
0x54/- 84 <sub>10</sub>	PRESET_AUX1	Set  Call	Turns on AUX 1 with the ExSite only. Turns off AUX 1 with the ExSite.
0x55/- 85 <sub>10</sub>	PRESET_AUX2	Set  Call	Turns on AUX 2 with the ExSite only. Turns off AUX 2 with the ExSite.
0x55/- 85 <sub>10</sub>	—	Call  Set	“Black Hot” choice with the Esprit TI No effect with the Esprit TI
0x56/- 86 <sub>10</sub>	PRESET_WIPER	Call	Turns on/off the wiper with ExSite only.
	—	Call	“White Hot” choice with the Esprit TI
	—	Call	Toggles inversion of video <b>only</b> on PTZ units with Spectra IV units with 23X and 35X cameras installed. Does not invert controls. I.e. left/right pan do the “backwards thing” when the video is inverted. Originally an SMR (SMR 1-1B9GVC) planned for Spectra IV rev 2.01 and following.
Continued on the next page.			

<sup>88</sup>\$Header: d:/Binder06.Protocols/test/RCS/Presets.inc,v 1.12 2012-02-08 10:37:39-08 Hamilton Exp Hamilton \$

Continued from the previous page.			
PRESET ID	Name	Set/- Call	Use
	—	Set	No effect with the Esprit TI or Spectra IV.
0x57/- 87 <sub>10</sub>	PRESET_WASHER	Call	Turns on the Wash cycle on the ExSite only.
0x57/- 87 <sub>10</sub>	—	Call	“Color 1” choice with the Esprit TI
		Set	No effect with the Esprit TI
0x58/- 88 <sub>10</sub> (0x15/- 21 <sub>10</sub> )	PRESET_IR_- FILTER_IN	Call	Used with CBW type cameras. (Section E.1, page 145)
0x58/- 88 <sub>10</sub> (0x15/- 21 <sub>10</sub> )	—	Call	“Rain 1” choice with the Esprit TI
		Set	No effect with the Esprit TI
0x59/- 89 <sub>10</sub> (0x16/- 22 <sub>10</sub> )	PRESET_IR_- FILTER_OUT	Call	Used with CBW type cameras.
0x59/- 89 <sub>10</sub> (0x16/- 22 <sub>10</sub> )	—	Call	Force an FFC Calibration cycle in the Esprit TI.
		Set	No effect with the Esprit TI
0x5A/- 90 <sub>10</sub> (0x17/- 23 <sub>10</sub> )	PRESET_- MANUAL_LEFT_- LIMIT	Set	Standard in all units, sets a left hand motion limit.
Continued on the next page.			

Continued from the previous page.			
PRESET ID	Name	Set/- Call	Use
		Call Clear	No effect Clears this limit
0x5B/- 91 <sub>10</sub> (0x18/- 24 <sub>10</sub> )	PRESET_- MANUAL_- RIGHT_LIMIT	Set  Call Clear	Standard in all units, sets a right hand motion limit.  No effect Clears this limit
0x5C/- 92 <sub>10</sub> (0x19/- 25 <sub>10</sub> )	PRESET_SCAN_- LEFT_LIMIT	Set  Call Clear	Standard in all units, sets a left hand scanning limit.  No effect Clears this limit
0x5D/- 93 <sub>10</sub> (0x1A/- 26 <sub>10</sub> )	PRESET_SCAN_- RIGHT_LIMIT	Set  Call Clear	Standard in all units, sets a right hand scanning limit.  No effect Clears this limit
0x5E/- 94 <sub>10</sub> (0x1B/- 27 <sub>10</sub> )	PRESET_RESET	Set  Call	Reserved for future use.  On Esprit units only, starting with rev 3.70, will cause the WatchDog timer to time out and reset the unit.
0x5F/- 95 <sub>10</sub> (0x1C/- 28 <sub>10</sub> )	PRESET_MENU_- MODE	Set	Standard in all units, accesses the menu system.
Continued on the next page.			



Continued from the previous page.			
PRESET ID	Name	Set/ Call	Use
		Call	Ignored, to get into menu mode a set <b>must</b> be used.
0x60/- 96 <sub>10</sub> (0x1D/- 29 <sub>10</sub> )	PRESET_STOP_- SCAN	Set  Call	Standard in all units, stops auto- matic scans.  Same as a Set command
0x61/- 97 <sub>10</sub> (0x1E/- 30 <sub>10</sub> )	PRESET_- RANDOM_SCAN	Set  Call	Standard in all units, starts ran- dom scanning.  Same as a Set command
0x62/- 98 <sub>10</sub> (0x1F/- 31 <sub>10</sub> )	PRESET_- FRAME_SCAN	Set  Call	Standard in all units, starts frame scanning.  Same as a Set command
0x63/- 99 <sub>10</sub> (0x20/- 32 <sub>10</sub> )	PRESET_AUTO_- SCAN	Set  Call	Standard in all units, starts auto- matic scanning.  Same as a Set command

## E.1 IR Cut Filter

How I can turn on/off the IR-filter<sup>89</sup>?

With cameras that have an IR cut-filter and we can capture the same scene in Black and White with no “noise” artifacts we can limit the source to the color burst and its phase/saturation/etc properties.

With a camera capable of C/BW such as, the 23x or 18x, Spectra III, the IR cut filter can be put into manual mode Via the menus...

```

<MAIN>
|
|--<DOME SETTINGS>

```

<sup>89</sup>From an e-mail by Derek Springer, 24APR06.

```
|  
|--<CAMERA>  
|  
|--IR CUT FILTER --- Set to "OFF" for manual control
```

Once the camera is set to "OFF" for IR cut filter control, Preset 89 can be used to switch the cut filter out and put the camera into black and white mode. Preset 88 puts the IR cut filter back in for normal color operation. If the "noise" artifacts are no longer present in the same scene [i.e. we don't now have black and white image artifacts] we would then be able to detect that the artifacts are coming from the color properties....

## F List of Effective Sections

1. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-01.inc,v 1.30 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
2. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-03.inc,v 1.49 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
3. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-05.inc,v 1.40 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
4. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-07.inc,v 1.41 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
5. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-09.inc,v 1.38 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
6. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-0B.inc,v 1.41 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
7. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-0D.inc,v 1.44 2010-03-12 12:16:16-08 Hamilton Exp Hamilton
8. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-0F.inc,v 1.29 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
9. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-11.inc,v 1.37 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
10. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-13.inc,v 1.32 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
11. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-15.inc,v 1.46 2011-08-01 08:41:18-07 Hamilton Exp Hamilton
12. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-17.inc,v 1.29 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
13. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-19.inc,v 1.35 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
14. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-1B.inc,v 1.44 2011-08-01 08:41:18-07 Hamilton Exp Hamilton
15. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-1D.inc,v 1.29 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
16. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-1F.inc,v 1.40 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
17. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-21.inc,v 1.36 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
18. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-23.inc,v 1.37 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
19. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-25.inc,v 1.32 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
20. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-27.inc,v 1.32 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
21. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-29.inc,v 1.36 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
22. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-2B.inc,v 1.33 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
23. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-2D.inc,v 1.34 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
24. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-2F.inc,v 1.36 2010-11-29 07:23:16-08 Hamilton Exp Hamilton
25. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-31.inc,v 1.33 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
26. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-33.inc,v 1.35 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
27. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-35.inc,v 1.32 2010-11-29 07:23:16-08 Hamilton Exp Hamilton
28. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-37.inc,v 1.37 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
29. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-39.inc,v 1.35 2010-11-29 07:23:16-08 Hamilton Exp Hamilton
30. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-3B.inc,v 1.32 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
31. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-3D.inc,v 1.32 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
32. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-3F.inc,v 1.37 2010-11-29 07:23:16-08 Hamilton Exp Hamilton
33. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-41.inc,v 1.34 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
34. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-43.inc,v 1.33 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
35. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-45.inc,v 1.53 2011-10-06 12:17:52-07 Hamilton Exp Hamilton
36. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-47.inc,v 1.40 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
37. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-49.inc,v 1.32 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
38. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-4B.inc,v 1.36 2010-03-12 12:16:17-08 Hamilton Exp Hamilton
39. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-4D.inc,v 1.35 2010-03-12 12:16:17-08 Hamilton Exp Hamilton
40. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-4F.inc,v 1.33 2010-03-11 15:05:43-08 Hamilton Exp Hamilton
41. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-51.inc,v 1.31 2010-03-11 15:05:43-08 Hamilton Exp Hamilton

---

<sup>90</sup>File was generated by FixGlo.l and refit.bat

42. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
53.inc,v 1.32 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
43. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
55.inc,v 1.31 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
44. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
57.inc,v 1.28 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
45. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
59.inc,v 1.30 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
46. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
5B.inc,v 1.27 2010-03-12 12:16:17-08 Hamilton Exp  
Hamilton
47. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
5D.inc,v 1.28 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
48. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
5F.inc,v 1.36 2011-09-09 08:21:58-07 Hamilton Exp  
Hamilton
49. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
61.inc,v 1.36 2011-07-22 08:45:04-07 Hamilton Exp  
Hamilton
50. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
63.inc,v 1.27 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
51. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
65.inc,v 1.28 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
52. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
67.inc,v 1.36 2011-05-09 08:36:12-07 Hamilton Exp  
Hamilton
53. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
69.inc,v 1.31 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
54. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
6B.inc,v 1.30 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
55. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
6D.inc,v 1.29 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
56. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
6F.inc,v 1.47 2010-11-03 12:39:55-08 Hamilton Exp  
Hamilton
57. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
71.inc,v 1.42 2011-09-07 14:24:21-07 Hamilton Exp  
Hamilton
58. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
73.inc,v 1.47 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
59. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
75.inc,v 1.46 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
60. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
77.inc,v 1.41 2010-03-11 15:05:44-08 Hamilton Exp  
Hamilton
61. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
79.inc,v 1.29 2011-09-09 08:21:58-07 Hamilton Exp  
Hamilton
62. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
CC.inc,v 1.1 2007-10-30 07:09:33-08 Hamilton Exp  
Hamilton
63. Header: d:/Binder06.Protocols/DProtoDoc/-  
RCS/ChngLog.inc,v 1.9 2011-10-06 12:17:53-07  
Hamilton Exp Hamilton
64. Header: d:/Binder06.Protocols/DProtoDoc/-  
RCS/Commands.inc,v 1.35 2011-08-01 08:41:19-07  
Hamilton Exp Hamilton
65. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
DBits.inc,v 1.8 2009-05-01 07:38:52-07 Hamilton  
Exp Hamilton
66. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
DBits.inc,v 1.8 2009-05-01 07:38:52-07 Hamilton  
Exp Hamilton
67. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
Dbytes.inc,v 1.6 2007-12-18 10:08:28-08 Hamilton  
Exp Hamilton
68. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
Dbytes.inc,v 1.6 2007-12-18 10:08:28-08 Hamilton  
Exp Hamilton
69. Header: d:/Binder06.Protocols/DProtoDoc/-  
RCS/DProtoE.tex,v 1.10 2011-10-06 12:26:22-07  
Hamilton Exp Hamilton
70. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
Intro.inc,v 1.27 2011-08-01 08:41:20-07 Hamilton  
Exp Hamilton
71. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
Labels.inc,v 1.8 2011-08-01 08:41:20-07 Hamilton  
Exp Hamilton
72. Header: d:/Binder06.Protocols/DProtoDoc/-  
RCS/Presets.inc,v 1.11 2011-09-08 13:51:11-07  
Hamilton Exp Hamilton
73. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
PTdata.inc,v 1.6 2008-08-20 09:06:12-07 Hamilton  
Exp Hamilton
74. Header: d:/Binder06.Protocols/DProtoDoc/-  
RCS/Response.inc,v 1.23 2011-08-01 08:41:20-07  
Hamilton Exp Hamilton
75. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
Revs.inc,v 1.14 2009-05-01 07:38:53-07 Hamilton  
Exp Hamilton
76. Header: d:/Binder06.Protocols/DProtoDoc/RCS/-  
Sp3Down.inc,v 1.5 2007-12-26 14:37:09-08 Hamilton  
Exp Hamilton

## G Change Log

1. March 2008, revision 5.0.1:
  - 1.1 Several spelling and grammar fixes.
  - 1.2 Added in information about reading out the internal temperature of a Spectra IV.
  - 1.3 Added in information about features of the Esprit series of PTZs gained from reading the “Esprit Software Release” log for software revision 3.80.
2. June 2008, revision 5.0.2:
  - 2.1 Several spelling and grammar fixes.
  - 2.2 Added in cross references between reply types and their definitions.
3. March 2010, revision 5.1.1:
  - 3.1 Added hyper links to the document.
  - 3.2 Added new information about the query command (Section 5.35, page 78).
  - 3.3 Minor english fixes through out.
4. April 2010, revision 5.1.2:
  - 4.1 Documented op-code 0x7B, which was missed earlier. It has been in shipping products for at least 6 months.
5. August 2011, revision 5.2.0:
  - 5.1 Incorporate many spelling, grammer and similar problems.
  - 5.2 Add an Effective Sections, part.
6. September 2011, revision 5.2.1:
  - 6.1 Incorporate spelling fixes.
  - 6.2 Added a note for opcodes 0x5F and 0x79 that their arguments are the only ones in D Protocol that are signed.
  - 6.3 Added in a speed plot and table for the current Esprit.

---

<sup>91</sup>\$Header: d:/Binder06.Protocols/test/RCS/ChngeLog.inc,v 1.9 2011-10-06 12:17:53-07 Hamilton Exp Hamilton \$



## Index

0x00, 28, 70, 77, 85, 86, 106, 110, 117, 118, 122, 123  
0x0003, 37  
0x0005, 39  
0x0007, 40  
0x0009, 41  
0x000B, 43  
0x000D, 44  
0x000F, 45  
0x0011, 46  
0x0013, 48  
0x0015, 49  
0x0017, 50  
0x0019, 51  
0x001B, 52  
0x001D, 55  
0x001F, 56  
0x0021, 59  
0x0023, 60  
0x0025, 61  
0x0027, 62  
0x0029, 63  
0x002B, 64  
0x002D, 64  
0x002F, 65  
0x0031, 66  
0x0033, 67  
0x0035, 68  
0x0037, 69  
0x0039, 72  
0x003B, 73  
0x003D, 74  
0x003F, 75  
0x0041, 76  
0x0043, 77  
0x0045, 78  
0x0047, 83  
0x0049, 84  
0x004B, 85  
0x004D, 86  
0x004F, 87  
0x0057, 90  
0x005F, 94  
0x0065, 98  
0x0067, 98  
0x0069, 100  
0x01, 30–32, 36, 42, 44, 51, 52, 95, 105–107, 110, 111, 117, 118, 122, 124, 128  
0x0109, 42  
0x010B, 43  
0x0139, 72  
0x013B, 73  
0x013D, 74  
0x013F, 75  
0x0141, 76  
0x0143, 77  
0x015F, 94  
0x0167, 98  
0x02, 28, 100, 106, 108, 110, 112, 117, 122, 124  
0x03, 37, 46, 106, 108, 110, 112, 117, 122, 125  
0x04, 28, 48, 110, 113, 122, 125  
0x05, 39, 110, 113, 122, 126  
0x06, 110, 114, 122, 126  
0x07, 40, 41, 110, 114, 122, 127  
0x08, 105, 110, 115  
0x09, 41, 110, 115  
0x0A, 28, 110, 116

0x0B, 43, 110, 116	0x3B, 73
0x0C, 110, 117, 118	0x3D, 74
0x0D, 44, 110, 117	0x3F, 75
0x0E, 110, 118	0x41, 76
0x0F, 45, 110, 119, 120	0x42, 28
0x10, 110, 119	0x43, 77
0x11, 46, 50, 110, 120, 121	0x45, 78
0x12, 110, 111, 120, 121	0x47, 83
0x13, 48	0x49, 84, 85
0x15, 49, 143	0x4B, 84
0x16, 143	0x4D, 86
0x17, 50, 102, 143	0x4F, 87
0x18, 144	0x51, 88
0x19, 51, 144	0x53, 89
0x1A, 144	0x54, 142
0x1B, 52, 144	0x55, 89, 142
0x1C, 144	0x56, 142
0x1C0, 75	0x57, 90, 139, 143
0x1D, 55, 145	0x58, 143
0x1E, 102, 145	0x59, 88, 91, 143
0x1F, 55, 145	0x5A, 143
0x20, 28, 80, 145	0x5B, 89, 92, 144
0x21, 59, 142	0x5C, 144
0x22, 28, 41, 142	0x5D, 90, 93, 144
0x23, 59	0x5E, 144
0x25, 61	0x5F, 94, 144
0x26, 28	0x60, 145
0x27, 62	0x61, 96, 145
0x29, 63	0x62, 145
0x2B, 63	0x63, 96, 97, 145
0x2D, 64	0x65, 97, 139, 140
0x2F, 65	0x67, 98, 140
0x300, 73, 74	0x69, 99, 140
0x31, 66	0x6B, 100
0x33, 67	0x6D, 101
0x35, 68	0x6F, 102, 105
0x37, 69	0x71, 102, 103, 105
0x39, 71	0x73, 106–108



0x75, 110–121  
 0x77, 122–127  
 0x79, 127  
 0x7B, 149  
 0x7F, 77  
 0x88, 28  
 0x90, 28  
 0xC0, 73, 74  
 0xFC, 42–44  
 0xFD, 42–44  
 0xFE, 42–44  
 0xFF, 12, 13, 28  
  
 23, 82  
 27, 82  
 35, 82  
  
 abs, 127, 128  
 ack, 17, 36, 106, 110, 112, 114–116, 118, 123–126, 128  
 action, 44, 45  
 Activate Echo Mode, 140  
 ACTIVATE\_ECHO\_MODE, 98  
 adjust gain, 66  
 adjust line lock, 68  
 adjust white balance, 67, 68  
 ADJUST\_AUTO\_IRIS\_LEVEL, 76  
 ADJUST\_AUTO\_IRIS\_PEAK\_VALUE, 77  
 ADJUST\_GAIN, 75  
 ADJUST\_LINE\_LOCK\_PHASE\_DELAY, 72  
 ADJUST\_WHITE\_BALANCE\_MG, 74  
 ADJUST\_WHITE\_BALANCE\_RB, 73  
 AGC, 135  
 agc control, 20  
 agc ctrl, 65  
 AGC\_MODE, 65  
  
 ai ctrl, 76, 77  
 ai peak lsb, 77  
 ai peak msb, 77  
 ail lsb, 76  
 ail msb, 76  
 ail value, 21  
 aip value, 22  
 alarm acknowledge, 52  
 alarm bit mask, 114  
 alarm id, 19  
 ALARM\_ACKNOWLEDGE, 51  
 application version number, 107  
 ASCII char, 49, 50  
 Atlas, 37, 39, 40, 42–44, 49–51, 56, 59, 60, 64, 76–78, 84–86, 88, 89, 94–96, 98, 106–108, 110–114, 117–121, 127, 128  
 auto focus ctrl, 20, 63  
 Auto Focus state, 105  
 auto iris ctrl, 20, 64  
 Auto Iris state, 105  
 Auto Sharpness state, 105  
 auto white balance, 73, 74  
 auto-scan, 15  
 AUTO\_FOCUS\_MODE, 64  
 AUTO\_IRIS\_MODE, 64  
 AUTO\_WHITE\_BALANCE, 67  
 aux id, 18, 42  
 AWB, 67  
 awb control, 20  
 awb ctrl, 67  
 AWB state, 105  
  
 BACKLIGHT\_COMPENSATION, 66  
 baud code, 98  
 BIOS, 139  
 bitmask, 120, 121  
 bitmask lsb, 119, 121  
 bitmask msb, 119, 121

BLC, 66  
 blc control, 20  
 blc ctrl, 66  
 BLC state, 105  
 build, 109  
 build lsb, 108  
 build msb, 108  
 BUILD\_REQUEST, 106  
 BUILD\_RESPONSE, 106  
  
 C16, 80  
 C22, 80, 82  
 Call Preset 1, 31  
 camera off, 15  
 camera on, 15  
 camera reset, 63  
 CBW18, 80  
 CBW23, 82  
 CBW24, 80  
 CBW35, 80, 82  
 clear preset, 39  
 CLEAR\_AUXILIARY, 43  
 CLEAR\_INDICATOR, 43  
 CLEAR\_PRESET, 39  
 CLEAR\_SCREEN, 50  
 cmdnd, 11  
 cmdnd1, 85, 86, 99, 105  
 cmdnd2, 105  
 Coaxitron®, 83  
 current date, 126  
 current hour, 125  
 current minute, 125  
 current month, 126  
 current second, 124  
  
 D Protocol, 7–13, 15, 17, 28, 83, 128  
 D\_EC\_ADJUST\_AI\_LEVEL, 76  
 D\_EC\_ADJUST\_AI\_PEAK, 77  
 D\_EC\_ADJUST\_GAIN, 75  
 D\_EC\_ADJUST\_MG\_WB, 74  
 D\_EC\_ADJUST\_PHASE, 71  
 D\_EC\_ADJUST\_RB\_WB, 73  
 D\_EC\_AGC, 65  
 D\_EC\_ALARM\_ACK, 51  
 D\_EC\_AUTO\_FOCUS, 63  
 D\_EC\_AUTO\_IRIS, 64  
 D\_EC\_AWB, 67  
 D\_EC\_BLC, 66  
 D\_EC\_CAMERA\_RESET, 63  
 D\_EC\_CLEAR\_AUX, 43  
 D\_EC\_CLEAR\_PRESET, 39  
 D\_EC\_CLEAR\_SCREEN, 50  
 D\_EC\_DEV\_TYPE\_REP, 101  
 D\_EC\_DEVICE\_PHASE, 68  
 D\_EC\_DOWNLOAD, 90, 91  
 D\_EC\_DUMMY\_1, 44  
 D\_EC\_ECHO\_MODE, 97  
 D\_EC\_END\_RECORD, 59  
 D\_EC\_EVEREST, 110–121  
 D\_EC\_EXTENDED\_REPLY\_-  
     LENGTH, 137  
 D\_EC\_FOCUS\_SPEED, 62  
 D\_EC\_MAG\_RESP, 97  
 D\_EC\_MOVE\_PRESET, 40, 41  
 D\_EC\_PAN\_RESP, 91  
 D\_EC\_PRESET\_SCAN, 83  
 D\_EC\_QUERY, 78  
 D\_EC\_QUERY\_DEV\_TYPE, 100  
 D\_EC\_QUERY\_DIAG\_INFO, 102  
 D\_EC\_QUERY\_DIAG\_RESP, 103  
 D\_EC\_QUERY\_MAG, 96  
 D\_EC\_QUERY\_PAN, 88, 137  
 D\_EC\_QUERY\_TILT, 89  
 D\_EC\_QUERY\_ZOOM, 89  
 D\_EC\_RESET, 45  
 D\_EC\_SCREEN\_MOVE, 127  
 D\_EC\_SET\_AUX, 41  
 D\_EC\_SET\_BAUD, 98, 99

D_EC_SET_MAG, 94	D_ECD_EVEREST_ENABLE_-
D_EC_SET_PAN, 84	LIMITS_DISABLE, 118
D_EC_SET_PRESET, 37	D_ECD_EVEREST_ENABLE_-
D_EC_SET_TILT, 86	LIMITS_ENABLE, 118
D_EC_SET_ZERO, 84, 137	D_ECD_EVEREST_MAN_LEFT_-
D_EC_SHUTTER_SPEED, 69	PAN, 117
D_EC_START_DOWNLOAD, 99	D_ECD_EVEREST_MAN_RIGHT_-
D_EC_START_PLAY, 59	PAN, 117
D_EC_START_RECORD, 55	D_ECD_EVEREST_SCAN_LEFT_-
D_EC_STD_EXT_RESP, 36	PAN, 117
D_EC_TILT_RESP, 92	D_ECD_EVEREST_SCAN_-
D_EC_TIMESSET_MACRO_-	RIGHT_PAN, 117
OPCODE, 122–127	D_ECD_FOCUS_SPEED_FAST, 62
D_EC_VERSION_INFO, 106–108	D_ECD_FOCUS_SPEED_-
D_EC_WRITE_CHAR, 49	FASTEST, 62
D_EC_ZONE_END, 48	D_ECD_FOCUS_SPEED_-
D_EC_ZONE_OFF, 55	MEDIUM, 62
D_EC_ZONE_ON, 52	D_ECD_FOCUS_SPEED_SLOW,
D_EC_ZONE_START, 46	62
D_EC_ZOOM, 87	D_ECD_SET_AUX_LED_AMBER,
D_EC_ZOOM_RESP, 93	43
D_EC_ZOOM_SPEED, 61	D_ECD_SET_AUX_LED_GREEN,
D_ECD_AUTO_AGC_AUTO, 66	43
D_ECD_AUTO_AGC_OFF, 66	D_ECD_SET_AUX_LED_RED, 43
D_ECD_AUTO_AWB_OFF, 67	D_ECD_SET_BAUD_115200, 99
D_ECD_AUTO_AWB_ON, 67	D_ECD_SET_BAUD_19200, 99
D_ECD_AUTO_BLC_OFF, 66	D_ECD_SET_BAUD_2400, 99
D_ECD_AUTO_BLC_ON, 66	D_ECD_SET_BAUD_38400, 99
D_ECD_AUTO_FOCUS_AUTO, 64	D_ECD_SET_BAUD_4800, 99
D_ECD_AUTO_FOCUS_OFF, 64	D_ECD_SET_BAUD_9600, 99
D_ECD_AUTO_IRIS_AUTO, 65	D_ECD_ZOOM_SPEED_FAST, 61
D_ECD_AUTO_IRIS_OFF, 65	D_ECD_ZOOM_SPEED_FASTEST,
D_ECD_CLEAR_AUX_LED_-	61
AMBER, 44	D_ECD_ZOOM_SPEED_MEDIUM,
D_ECD_CLEAR_AUX_LED_-	61
GREEN, 44	D_ECD_ZOOM_SPEED_SLOW, 61
D_ECD_CLEAR_AUX_LED_RED,	D_ECS_ADJUST_AI_LEVEL_-
44	DELTA, 77

D_ECS_ADJUST_AI_LEVEL_NEW,	LIMITS, 118
77	
D_ECS_ADJUST_AI_PEAK_-	D_ECS_EVEREST_LIMIT_QRY,
DELTA, 78	117
D_ECS_ADJUST_AI_PEAK_NEW,	D_ECS_EVEREST_LIMIT_RSP,
78	117
D_ECS_ADJUST_GAIN_DELTA, 76	D_ECS_EVEREST_MAX_MAG_-
D_ECS_ADJUST_GAIN_NEW, 76	QRY, 112
D_ECS_ADJUST_MG_WB_DELTA,	D_ECS_EVEREST_MAX_MAG_-
74	RSP, 113
D_ECS_ADJUST_MG_WB_NEW,	D_ECS_EVEREST_SET_MAX_-
74	MAG, 112
D_ECS_ADJUST_PHASE_DELTA,	D_ECS_GET_HR_MINS, 125
72	D_ECS_GET_MON_DATE, 126
D_ECS_ADJUST_PHASE_NEW,	D_ECS_GET_SECONDS, 124
72	D_ECS_GET_YEAR, 127
D_ECS_ADJUST_RB_WB_DELTA,	D_ECS_SET_ABS_MAG, 128
73	D_ECS_SET_AUX_LED, 42
D_ECS_ADJUST_RB_WB_NEW,	D_ECS_SET_AUX_RELAY, 42
73	D_ECS_SET_HR_MINS, 124
D_ECS_ALARM_QRY, 113	D_ECS_SET_MAN_PAN_LEFT_-
D_ECS_ALARM_RSP, 114	LIMIT, 115
D_ECS_CLEAR_AUX_LED, 44	D_ECS_SET_MAN_PAN_RIGHT_-
D_ECS_CLEAR_AUX_RELAY, 44	LIMIT, 115
D_ECS_DELETE_PATTERN, 114	D_ECS_SET_MON_DATE, 125
D_ECS_EVEREST_AZIMUTH_-	D_ECS_SET_REL_MAG, 128
ZERO_OFFSET_QRY, 111	D_ECS_SET_SCAN_PAN_LEFT_-
D_ECS_EVEREST_AZIMUTH_-	LIMIT, 116
ZERO_OFFSET_RSP, 111	D_ECS_SET_SCAN_PAN_-
D_ECS_EVEREST_DEFINED_-	RIGHT_LIMIT, 116
PATTERNS_QRY, 120	D_ECS_SET_SECONDS, 123
D_ECS_EVEREST_DEFINED_-	D_ECS_SET_YEAR, 126
PATTERNS_RSP, 121	D_ECS_STD_EXT_RESP_ACK, 36
D_ECS_EVEREST_DEFINED_-	D_ECS_STD_EXT_RESP_NAK, 36
PRESETS_QRY, 119	D_ECS_VERSION_INFO_MAIN_-
D_ECS_EVEREST_DEFINED_-	CPU_VERSION_QRY, 107
PRESETS_RSP, 119	D_ECS_VERSION_INFO_MAIN_-
D_ECS_EVEREST_ENABLE_-	CPU_VERSION_RSP, 107
	D_ECS_VERSION_MAIN_CPU_-

BUILD_QRY, 108	ES31, 80
D_ECS_VERSION_MAIN_CPU_-	Esprit, 15, 16, 53, 57, 58, 60, 79, 80,
BUILD_RSP, 108	87, 94, 96, 102, 103, 149
D_ECS_WRITE_CHAR_LABEL, 49	Esprit 3012, 37, 39, 40, 42, 43, 45,
data, 11	46, 48–50, 52, 55, 56, 59, 60,
data type, 49	78, 83
data1, 49, 95, 103, 105, 128	Esprit IOP/IOC, 70
data2, 50, 95, 103, 105, 128	Esprit TI, 65, 68, 71, 75, 79, 82, 97
delay lsb, 21	EsSite, 60
delay msb, 21	Everest, 49
delete pattern, 56	ExSite, 38, 45, 49, 53, 54, 56–58,
DIP, 139	70, 101–103, 142, 143
DOWNLOAD, 90	flash, 57
Dreply, 137	FLIP, 40
DREPLY_DATA1, 137	FNR state, 105
DREPLY_DATA2, 137, 138	focus speed, 20, 62
DUMMY, 44	future use, 36, 37
dwel, 22, 83	
	gain ctrl, 75
EEPROM, 54, 57	gain lsb, 21, 75
EIA/TIA-422, 8	gain msb, 21, 75
EIA/TIA-485, 8	GetDReply(), 138
EIS, 87, 94, 96	GO_TO_PRESET, 40
EIS Center Frequency, 105	GO_TO_ZERO_PAN, 40
EIS state, 105	
Electronic Image Stabilization, 87,	hard type, 101
94, 96	hardware type, 24
enable phase delay mode, 72	Hitachi, 77
ENABLE_DEVICE_PHASE_-	HpanL, 138
DELAY_MODE, 68	HpanU, 138
Endura, 37, 39, 40, 42–44, 50, 51,	HR_offset, 137
56, 59, 60, 64, 76–78, 84–86,	HR_temp, 137
88, 89, 94, 96, 98, 106–108,	
110–114, 117–121, 127	Intercept, 37, 39, 40, 42, 43, 45, 46,
ERD, 40, 42, 43, 78	48–50, 52, 55, 56, 58–62
ERD97, 52	lpaq, 139
ERD97P21, 37, 39, 40, 42, 43, 45,	IR cut filter, 145, 146
51, 61, 62	IR cut-filter, 145
ES30, 80	IR Level state, 105
	IR Mode state, 105

- IR-filter, 145
- IRD, 40, 42, 43, 78
- label, 53, 54
- Labels, 53
- labels, 53
- limit, 112, 115, 116, 118
- limit id, 117
- limit lsb, 112, 113, 115–117
- limit msb, 112, 113, 115–117
- ll ctrl, 71
- ll delay lsb, 71
- ll delay msb, 71
- LRD, 37, 39, 40, 42, 43, 45, 78
- M22, 82
- mag lsb, 23–25, 94, 97
- mag msb, 23–25, 94, 97
- manual scan, 15
- Mini Spectra, 56
- MMC2107, 102
- MMC2114, 102
- mode, 98, 99
- Motion Stop, 31
- nak, 14, 17, 36, 106, 110, 112, 114–118, 121, 123–126, 128, 131, 133
- new date, 125
- new hour, 124
- new limits state, 118
- new minute, 124
- new month, 125
- new second, 123
- NTSC, 56
- offset, 111
- offset lsb, 111
- offset msb, 111
- on/off/temp, 44

- P, 80
- PAL, 56
- Palm, 139
- pan  $\Delta$ , 127, 128
- pan lsb, 22, 23, 84, 91
- pan msb, 22, 23, 84, 91
- pattern group, 120
- pattern id, 19, 55, 59
- pattern number, 114
- pattern numbers, 114
- Pict Mode, 105
- preset, 53, 54
- Preset 88, 146
- Preset 89, 146
- preset group, 119
- preset id, 17, 37, 142–145
- preset labels, 49
- PRESET\_AUTO\_SCAN, 145
- PRESET\_AUX1, 142
- PRESET\_AUX2, 142
- PRESET\_FLIP, 142
- PRESET\_FRAME\_SCAN, 145
- PRESET\_IR\_FILTER\_IN, 143
- PRESET\_IR\_FILTER\_OUT, 143
- PRESET\_MANUAL\_LEFT\_LIMIT, 143
- PRESET\_MANUAL\_RIGHT\_LIMIT, 144
- PRESET\_MENU\_MODE, 144
- PRESET\_RANDOM\_SCAN, 145
- PRESET\_RESET, 144
- PRESET\_SCAN, 83
- PRESET\_SCAN\_LEFT\_LIMIT, 144
- PRESET\_SCAN\_RIGHT\_LIMIT, 144
- PRESET\_STOP\_SCAN, 145
- PRESET\_WASHER, 143
- PRESET\_WIPER, 142

PRESET\_ZERO, 142  
 QUERY, 78  
 Query, 80  
 query, 32, 35  
 query azimuth zero, 84  
 query azimuth zero response, 84  
 query defined patterns, 56, 60  
 query defined patterns response, 56  
 query defined patterns response, 60  
 query defined presets, 37, 39, 40  
 query defined presets response, 37, 39, 40  
 query device type response, 101  
 query diagnostic information, 103  
 query diagnostic information response, 102  
 query magnification, 94, 97, 101  
 query magnification response, 90, 96  
 query magnification response, 94  
 query pan position, 85, 91, 92  
 query pan position response, 85, 88, 89  
 query tilt position, 92  
 query tilt position response, 89  
 query tilt position, 86  
 query tilt position response, 86  
 query type, 78  
 query zoom position, 87, 93  
 query zoom position response, 87, 90  
 record pattern start, 59, 60  
 rel, 127, 128  
 rel/abs, 94, 95, 127  
 REMOTE\_RESET, 45  
 request build number, 109  
 RESET\_CAMERA\_DEFAULTS, 63  
 resp type, 36  
 RS-422, 7  
 RS-485, 7  
 RS232, 7  
 RS422, 7  
 RS485, 7  
 RUN\_PATTERN, 60  
 SChecksumD(), 138  
 screen column, 49  
 SCREEN\_SET\_MAG, 94  
 SDcmnd1, 137  
 SDcmnd2, 137  
 sensor id, 103  
 set 95, 37, 52, 61, 62, 69, 70  
 set auxiliary, 43  
 set azimuth zero, 84, 85, 91  
 Set Baud, 140, 141  
 set preset, 38–40, 50  
 set preset 28, 38  
 set preset 95, 38  
 set tilt position, 92  
 set zero position, 85, 91, 92  
 set zone end, 47, 54  
 set zone scan off, 47, 54  
 set zone scan on, 47, 48, 54  
 set zone scan start, 48  
 set zone start, 47, 48, 50, 52, 54  
 SET\_YEAR, 123  
 SET\_AUTO\_IRIS\_LEVEL, 76  
 SET\_AUTO\_IRIS\_PEAK\_VALUE, 77  
 SET\_AUXILIARY, 41  
 SET\_CURRENT\_BAUD\_RATE, 98  
 SET\_FOCUS\_SPEED, 62  
 SET\_GAIN, 75  
 SET\_INDICATOR, 42  
 SET\_LINE\_LOCK\_PHASE\_DELAY, 72  
 SET\_MAGNIFICATION, 94

SET\_PAN\_POSITION, 85  
 SET\_PATTERN\_START, 56  
 SET\_PATTERN\_STOP, 59  
 SET\_PRESET, 37  
 SET\_REMOTE\_BAUD\_RATE, 98  
 SET\_SHUTTER\_SPEED, 69  
 SET\_TILT\_POSITION, 86  
 SET\_WHITE\_BALANCE\_MG, 74  
 SET\_WHITE\_BALANCE\_RB, 73  
 SET\_ZERO\_POSITION, 84  
 SET\_ZONE\_END, 48  
 SET\_ZONE\_START, 46  
 SET\_ZOOM\_POSITION, 87  
 SET\_ZOOM\_SPEED, 61  
 shutter ctrl 1, 69  
 shutter ctrl 2, 69  
 signed int, 137  
 signed long, 137  
 soft type, 101, 102  
 software type, 24  
 Spectra, 15, 16, 47, 53, 58, 79, 88, 91, 94, 99, 135  
 Spectra I, 57, 58, 60–62  
 Spectra II, 53, 57, 58, 60, 69, 70, 79, 103  
 Spectra II Lite, 58  
 Spectra III, 33, 38, 47–49, 51, 53, 54, 56–58, 60, 70, 79–81, 96, 97, 99, 101, 103, 111, 114, 119, 120, 145  
 Spectra III SE, 32, 54, 58  
 Spectra IV, 7, 26, 36, 38, 42, 48, 50, 51, 56–58, 60, 61, 63, 70, 78, 79, 90, 95, 96, 100, 102, 103, 108, 114, 119, 123, 128, 149  
 Spectra IV SE, 58  
 Spectra MINI, 70  
 speed lsb, 21  
 speed msb, 21  
 Start Download, 141  
 START\_DOWNLOAD, 100  
 sub op code, 121  
 sub op-code, 18, 19, 21–24, 79, 111  
 sub opcode, 25, 52, 106, 110, 127  
 sub-device id, 44  
 sub-opcode, 107, 109  
 Super Extended, 12  
 Sure Focus state, 105  
 sync, 35  
 TC16, 82  
 temp, 103  
 TIA/EIA-422, 7  
 TIA/EIA-485, 7  
 tilt  $\Delta$ , 127, 128  
 tilt lsb, 22, 23, 86, 92  
 tilt msb, 22, 23, 86, 92  
 time sub opcode, 122  
 TOL type, 105  
 TXB, 33  
 type, 51, 52  
 type sub op-code, 51  
 unsigned char, 137, 138  
 version, 108  
 version lsb, 107  
 version msb, 107  
 VERSION\_REQUEST, 106  
 VERSION\_RESPONSE, 106  
 VK-274R, 80  
 VK-454N, 80  
 VK-454R, 80  
 VK-654N, 80  
 VK-654R, 80  
 VK-934R, 80  
 VK-P554, 80  
 VK-S274, 80



VK-S454, 80

VK-S654, 80

VK-S934, 80

wb ctrl, 73, 74

wb-mg lsb, 21, 74

wb-mg msb, 21, 74

wb-rb lsb, 21, 73

wb-rb msb, 21, 73

WDR state, 105

Windows, 139

WRITE\_CHARACTER\_TO\_-  
SCREEN, 49

X, 80

year lsb, 126, 127

year msb, 126, 127

zone, 53, 54

zone id, 18, 46–48

zone label, 54

zone labels, 49

zone message, 54

zone scan off, 54

zone scan on, 46, 54

ZONE\_SCAN\_OFF, 55

ZONE\_SCAN\_ON, 52

Zoom In, 31

zoom lsb, 22, 23, 87, 93

zoom msb, 22, 23, 87, 93

zoom speed, 19, 61